



# COUPLERS MALAGA

Couplers Pty Ltd | ABN 73 009 034 806

Unit 8/2 Carson Road MALAGA WA 6090

Phone: (08) 9248 9994 | Fax (08) 9248 9995

Visit our website: [www.couplers.com.au](http://www.couplers.com.au)

SIZE	TABLE	OUTSIDE DIAMETER (mm)	PITCH CIRCLE DIAMETER (mm)	NUMBER OF BOLT HOLES	BOLT HOLE DIAMETER	BOLT DIAMETER	FLANGE THICKNESS (mm)
38mm 1.1/2"	D	135	98.0	4	14	M12	6.0
	E	135	98.0	4	14	M12	9.0
	F	140	105.0	4	18	M16	13.0
	H	140	105.0	4	18	M16	17.0
	ANSI 150	125	98.4	4	5/8"	1/2"	17.5
	ANSI 300	155	114.3	4	7/8"	3/4"	20.7
	DIN PN16	150	110.0	4	18	M16	18.0
50mm 2"	D	150	114.0	4	18	M16	8.0
	E	150	114.0	4	18	M16	10.0
	F	165	127.0	4	18	M16	16.0
	H	165	127.0	4	18	M16	19.0
	ANSI 150	150	120.7	4	3/4"	5/8"	19.1
	ANSI 300	165	127.0	8	3/4"	5/8"	22.3
	DIN PN16	165	125.0	4	18	M16	20.0
63mm 2.1/2"	D	165	127.0	4	18	M16	8.0
	E	165	127.0	4	18	M16	10.0
	F	185	146.0	8	18	M16	16.0
	H	185	146.0	8	18	M16	19.0
	ANSI 150	180	139.7	4	3/4"	5/8"	22.3
	ANSI 300	190	149.2	8	7/8"	3/4"	25.4
	DIN PN16	185	145.0	4	18	M16	20.0
75mm 3"	D	185	146.0	4	18	M16	10.0
	E	185	146.0	4	18	M16	11.0
	F	205	165.0	8	18	M16	16.0
	H	205	165.0	8	18	M16	22.0
	ANSI 150	190	152.4	4	3/4"	5/8"	23.9
	ANSI 300	210	168.3	8	7/8"	3/4"	28.6
	DIN PN16	200	160.0	8	18	M16	22.0
100mm 4"	D	215	178.0	4	18	M16	10.0
	E	215	178.0	8	18	M16	13.0
	F	230	191.0	8	18	M16	19.0
	H	230	191.0	8	18	M16	25.0
	ANSI 150	230	190.5	8	3/4"	5/8"	23.9
	ANSI 300	255	200.0	8	7/8"	3/4"	31.8
	DIN PN16	220	180.0	8	18	M16	22.0

SIZE	TABLE	OUTSIDE DIAMETER (mm)	PITCH CIRCLE DIAMETER (mm)	NUMBER OF BOLT HOLES	BOLT HOLE DIAMETER	BOLT DIAMETER	FLANGE THICKNESS (mm)
125mm 5"	D	255.0	210.0	8	18	M16	13.0
	E	255.0	210.0	8	18	M16	14.0
	F	280.0	235.0	8	22	M20	22.0
	H	280.0	235.0	8	22	M20	29.0
	ANSI 150	255.0	215.9	8	7/8"	3/4"	23.9
	ANSI 300	280.0	235.0	8	7/8"	3/4"	35.0
	DIN PN16	250.0	210.0	8	18	M16	22.0
150mm 6"	D	280.0	235.0	8	18	M16	13.0
	E	280.0	235.0	8	22	M20	17.0
	F	305.0	260.0	12	22	M20	22.0
	H	305.0	260.0	12	22	M20	29.0
	ANSI 150	280.0	241.3	8	7/8"	3/4"	25.4
	ANSI 300	320.0	269.9	12	7/8"	3/4"	36.6
	DIN PN16	285.0	240.0	8	22	M20	24.0
200mm 8"	D	335.0	292.0	8	18	M16	13.0
	E	335.0	292.0	8	22	M20	19.0
	F	370.0	324.0	12	22	M20	25.0
	H	370.0	324.0	12	22	M20	32.0
	ANSI 150	345.0	298.5	8	7/8"	3/4"	28.6
	ANSI 300	380.0	330.2	12	1"	7/8"	41.3
	DIN PN16	340.0	295.0	12	22	M20	24.0
250mm 10"	D	405.0	356.0	8	22	M20	16.0
	E	405.0	356.0	12	22	M20	22.0
	F	430.0	381.0	12	26	M24	25.0
	H	430.0	381.0	12	26	M24	35.0
	ANSI 150	405.0	362.0	12	1"	7/8"	30.2
	ANSI 300	445.0	387.4	16	1.1/8"	1"	47.7
	DIN PN16	405.0	355.0	12	26	M24	30.5
300mm 12"	D	455.0	406.0	12	22	M20	19.0
	E	455.0	406.0	12	26	M24	25.0
	F	490.0	438.0	16	26	M24	29.0
	H	490.0	438.0	16	26	M24	38.0
	ANSI 150	485.0	431.8	12	1"	7/8"	31.8
	ANSI 300	520.0	450.8	16	1.1/4"	1.1/8"	50.8
	DIN PN16	460.0	410.0	12	26	M24	28.0

Please note - Whilst every care is taken to provide the correct information, Couplers Pty Ltd is unable to guarantee or warrant the accuracy of the specifications contained within the above chart.