



Unit 8/2 Carson Road
Malaga WA 6090
P: 08 9248 9994
F: 08 9248 9995
E: sales@couplers.com.au
www.couplers.com.au

SECTION 5: COUPLINGS

5.1	<u>CAMLOCKS</u>	82-88
5.2	<u>TYPE 'B' BAUER COUPLINGS</u>	89-90
5.3	<u>DEWATERING & EXPANSION JOINTS</u>	91-91b
5.4	<u>FIRE COUPLINGS - BIC & STORZ</u>	92-93
5.5	<u>IBC & DRUM THREADED ADAPTORS</u>	94-97
5.6	<u>MINSUP CLAW COUPLINGS</u>	98-99
5.7	<u>GROUND JOINT COUPLINGS</u>	100-102
5.8	<u>WIRE SAFETY</u>	103
5.9	<u>VICTAULIC COUPLINGS</u>	104-106
5.10	<u>UPVC PIPE FITTINGS</u>	107-110
5.11	<u>PE PIPE FITTINGS (METRIC & RURAL)</u>	111-118
5.12	<u>TAPPING SADDLES</u>	119-120

CAMLOCKS

CAMLOCK SPECIFICATIONS

STANDARD SPECIFICATIONS	ALUMINIUM DIECAST	POLY / NYGLASS	STAINLESS STEEL 316
DESCRIPTION	MANUFACTURED USING THE DIECAST METHOD	70% POLYPROPYLENE 30% GLASS FILLED NYLON	SAND CAST, FULLY WELDABLE
APPLICATION	GENERAL INDUSTRIAL AND AGRICULTURAL	AGRICULTURAL EQUIPMENT AND CHEMICAL INDUSTRY	FOOD INDUSTRY, OFFSHORE, CHEMICAL INDUSTRY
THREAD	BSP (NPT ON REQUEST)	BSP	BSP (NPT ON REQUEST)
WASHER	BUNA (OTHERS ON REQUEST)	BUNA (OTHERS ON REQUEST)	BUNA (OTHERS ON REQUEST)
LEVER	BRASS	STAINLESS STEEL	STAINLESS STEEL
PINS	ZINC PLATED	STAINLESS STEEL	STAINLESS STEEL

CAMLOCK WORKING PRESSURES (AT ROOM TEMPERATURE)

SIZE (NB)	ALUMINIUM		SIZE (NB)	POLY / NYGLASS		SIZE (NB)	STAINLESS STEEL 316	
	KPA	PSI		KPA	PSI		KPA	PSI
1/2"	1034	150	1/2"	862	125	1/2"	1034	150
3/4"	1724	250	3/4"	862	125	3/4"	1724	250
1"	1724	250	1"	862	125	1"	1724	250
1.1/4"	1724	250	1.1/4"	862	125	1.1/4"	1724	250
1.1/2"	1724	250	1.1/2"	862	125	1.1/2"	1724	250
2"	1724	250	2"	862	125	2"	1724	250
2.1/2"	1034	150	2.1/2"	690	100	2.1/2"	1034	150
3"	862	125	3"	517	75	3"	862	125
4"	690	100	4"	517	75	4"	690	100
5"	517	75	5"	N/A	N/A	5"	517	75
6"	517	75	6"	N/A	N/A	6"	517	75
8"	344	50	8"	N/A	N/A	8"	N/A	N/A

CAMLOCK WASHERS

MATERIAL	TEMPERATURE RATING	SUITABILITY
BUNA (NITRILE)***	-40 to 90°C	FUEL & OIL RESISTANCE
EPDM	-30 to 110°C	WATER, BETTER WEAR PROPERTIES
TEFLON	-30 to 230°C	HIGH TEMPERATURE, CHEMICALS, FOOD
VITON	-20 to 120°C	CHEMICAL RESISTANCE

*** Standard supplied with camlocks

CAMLOCKS

TYPE A: MALE CAMLOCK x FEMALE BSP



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-A012	-	K/SS-A012
3/4"	K/ALD-A020	K/PN-A020	K/SS-A020
1"	K/ALD-A025	K/PN-A025	K/SS-A025
1.1/4"	K/ALD-A032	K/PN-A032	K/SS-A032
1.1/2"	K/ALD-A038	K/PN-A038	K/SS-A038
2"	K/ALD-A050	K/PN-A050	K/SS-A050
2.1/2"	K/ALD-A063	K/PN-A063	K/SS-A063
3"	K/ALD-A075	K/PN-A075	K/SS-A075
4"	K/ALD-A100	K/PN-A100	K/SS-A100
5"	K/ALD-A125	-	K/SS-A125
6"	K/ALD-A150	-	K/SS-A150
8"	K/ALD-A200	-	-

5

TYPE B: FEMALE CAMLOCK x MALE BSP



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-B012	-	K/SS-B012
3/4"	K/ALD-B020	K/PN-B020	K/SS-B020
1"	K/ALD-B025	K/PN-B025	K/SS-B025
1.1/4"	K/ALD-B032	K/PN-B032	K/SS-B032
1.1/2"	K/ALD-B038	K/PN-B038	K/SS-B038
2"	K/ALD-B050	K/PN-B050	K/SS-B050
2.1/2"	K/ALD-B063	K/PN-B063	K/SS-B063
3"	K/ALD-B075	K/PN-B075	K/SS-B075
4"	K/ALD-B100	K/PN-B100	K/SS-B100
5"	K/ALD-B125	-	K/SS-B125
6"	K/ALD-B150	-	K/SS-B150
8"	K/ALD-B200	-	-

CAMLOCKS

TYPE C: FEMALE CAMLOCK x HOSETAIL



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-C012	-	K/SS-C012
3/4"	K/ALD-C020	K/PN-C020	K/SS-C020
1"	K/ALD-C025	K/PN-C025	K/SS-C025
1.1/4"	K/ALD-C032	K/PN-C032	K/SS-C032
1.1/2"	K/ALD-C038	K/PN-C038	K/SS-C038
2"	K/ALD-C050	K/PN-C050	K/SS-C050
2.1/2"	K/ALD-C063	K/PN-C063	K/SS-C063
3"	K/ALD-C075	K/PN-C075	K/SS-C075
4"	K/ALD-C100	K/PN-C100	K/SS-C100
5"	K/ALD-C125	-	K/SS-C125
6"	K/ALD-C150	-	K/SS-C150
8"	K/ALD-C200	-	-

TYPE D: FEMALE CAMLOCK x FEMALE BSP



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-D012	-	K/SS-D012
3/4"	K/ALD-D020	K/PN-D020	K/SS-D020
1"	K/ALD-D025	K/PN-D025	K/SS-D025
1.1/4"	K/ALD-D032	K/PN-D032	K/SS-D032
1.1/2"	K/ALD-D038	K/PN-D038	K/SS-D038
2"	K/ALD-D050	K/PN-D050	K/SS-D050
2.1/2"	K/ALD-D063	K/PN-D063	K/SS-D063
3"	K/ALD-D075	K/PN-D075	K/SS-D075
4"	K/ALD-D100	K/PN-D100	K/SS-D100
5"	K/ALD-D125	-	K/SS-D125
6"	K/ALD-D150	-	K/SS-D150
8"	K/ALD-D200	-	-

CAMLOCKS

TYPE E: MALE CAMLOCK x HOSETAIL



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-E012	-	K/SS-E012
3/4"	K/ALD-E020	K/PN-E020	K/SS-E020
1"	K/ALD-E025	K/PN-E025	K/SS-E025
1.1/4"	K/ALD-E032	K/PN-E032	K/SS-E032
1.1/2"	K/ALD-E038	K/PN-E038	K/SS-E038
2"	K/ALD-E050	K/PN-E050	K/SS-E050
2.1/2"	K/ALD-E063	K/PN-E063	K/SS-E063
3"	K/ALD-E075	K/PN-E075	K/SS-E075
4"	K/ALD-E100	K/PN-E100	K/SS-E100
5"	K/ALD-E125	-	K/SS-E125
6"	K/ALD-E150	-	K/SS-E150
8"	K/ALD-E200	-	-

5

TYPE F: MALE CAMLOCK x MALE BSP



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-F012	-	K/SS-F012
3/4"	K/ALD-F020	K/PN-F020	K/SS-F020
1"	K/ALD-F025	K/PN-F025	K/SS-F025
1.1/4"	K/ALD-F032	K/PN-F032	K/SS-F032
1.1/2"	K/ALD-F038	K/PN-F038	K/SS-F038
2"	K/ALD-F050	K/PN-F050	K/SS-F050
2.1/2"	K/ALD-F063	K/PN-F063	K/SS-F063
3"	K/ALD-F075	K/PN-F075	K/SS-F075
4"	K/ALD-F100	K/PN-F100	K/SS-F100
5"	K/ALD-F125	-	K/SS-F125
6"	K/ALD-F150	-	K/SS-F150
8"	K/ALD-F200	-	-

CAMLOCKS

TYPE DC: FEMALE DUST CAP



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-DC012	-	K/SS-DC012
3/4"	K/ALD-DC020	K/PN-DC020	K/SS-DC020
1"	K/ALD-DC025	K/PN-DC025	K/SS-DC025
1.1/4"	K/ALD-DC032	K/PN-DC032	K/SS-DC032
1.1/2"	K/ALD-DC038	K/PN-DC038	K/SS-DC038
2"	K/ALD-DC050	K/PN-DC050	K/SS-DC050
2.1/2"	K/ALD-DC063	K/PN-DC063	K/SS-DC063
3"	K/ALD-DC075	K/PN-DC075	K/SS-DC075
4"	K/ALD-DC100	K/PN-DC100	K/SS-DC100
5"	K/ALD-DC125	-	K/SS-DC125
6"	K/ALD-DC150	-	K/SS-DC150

TYPE DP: MALE DUST PLUG



SIZE (NB)	ALUMINIUM	POLY / NYGLASS	STAINLESS STEEL 316
1/2"	K/ALD-DP012	-	K/SS-DP012
3/4"	K/ALD-DP020	K/PN-DP020	K/SS-DP020
1"	K/ALD-DP025	K/PN-DP025	K/SS-DP025
1.1/4"	K/ALD-DP032	K/PN-DP032	K/SS-DP032
1.1/2"	K/ALD-DP038	K/PN-DP038	K/SS-DP038
2"	K/ALD-DP050	K/PN-DP050	K/SS-DP050
2.1/2"	K/ALD-DP063	K/PN-DP063	K/SS-DP063
3"	K/ALD-DP075	K/PN-DP075	K/SS-DP075
4"	K/ALD-DP100	K/PN-DP100	K/SS-DP100
5"	K/ALD-DP125	-	K/SS-DP125
6"	K/ALD-DP150	-	K/SS-DP150

CAMLOCKS

STAINLESS STEEL 316 CAMLOCK ACCESSORIES



SIZE (NB)	PINS	LEVER ARMS
1/2 - 3/4"	-	K/SS-CL020
1"	-	K/SS-CL025
1.1/4 - 2.1/2"	K/SS-CP050	K/SS-CL050
3 - 4"	K/SS-CP100	K/SS-CL100
5 - 6"	K/SS-CP150	K/SS-CL150

5

TYPE FA: FLANGED ADAPTOR



SIZE (NB)	ALUMINIUM (UNDRILLED)	STAINLESS STEEL 316
1"	-	K/SS-FA025
1.1/2"	-	K/SS-FA038
2"	K/ALD-FA050	K/SS-FA050
2.1/2"	K/ALD-FA063	-
3"	K/ALD-FA075	K/SS-FA075
4"	K/ALD-FA100	K/SS-FA100
6"	K/ALD-FA150	K/SS-FA150

TYPE AA: DOUBLE MALE CAMLOCK ADAPTOR



SIZE (NB)	ALUMINIUM	STAINLESS STEEL 316
1"	K/ALD-AA025	K/SS-AA025
1.1/4"	K/ALD-AA032	K/SS-AA032
1.1/2"	K/ALD-AA038	K/SS-AA038
2"	K/ALD-AA050	K/SS-AA050
2.1/2"	K/ALD-AA063	-
3"	K/ALD-AA075	K/SS-AA075
4"	K/ALD-AA100	K/SS-AA100
6"	K/ALD-AA150	K/SS-AA150

*** Non-stock item available on request

CAMLOCKS

TYPE DCL: DUST CAP WITH LOCKING ARMS



SIZE (NB)	ALUMINIUM
1.1/4"	K/ALD-DCL032
1.1/2"	K/ALD-DCL038
2"	K/ALD-DCL050
2.1/2"	K/ALD-DCL063
3"	K/ALD-DCL075
4"	K/ALD-DCL100
6"	K/ALD-DCL150

WASHERS TO SUIT CAMLOCKS



SIZE (NB)	BUNA	EPDM	TEFLON	VITON
1/2"	K/WB-012	-	K/WT-012	K/WV-012
3/4"	K/WB-020	K/WE-020	K/WT-020	K/WV-020
1"	K/WB-025	K/WE-025	K/WT-025	K/WV-025
1.1/4"	K/WB-032	K/WE-032	K/WT-032	K/WV-032
1.1/2"	K/WB-038	K/WE-038	K/WT-038	K/WV-038
2"	K/WB-050	K/WE-050	K/WT-050	K/WV-050
2.1/2"	K/WB-063	K/WE-063	K/WT-063	K/WV-063
3"	K/WB-075	K/WE-075	K/WT-075	K/WV-075
4"	K/WB-100	K/WE-100	K/WT-100	K/WV-100
5"	K/WB-125	-	-	-
6"	K/WB-150	-	K/WT-150	-

Also available on request:

Female camlocks with hosetails at 68° or 90°
 Flanged Female camlocks
 Reducing size camlocks
 Bronze & yellow Nyglass camlocks
 Female camlocks with spring loaded (autolok) arms

TYPE 'B' BAUER COUPLINGS

TECHNICAL INFORMATION

Uses: Irrigation, pumping & dewatering where large diameter lightweight couplings are required. Can be assembled quickly & with ease. Suitable for suction & delivery

Material: Galvanised Steel (standard), Stainless Steel available on request

Working Pressure: 300psi

Working Temp: Up to 110°C

COMPLETE COUPLING (MALE SPIGOT, FEMALE SPIGOT, CLOSURE RING, O-RING)

SIZE	COMPLETE COUPLING
2"	W/B-COMP-050
3"	W/B-COMP-075
4"	W/B-COMP-100
6"	W/B-COMP-150
8"	W/B-COMP-200



INDIVIDUAL COMPONENTS - SPIGOTS, CLOSURE RINGS & O-RINGS



SIZE	MALE SPIGOT	FEMALE SPIGOT	CLOSURE RING	O-RING
2"	W/B-M-SPIG-050	W/B-F-SPIG-050	W/B-RING-050	W/B-ORING-050
3"	W/B-M-SPIG-075	W/B-F-SPIG-075	W/B-RING-075	W/B-ORING-075
4"	W/B-M-SPIG-100	W/B-F-SPIG-100	W/B-RING-100	W/B-ORING-100
6"	W/B-M-SPIG-150	W/B-F-SPIG-150	W/B-RING-150	W/B-ORING-150
8"	W/B-M-SPIG-200	W/B-F-SPIG-200	W/B-RING-200	W/B-ORING-200

TYPE 'B' BAUER COUPLINGS

INDIVIDUAL COMPONENTS - FLANGED & THREADED



SIZE	FLANGED MALE	FLANGED FEMALE	THREADED MALE	THREADED FEMALE
2"	W/B-M-FLAN-050	-	W/B-M-MBSP-050	-
3"	W/B-M-FLAN-075	W/B-F-FLAN-075	W/B-M-MBSP-075	W/B-F-MBSP-075
4"	W/B-M-FLAN-100	W/B-F-FLAN-100	W/B-M-MBSP-100	W/B-F-MBSP-100
6"	W/B-M-FLAN-150	W/B-F-FLAN-150	W/B-M-MBSP-150	W/B-F-MBSP-150
8"	W/B-M-FLAN-200	W/B-F-FLAN-200	-	-

***Flanged males and females available in both Table D and Table E

***Flanged males come with a closure ring

INDIVIDUAL COMPONENTS - WELD ONS, PLUG, CAP



SIZE	WELD ON MALE	WELD ON FEMALE	MALE PLUG	FEMALE CAP
2"	W/B-M-WELD-050	-	W/B-M-PLUG-050	W/B-F-CAP-050
3"	W/B-M-WELD-075	-	W/B-M-PLUG-075	W/B-F-CAP-075
4"	W/B-M-WELD-100	W/B-F-WELD-100	W/B-M-PLUG-100	W/B-F-CAP-100
6"	W/B-M-WELD-150	W/B-F-WELD-150	W/B-M-PLUG-150	W/B-F-CAP-150
8"	W/B-M-WELD-200	W/B-F-WELD-200	W/B-M-PLUG-200	W/B-F-CAP-200

***Non-stock items available on request

DEWATERING & EXPANSION JOINTS

STRAINERS & FOOTVALVES



SIZE	STRAINER WITH HOSETAIL	THREADED STRAINER	HOSETAIL FOOTVALVE	FLANGED FOOTVALVE
1.1/2"	-	W/STR-FBSP-038	-	-
2"	W/STR-HT-050	W/STR-FBSP-050	-	-
2.1/2"	W/STR-HT-063	W/STR-FBSP-063	-	-
3"	W/STR-HT-075	W/STR-FBSP-075	W/FOOT-HT-075	W/FOOT-FL-075
4"	W/STR-HT-100	W/STR-FBSP-100	W/FOOT-HT-100	W/FOOT-FL-100
5"	W/STR-HT-125	-	-	-
6"	W/STR-HT-150	W/STR-FBSP-150	W/FOOT-HT-150	W/FOOT-FL-150
8"	W/STR-HT-200	W/STR-FBSP-200	W/FOOT-HT-200	W/FOOT-FL-200

5

FLANGED HOSETAILS



SIZE	STANDARD TABLE D	STANDARD TABLE E
2"	-	-
2.1/2"	-	-
3"	W/FL-HT-DE-075-LD	-
4"	W/FL-HT-D-100-LD	W/FL-HT-E-100-LD
5"	W/FL-HT-DE-125-LD	-
6"	W/FL-HT-D-150-LD	W/FL-HT-E-150-LD
8"	W/FL-HT-D-200-LD	W/FL-HT-E-200-LD
10"	W/FL-HT-D-250-LD	W/FL-HT-E-250-LD
12"	W/FL-HT-D-300-LD	W/FL-HT-E-300-LD

SIZE	HEAVY DUTY TABLE D	HEAVY DUTY TABLE E
2"	W/FL-HT-DE-050-HD	-
2.1/2"	W/FL-HT-DE-063-HD	-
3"	W/FL-HT-DE-075-HD	-
4"	W/FL-HT-D-100-HD	W/FL-HT-E-100-HD
5"	W/FL-HT-DE-125-HD	-
6"	W/FL-HT-D-150-HD	W/FL-HT-E-150-HD
8"	W/FL-HT-D-200-HD	W/FL-HT-E-200-HD
10"	W/FL-HT-D-250-HD	W/FL-HT-E-250-HD
12"	W/FL-HT-D-300-HD	W/FL-HT-E-300-HD

***ANSI Flange available on request

DEWATERING & EXPANSION JOINTS

EXPANSION JOINT (RUBBER BELLOW) TECHNICAL INFORMATION

Uses: A flexible joint made from heat resisting synthetic elastomers which are moulded into a round shape with metal floating flanges. They are installed in piping systems to absorb movements in three directions (axial, lateral & angular).

Material: Flange: Carbon Steel (standard), Stainless Steel available on request
Body: EPDM or NBR (Nitrile)
Lining: Nylon cord fabric

Working Pressure: 230psi (Sizes 1.1/4" to 12")

Working Temp: NBR (Nitrile): -25°C to 100°C
EPDM: -30°C to 120°C



TABLE D & TABLE E EXPANSION JOINTS

SIZE	TABLE D EPDM	TABLE E EPDM	TABLE E NBR / NITRILE
1.1/4"	-	W/EJ-E-0032-EPDM	-
1.1/2"	-	W/EJ-E-0038-EPDM	-
2"	-	W/EJ-E-0050-EPDM	W/EJ-E-0050-NI
2.1/2"	-	W/EJ-E-0063-EPDM	W/EJ-E-0063-NI
3"	-	W/EJ-E-0075-EPDM	W/EJ-E-0075-NI
4"	W/EJ-D-0100-EPDM	W/EJ-E-0100-EPDM	W/EJ-E-0100-NI
5"	W/EJ-D-0125-EPDM	W/EJ-E-0125-EPDM	W/EJ-E-0125-NI
6"	W/EJ-D-0150-EPDM	W/EJ-E-0150-EPDM	W/EJ-E-0150-NI
8"	W/EJ-D-0200-EPDM	W/EJ-E-0200-EPDM	W/EJ-E-0200-NI
10"	W/EJ-D-0250-EPDM	W/EJ-E-0250-EPDM	W/EJ-E-0250-NI
12"	W/EJ-D-0300-EPDM	W/EJ-E-0300-EPDM	W/EJ-E-0300-NI

ANSI FLANGE EXPANSION JOINTS

SIZE	ANSI 150 EPDM	ANSI 150 NBR / NITRILE
2"	-	W/EJ-A-0050-NI
2.1/2"	-	W/EJ-A-0063-NI
3"	-	W/EJ-A-0075-NI
4"	-	W/EJ-A-0100-NI
5"	-	W/EJ-A-0125-NI
6"	-	W/EJ-A-0150-NI
8"	-	W/EJ-A-0200-NI
10"	-	W/EJ-A-0250-NI
12"	-	W/EJ-A-0300-NI

DEWATERING & EXPANSION JOINTS

TABLE D/E x DIN PN16 EXPANSION JOINTS



SIZE	TABLE D x DIN PN16 EPDM	TABLE E x DIN PN16 EPDM
1.1/4"	-	W/EJ-ExDIN-0032-EPDM
1.1/2"	-	W/EJ-ExDIN-0038-EPDM
2"	-	W/EJ-ExDIN-0050-EPDM
2.1/2"	-	W/EJ-ExDIN-0063-EPDM
3"	-	W/EJ-ExDIN-0075-EPDM
4"	W/EJ-DxDIN-0100-EPDM	W/EJ-ExDIN-0100-EPDM
5"	-	W/EJ-ExDIN-0125-EPDM
6"	-	W/EJ-ExDIN-0150-EPDM
8"	-	W/EJ-ExDIN-0200-EPDM

FIRE COUPLINGS - BIC & STORZ

TECHNICAL INFORMATION

Uses: All fire hydrants in Western Australia

Material: Brass (standard), Aluminium also available

Standards: BS336 specifies a 2.1/2" (63mm) instantaneous connection



BRASS	MALE ADAPTOR x FEMALE BSP	FEMALE COUPLING x MALE BSP	FEMALE COUPLING x HOSETAIL	FEMALE COUPLING x FEMALE BSP
1.1/2"	HOT/BIC-BR-A038	-	HOT/BIC-BR-C038	HOT/BIC-BR-D038
2"	HOT/BIC-BR-A050	-	HOT/BIC-BR-C050	HOT/BIC-BR-D050
2.1/2"	HOT/BIC-BR-A063	HOT/BIC-BR-B063	HOT/BIC-BR-C063	HOT/BIC-BR-D063

ALUMINIUM	MALE ADAPTOR x FEMALE BSP	FEMALE COUPLING x MALE BSP	FEMALE COUPLING x HOSETAIL	FEMALE COUPLING x FEMALE BSP
1.1/2"	HOT/BIC-AL-A038	-	HOT/BIC-AL-C038	HOT/BIC-AL-D038
2"	HOT/BIC-AL-A050	-	HOT/BIC-AL-C050	HOT/BIC-AL-D050
2.1/2"	HOT/BIC-AL-A063	HOT/BIC-AL-B063	HOT/BIC-AL-C063	HOT/BIC-AL-D063



BRASS	MALE ADAPTOR x HOSETAIL	MALE ADAPTOR x MALE BSP	FEMALE CAP	MALE PLUG
1.1/2"	HOT/BIC-BR-E038	HOT/BIC-BR-F038	HOT/BIC-BR-CAP (BRASS)	HOT/BIC-BR-PLUG (BRASS)
2"	HOT/BIC-BR-E050	HOT/BIC-BR-F050	HOT/BIC-PV-CAP (PLASTIC)	HOT/BIC-PV-PLUG (PLASTIC)
2.1/2"	HOT/BIC-BR-E063	HOT/BIC-BR-F063		

ALUMINIUM	MALE ADAPTOR x HOSETAIL	MALE ADAPTOR x MALE BSP	FEMALE CAP	MALE PLUG
1.1/2"	HOT/BIC-AL-E038	HOT/BIC-AL-F038		
2"	HOT/BIC-AL-E050	HOT/BIC-AL-F050	HOT/BIC-AL-CAP	HOT/BIC-AL-PLUG
2.1/2"	HOT/BIC-AL-E063	HOT/BIC-AL-F063		


***HOT/BIC-BUNA-WASH - Buna washer to suit also available

FIRE COUPLINGS - BIC & STORZ

TECHNICAL INFORMATION

Uses: Fire hydrants in the Eastern states. Hermaphroditic, meaning coupling at either end is identical and can be joined to any other Storz of the same size.

Material: Aluminium alloy



Nominal Size	Lug Spacing	Nominal Size	Lug Spacing
25mm	31mm	100mm	115mm
38mm	52mm	110mm	133mm
50mm	66mm	125mm	148mm
63mm	81mm	150mm	160mm
75mm	89mm	165mm	188mm
90mm	105mm	205mm	220mm



STORZ SIZE	THREAD SIZE	STORZ x MALE BSP	STORZ x HOSETAIL	STORZ x FEMALE BSP
25mm	3/4"	HOT/STO-AL-B2520	HOT/STO-AL-C2520	HOT/STO-AL-D2520
25mm	1"	HOT/STO-AL-B2525	HOT/STO-AL-C2525	HOT/STO-AL-D2525
38mm	1.1/2"	HOT/STO-AL-B3838	HOT/STO-AL-C3838	HOT/STO-AL-D3838
50mm	2"	HOT/STO-AL-B5050	HOT/STO-AL-C5050	HOT/STO-AL-D5050
63mm	2.1/2"	HOT/STO-AL-B6363	HOT/STO-AL-C6363	HOT/STO-AL-D6363
75mm	3"	HOT/STO-AL-B7575	HOT/STO-AL-C7575	HOT/STO-AL-D7575
100mm	4"	HOT/STO-AL-B100100	HOT/STO-AL-C100100	HOT/STO-AL-D100100
125mm	5"	HOT/STO-AL-B125125	HOT/STO-AL-C125125	HOT/STO-AL-D125125



STORZ SIZE	CAP	NITRILE RUBBER SEAL	SPANNER
25mm	HOT/STO-AL-CAP-0025	HOT/STO-SEAL-0025	HOT/STO-SPAN-0063
38mm	HOT/STO-AL-CAP-0038	HOT/STO-SEAL-0038	
50mm	HOT/STO-AL-CAP-0050	HOT/STO-SEAL-0050	
63mm	HOT/STO-AL-CAP-0063	HOT/STO-SEAL-0063	
75mm	HOT/STO-AL-CAP-0075	HOT/STO-SEAL-0075	HOT/STO-SPAN-0075
100mm	HOT/STO-AL-CAP-0100	HOT/STO-SEAL-0100	HOT/STO-SPAN-0150
125mm	HOT/STO-AL-CAP-0125	HOT/STO-SEAL-0125	

IBC & DRUM THREADED ADAPTORS

THREAD SPECIFICATIONS

THREAD TYPE	OD (THREAD)	PITCH	MALE EXAMPLE	FEMALE EXAMPLE
NW50 / DIN 61 / S60	58.5mm	6mm	SCHUTZ-01 SCHUTZ-02 SCHUTZ-22 SCHUTZ-25 SCHUTZ-27 SCHUTZ-37	SCHUTZ-02 SCHUTZ-03 SCHUTZ-05 SCHUTZ-06 SCHUTZ-07 SCHUTZ-10
RHEEM MAUSER / VAN LEER	56.5mm	4mm	SCHUTZ-08 SCHUTZ-14	N/A
GERMAN MAUSER	69.5mm	6mm	SCHUTZ-09 SCHUTZ-21	N/A
RIEKE	64.0mm	5mm	SCHUTZ-24	N/A
SON OF RIEKE / DC-217	61.5mm	5mm	SCHUTZ-20	N/A
S75	75.0mm	6mm	N/A	SCHUTZ-01 SCHUTZ-34
S80	80.0mm	6mm	N/A	SCHUTZ-22 SCHUTZ-25 SCHUTZ-35
S100 / DN80	100.0mm	8mm	SCHUTZ-26	SCHUTZ-26 SCHUTZ-27 SCHUTZ-28 SCHUTZ-30
KINGTAINER	80.0mm	3mm	N/A	SCHUTZ-36 SCHUTZ-37

IBC & DRUM THREADED ADAPTORS

ADAPTORS



SCHUTZ-08

RHEEM MAUSER MALE
x
2" BSP FEMALE



SCHUTZ-09

GERMAN MAUSER MALE
x
2" BSP FEMALE



SCHUTZ-06

S60 FEMALE
x
2" BSP FEMALE




SCHUTZ-24

RIEKE MALE
x
2" BSP FEMALE



SCHUTZ-27

S100 FEMALE
x
S60 MALE



SCHUTZ-30

S100 FEMALE
x
2" BSP FEMALE



SCHUTZ-37

KINGTAINER
x
S60 MALE

5

BALL VALVES



SCHUTZ-01

S75 FEMALE
x
S60 MALE



SCHUTZ-02

S60 FEMALE
x
S60 MALE



SCHUTZ-25

S80 FEMALE
x
S60 MALE



SCHUTZ-26

S100 FEMALE
x
S100 MALE



SCHUTZ-22

S80 FEMALE
x
S60 MALE
(MAUSER PISTON VALVE)



SCHUTZ-34

S75 FEMALE
x
2" TYPE 'A'
CAMLOCK



SCHUTZ-35

S80 FEMALE
x
2" TYPE 'A'
CAMLOCK

IBC & DRUM THREADED ADAPTORS

CAPS



SCHUTZ-05

SOLID CAP S60



SCHUTZ-07

OPEN CAP S60

NOZZLES



SCHUTZ-04

NOZZLE TO SUIT
OPEN CAP

PLUGS




SCHUTZ-14

RHEEM MAUSER WITH
3/4" BSP INSERT



SCHUTZ-20

SON OF RIEKE WITH
3/4" BSP INSERT



SCHUTZ-21

GERMAN MAUSER WITH
3/4" BSP INSERT



CAMLOCK ADAPTORS



SCHUTZ-03

S60 FEMALE
X
2" TYPE 'A'
CAMLOCK



SCHUTZ-10

S60 FEMALE
X
2" TYPE 'A'
CAMLOCK (SHORT)



SCHUTZ-28

S100 FEMALE
X
3" TYPE 'A'
CAMLOCK




SCHUTZ-36

KINGTAINER
X
2" TYPE 'A'
CAMLOCK

IBC & DRUM THREADED ADAPTORS

AEROFLOW TAPS



SCHUTZ-15	SCHUTZ-19
S60 FEMALE TO FIT MOST 20L CONTAINERS LDPE WITH PP SPIGGOTS 70ml/sec	3/4" FEMALE BSP LDPE WITH PP SPIGGOTS 70ml/sec

EASY ACTION LEVER TAPS



SCHUTZ-12	SCHUTZ-17	SCHUTZ-18
1/2" HOSE BARB x 3/4" BSP WATER BUTT TAP HDPE WITH PP BORE SPIGGOT 105ml/sec	18mm SPIGGOT x 3/4" BSP JUMBO QUICK SERVE LDPE WITH PP SPIGGOTS 296ml/sec	12mm SPIGGOT x 3/4" BSP QUICK SERVE LDPE WITH PP BORE SPIGGOT

DRUM TAPS



SCHUTZ-13	SCHUTZ-16	SCHUTZ-29
3/4" BSP DRUM TAP HDPE WITH NITRILE WASHER 203ml/sec	2" BSP MAJOR DRUM TAP HDPE	2" REIKE FLO KING PE VALVE

MINSUP CLAW COUPLINGS

TECHNICAL INFORMATION

Uses: Mining industry and air compressors. Type A, B and Surelock brands are NOT interchangeable with one another even though they look almost identical.

Material: SG Iron *AS1831*, Natural rubber seal, Stainless Steel available on request

Threads BSP standard, NPT available on request

Head Size: Head size within the same range are consistent irrespective of hose or thread size.



5

TYPE A (EUROPEAN)		TYPE B (AMERICAN)		SURELOCK (AUSTRALIAN)	
Working Pressure	Burst Pressure	Working Pressure	Burst Pressure	Working Pressure	Burst Pressure
500 psi 3.5 MPa	1000 psi 7MPa	500 psi 3.5MPa	1000 psi 7MPa	1000 psi 7MPa	4000 psi 28MPa

TYPE A & TYPE B CLAW COUPLING



SIZE	TYPE A x FEMALE BSP	TYPE A x MALE BSP	TYPE A x HOSETAIL
3/8"	D/MI-AF10	D/MI-AM10	D/MI-AH10
1/2"	D/MI-AF12	D/MI-AM12	D/MI-AH12
3/4"	D/MI-AF20	D/MI-AM20	D/MI-AH20
1"	D/MI-AF25	D/MI-AM25	D/MI-AH25
1.1/4"	-	D/MI-AM32	D/MI-AH32

SIZE	TYPE B x FEMALE BSP	TYPE B x MALE BSP	TYPE B x HOSETAIL
3/8"	-	-	D/MI-BH10
1/2"	D/MI-BF12	D/MI-BM12	D/MI-BH12
3/4"	D/MI-BF20	D/MI-BM20	D/MI-BH20
1"	D/MI-BF25	D/MI-BM25	D/MI-BH25
1.1/4"	-	-	D/MI-BH32

MINSUP CLAW COUPLINGS



SIZE	CAP	THREE WAY COUPLING	SEAL	LOCKING PIN
TYPE 'A'	D/MI-AC32	D/MI-A332	D/MI-SEAL-AB	D/MI-PIN
TYPE 'B'	D/MI-BC32	D/MI-B332		

5

CLAW CLAMPS TO SUIT MINSUP CLAW COUPLINGS



HOSE SIZE	HOSE OD (mm)	PART NUMBER
1/2"	22-28	D/MI-CLAW-012
3/4"	29-34	D/MI-CLAW-020
1"	35-40	D/MI-CLAW-025
1.1/2"	51-58	D/MI-CLAW-038
2"	63-71	D/MI-CLAW-050

SURELOCK COUPLING



SIZE	SURELOCK x FEMALE BSP	SURELOCK x MALE BSP	SURELOCK x HOSETAIL
3/8"	D/MI-SF10	D/MI-SM10	D/MI-SH10
1/2"	D/MI-SF12	D/MI-SM12	D/MI-SH12
3/4"	D/MI-SF20	D/MI-SM20	D/MI-SH20
1"	D/MI-SF25	D/MI-SM25	D/MI-SH25
1.1/4"	-	D/MI-SM32	D/MI-SH32
1.1/2"	D/MI-SF38	D/MI-SM38	D/MI-SH38
2"	D/MI-SF50	D/MI-SM50	D/MI-SH50
3"	D/MI-SF75	D/MI-SM75	D/MI-SH75



SIZE	CAP	THREE WAY COUPLING	SEAL	LOCKING PIN
3/8" - 1.1/4"	D/MI-SC32	D/MI-S332	D/MI-SEAL-SURE-032	D/MI-PIN
1.1/2" - 2"	D/MI-SC50	D/MI-S350	D/MI-SEAL-SURE-050	
3"	-	-	D/MI-SEAL-SURE-075	

GROUND JOINT COUPLINGS

TECHNICAL INFORMATION

Uses: Ground Joint or Boss couplings are all purpose hose couplings, recommended for steam hose connections. They are also widely used for air, water, fluid, petroleum and chemicals.

Material: Plated malleable iron. Also available in Stainless Steel

Threads NPT standard, BSP on request

5

WORKING PRESSURE	AIR	WATER	STEAM
1/4" to 2"	600	600	250
2.1/2" to 3"	450	450	250
4"	250	250	250

GROUND JOINT COUPLING COMPONENTS



SIZE (NB)	STEM	MALE SPUD NPT	FEMALE SPUD NPT	DOUBLE SPUD
1/2"	D/GJ-STEM-0012 (GB1)	D/GJ-SPUD-M-N-1212 (GM3)	D/GJ-SPUD-F-N-1212 (GB3)	D/GJ-SPUD-D-0012 (GDB3)
3/4"	D/GJ-STEM-0020 (GB6)	D/GJ-SPUD-M-N-2520 (GM8)	D/GJ-SPUD-F-N-2520 (GB8)	D/GJ-SPUD-D-0025 (GDB13)
1"	D/GJ-STEM-0025 (GB11)	D/GJ-SPUD-M-N-2525 (GM13)	D/GJ-SPUD-F-N-2525 (GB13)	
1.1/4"	D/GJ-STEM-0032 (GB16)	D/GJ-SPUD-M-N-3832 (GM18)	D/GJ-SPUD-F-N-3832 (GB18)	D/GJ-SPUD-D-0038 (GDB23)
1.1/2"	D/GJ-STEM-0038 (GB21)	D/GJ-SPUD-M-N-3838 (GM23)	D/GJ-SPUD-F-N-3838 (GB23)	
2"	D/GJ-STEM-0050 (GB26)	D/GJ-SPUD-M-N-5050 (GM28)	D/GJ-SPUD-F-N-5050 (GB28)	D/GJ-SPUD-D-0050 (GDB28)
2.1/2"	D/GJ-STEM-0063 (GB31)	D/GJ-SPUD-M-N-6363 (GM33)	D/GJ-SPUD-F-N-6363 (GB33)	D/GJ-SPUD-D-0063 (GDB33)
3"	D/GJ-STEM-0075 (GB36)	D/GJ-SPUD-M-N-7575 (GM38)	-	D/GJ-SPUD-D-0075 (GDB38)
4"	D/GJ-STEM-0100 (GB46)	-	-	-

GROUND JOINT COUPLINGS



SIZE (NB)	WING NUT	HOSE JOINER	MALE STEM NPT	MALE STEM BSP
1/2"	D/GJ-NUT-0012 (B2)	D/GJ-P7-0012 (M1)	D/GJ-P3N-1212 (MS1)	D/GJ-P3B-1212 (MS1A)
3/4"	D/GJ-NUT-0025 (B12)	D/GJ-P7-0020 (M6)	D/GJ-P3N-2020 (MS6)	D/GJ-P3B-2020 (MS6A)
1"		D/GJ-P7-0025 (M11)	D/GJ-P3N-2525 (MS11)	D/GJ-P3B-2525 (MS11A)
1.1/4"	D/GJ-NUT-0038 (B17)	D/GJ-P7-0032 (M16)	D/GJ-P3N-3232 (MS16)	D/GJ-P3B-3232 (MS16A)
1.1/2"		D/GJ-P7-0038 (M21)	D/GJ-P3N-3838 (MS21)	D/GJ-P3B-3838 (MS21A)
2"	D/GJ-NUT-0050 (B27)	D/GJ-P7-0050 (M26)	D/GJ-P3N-5050 (MS26)	D/GJ-P3B-5050 (MS26A)
2.1/2"	D/GJ-NUT-0063 (B32)	-	D/GJ-P3N-6363 (MS31)	-
3"	D/GJ-NUT-0075 (B37)	-	D/GJ-P3N-7575 (MS36)	D/GJ-P3N-7575 (MS36A)
4"	D/GJ-NUT-0100 (B47)	-	D/GJ-P3N-0100 (MS46)	-

GROUND JOINT COUPLINGS - CLAMPS

HIGH PRESSURE CLAMPS



2 BOLTS



4 BOLTS



6 BOLTS

BOLTS	HOSE ID (mm)	HOSE OD FROM	HOSE OD TO	PART NUMBER
2 BOLTS	6	14.3	16.7	D/CB-2-006-BD
	10	17.5	22.2	D/CB-2-010-CD
	12	20.6	23.8	D/CB-2-012-DD
		23.8	27.0	D/CB-2-012-B4
		27.0	30.2	D/CB-2-012-B5
	20	30.2	33.3	D/CB-2-020-BU9
		33.3	38.1	D/CB-2-020-B9
		38.1	42.9	D/CB-2-020-B10
	4 BOLTS	25	35.7	39.7
38.9			43.7	D/CB-4-025-BU14
42.9			49.2	D/CB-4-025-B14
49.2			54.0	D/CB-4-025-B15
32		38.1	45.2	D/CB-4-032-BU18
		42.9	47.6	D/CB-4-032-187*
		54.0	60.3	D/CB-4-032-B19
38		46.0	50.8	D/CB-4-038-BU22
		50.8	56.4	D/CB-4-038-B22
		50.8	54.0	D/CB-4-038-212*
		52.4	57.2	D/CB-4-038-225*
		55.6	60.3	D/CB-4-038-BU24
		60.3	65.1	D/CB-4-038-B24
		65.1	69.9	D/CB-4-038-B25
50		59.5	64.3	D/CB-4-050-BU28
		63.5	70.6	D/CB-4-050-BU29
		69.9	77.8	D/CB-4-050-B29
		78.6	87.3	D/CB-4-050-B30
63		88.9	100.0	D/CB-4-063-B34
75		96.8	103.2	D/CB-4-075-B35
	103.2	112.7	D/CB-4-075-B39	
6 BOLTS	75	108.0	122.2	D/CB-6-075-B539
	100	123.8	133.4	D/CB-6-100-B549

*4 Gripping Teeth

WIRE SAFETY

WHIPCHECKS



Features: Galvanised carbon steel wire rope and spring designed to prevent hose whip in case of accidental separation of coupling or clamp device. Spring loaded loops in the cable ends open easily to pass over the coupling for firm grip on the hose. Highly resistant to rust and corrosion, easy to install and remove.

PART NUMBER	HOSE SIZE ID (mm)	CABLE SIZE (mm)	LENGTH (mm)	MAXIMUM WP (psi)
D/WHIP-032	13-32	3	515	200
D/WHIP-050	13-50	5	712	200
D/WHIP-075	38-75	6	962	200
D/WHIP-100	100	10	1118	200

5

WIRE SAFETY STOCKINGS



Features: Strong galvanised steel cable stockings available to fit a wide range of hose sizes that prevent hose whip in case of a burst hose or accidental separation of coupling or clamp device. Ideally suited to heavy industrial, mining or construction industries where the transfer of media is under high working pressures.

PART NUMBER	HOSE SIZE (mm)	WIRE DIAMETER (mm)
D/HOESOCK-0814	8-14	1.5
D/HOESOCK-2030	20-30	1.5
D/HOESOCK-3040	30-40	1.5
D/HOESOCK-4050	40-50	1.5
D/HOESOCK-5060	50-60	2.0
D/HOESOCK-6070	60-70	2.0
D/HOESOCK-7085	70-85	2.0
D/HOESOCK-85100	85-100	2.5
D/HOESOCK-100120	100-120	2.5
D/HOESOCK-120140	120-140	2.5
D/HOESOCK-150190	150-190	3.0

VICTAULIC COUPLINGS - ROLL GROOVE

TECHNICAL INFORMATION

Uses: Victaulic couplings are a reliable system designed to be used with pipe that allows faster connection than welding, threading or flanging. There are two main types:
 Roll Groove - Used to suit line pipe that has a groove rolled into the metal at the end of the pipe
 Shouldered - Used to suit line pipe that has a shouldered ring welded to the end of the pipe

Material: Ductile iron with hot dipped zinc galvanisation. Painted fittings available on request.
 Stainless Steel fittings available on request

Seals: EPDM standard, Nitrile also available

Working Pressure: 360psi

Working Temp: Up to 100°C



SIZE	RIGID COUPLING (STYLE 5L)	FLEXIBLE COUPLING (STYLE 10)	HEAVY DUTY FLEXIBLE COUPLING (STYLE 11)	MALE STUD
1"	D/VI-RG-RI-0025	-	-	D/VI-RG-MBSP-0025
1.1/4"	D/VI-RG-RI-0032	-	-	D/VI-RG-MBSP-0032
1.1/2"	D/VI-RG-RI-0038	D/VI-RG-FLEX-0038	-	D/VI-RG-MBSP-0038
2"	D/VI-RG-RI-0050	D/VI-RG-FLEX-0050	-	D/VI-RG-MBSP-0050
2.1/2"	D/VI-RG-RI-0063	D/VI-RG-FLEX-0063	-	D/VI-RG-MBSP-0063
3"	D/VI-RG-RI-0075	D/VI-RG-FLEX-0075	D/VI-RG-HD-FLEX-0075	D/VI-RG-MBSP-0075
4"	D/VI-RG-RI-0100	D/VI-RG-FLEX-0100	D/VI-RG-HD-FLEX-0100	D/VI-RG-MBSP-0100
6"	D/VI-RG-RI-0150	D/VI-RG-FLEX-0150	D/VI-RG-HD-FLEX-0150	D/VI-RG-MBSP-0150
8"	D/VI-RG-RI-0200	-	-	-



SIZE	END CAP	FLANGE TABLE D & E	NITRILE SEAL	EPDM SEAL
1.1/2"	-	-	D/VI-RG-SEAL-NI-0038	-
2"	D/VI-RG-CAP-0050	D/VI-RG-FLA-0050-DE	D/VI-RG-SEAL-NI-0050	D/VI-RG-SEAL-EP-0050
2.1/2"	D/VI-RG-CAP-0063	D/VI-RG-FLA-0063-DE	D/VI-RG-SEAL-NI-0063	D/VI-RG-SEAL-EP-0063
3"	D/VI-RG-CAP-0075	D/VI-RG-FLA-0075-DE	D/VI-RG-SEAL-NI-0075	D/VI-RG-SEAL-EP-0075
4"	D/VI-RG-CAP-0100	D/VI-RG-FLA-0100-E	D/VI-RG-SEAL-NI-0100	D/VI-RG-SEAL-EP-0100
6"	D/VI-RG-CAP-0150	D/VI-RG-FLA-0150-E	D/VI-RG-SEAL-NI-0150	D/VI-RG-SEAL-EP-0150
8"	D/VI-RG-CAP-0200	D/VI-RG-FLA-0200-E	-	D/VI-RG-SEAL-EP-0200

VICTAULIC COUPLINGS - ROLL GROOVE



SIZE	TEE	ELBOW 90°	ELBOW 45°
1"	D/VI-RG-TEE-0025	-	-
1.1/4"	D/VI-RG-TEE-0032	D/VI-RG-E9-0032	-
1.1/2"	D/VI-RG-TEE-0038	D/VI-RG-E9-0038	-
2"	D/VI-RG-TEE-0050	D/VI-RG-E9-0050	D/VI-RG-E4-0050
2.1/2"	D/VI-RG-TEE-0063	D/VI-RG-E9-0063	D/VI-RG-E4-0063
3"	D/VI-RG-TEE-0075	D/VI-RG-E9-0075	D/VI-RG-E4-0075
4"	D/VI-RG-TEE-0100	D/VI-RG-E9-0100	D/VI-RG-E4-0100
6"	D/VI-RG-TEE-0150	D/VI-RG-E9-0150	D/VI-RG-E4-0150
8"	D/VI-RG-TEE-0200	D/VI-RG-E9-0200	D/VI-RG-E4-0200



SIZE	SIZE	CONCENTRIC REDUCER
2.1/2"	2"	D/VI-RG-CON-6350
3"	2"	D/VI-RG-CON-7550
3"	2.1/2"	D/VI-RG-CON-7563
4"	2"	D/VI-RG-CON-10050
4"	2.1/2"	D/VI-RG-CON-10063
4"	3"	D/VI-RG-CON-10075
6"	2.1/2"	D/VI-RG-CON-15063
6"	3"	D/VI-RG-CON-15075
6"	4"	D/VI-RG-CON-150100
8"	4"	D/VI-RG-CON-200100
8"	6"	D/VI-RG-CON-200150



**ROLL GROOVED
LUBE 500mL**

D/VI-RG-LUBE

VICTAULIC COUPLINGS - SHOULDERED

SHOULDERED FITTINGS



SIZE	STANDARD CLAMP	QUICK RELEASE CLAMP	SHOULDERED RING	NITRILE SEAL
2"	D/VI-SH-STD-0050	D/VI-SH-OR-0050	D/VI-SH-RING-0050	D/VI-SH-SEAL-NI-0050
3"	D/VI-SH-STD-0075	D/VI-SH-OR-0075	D/VI-SH-RING-0075	D/VI-SH-SEAL-NI-0075
4"	D/VI-SH-STD-0100	D/VI-SH-OR-0100	D/VI-SH-RING-0100	D/VI-SH-SEAL-NI-0100
6" (165)	D/VI-SH-STD-0150	D/VI-SH-OR-0150	D/VI-SH-RING-0150	-
6" (168)	-	-	D/VI-SH-RING-0152	-
8"	D/VI-SH-STD-200	D/VI-SH-OR-0200	D/VI-SH-RING-0200	-



SIZE	TEE	ELBOW 90°	ELBOW 45°	BEND 90°
2"	D/VI-SH-TEE-0050	D/VI-SH-E9-0050	D/VI-SH-E4-0050	D/VI-SH-BEN9-0050
3"	D/VI-SH-TEE-0075	D/VI-SH-E9-0075	D/VI-SH-E4-0075	D/VI-SH-BEN9-0075
4"	D/VI-SH-TEE-0100	D/VI-SH-E9-0100	D/VI-SH-E4-0100	D/VI-SH-BEN9-0100
6" (165)	D/VI-SH-TEE-0150	D/VI-SH-E9-0150	D/VI-SH-E4-0150	D/VI-SH-BEN9-0150
8"	D/VI-SH-TEE-0200	D/VI-SH-E9-0200	D/VI-SH-E4-0200	D/VI-SH-BEN9-0200



SIZE	MALE STUD LONG	MALE STUD SHORT
2"	D/VI-SH-MBSP-0050	D/VI-SH-MBSP-S-0050
3"	D/VI-SH-MBSP-0075	D/VI-SH-MBSP-S-0075
4"	D/VI-SH-MBSP-0100	D/VI-SH-MBSP-S-0100
6" (165)	D/VI-SH-MBSP-0150	D/VI-SH-MBSP-S-0150
8"	D/VI-SH-MBSP-0200	-

UPVC PIPE FITTINGS

TECHNICAL INFORMATION

Uses: High strength to weight ratio and exceptional resistance to corrosion and chemical attack. Easy and quick to join to UPVC pipe. Not recommended for use with aromatic and chlorinated hydrocarbons, ketones, esters and ethers. Please refer to our 'Pipe & Tube' catalogue (Section 12.1) for pipe to suit

Working Pressure: Maximum working pressure dependent on the pipe class used

Working Temp: Up to 60°C

ADAPTORS - MIMIC PIPE SIZE



5

PIPE SIZE	THREAD SIZE	CATEGORY 2 VALVE ADAPTOR x MBSP	CATEGORY 3 FAUCET ADAPTOR x FBSP
15	1/2"	P0021515	P0031515
20	3/4"	P0022020	P0032020
25	1/2"	P0022515	P0032515
25	1"	P0022525	P0032525
32	1.1/4"	P0023232	P0033232
40	3/4"	P0024020	-
40	1"	P0024025	P0034025
40	1.1/4"	P0024032	-
40	1.1/2"	P0024040	P0034040
50	1"	P0025025	P0035025
50	1.1/2"	P0025040	P0035040
50	2"	P0025050	P0035050
80	3"	P0028075	-
100	4"	P002100100	-

ADAPTORS - PUSH OVER PIPE



PIPE SIZE	THREAD SIZE	CATEGORY 17 VALVE SOCKET x MBSP	CATEGORY 18 FAUCET SOCKET x FBSP
15	1/2"	P0171515	P0181515
20	3/4"	P0172020	P0182020
25	1"	P0172525	P0182525
32	1.1/4"	P0173232	P0183232
40	1.1/2"	P0174040	P0184040
50	2"	P0175050	P0185050
80	3"	P0178075	P0188075
100	4"	P017100100	P018100100

UPVC PIPE FITTINGS

STRAIGHT JOINER COUPLINGS & END CAPS



PIPE SIZE	CATEGORY 7 JOINER COUPLING	CATEGORY 22 BARREL UNION	CATEGORY 6 END CAP
15	P00715	P02215	P00615
20	P00720	P02220	P00620
25	P00725	P02225	P00625
32	P00732	P02232	P00632
40	P00740	P02240	P00640
50	P00750	P02250	P00650
65	P00765	P02265	-
80	P00780	P02280	P00680
100	P007100	-	P006100
150	P007150	-	-

REDUCING COUPLINGS



PIPE SIZE	PIPE SIZE	CATEGORY 5 REDUCING BUSH	CATEGORY 8 REDUCING SOCKET
20	15	P0052015	P0082015
25	15	P0052515	P0082515
25	20	P0052520	P0082520
32	20	P0053220	-
32	25	P0053225	P0083225
40	20	-	P0084020
40	25	P0054025	P0084025
40	32	P0054032	P0084032
50	25	P0055025	P0085025
50	40	P0055040	P0085040
65	50	P0056550	P0086550
80	50	P0058050	P0088050
80	65	-	P0088065
100	50	P00510050	P00810050
100	80	P00510080	P00810080
150	100	P005150100	P008150100

UPVC PIPE FITTINGS

ELBOW & TEE COUPLINGS



PIPE SIZE	CATEGORY 10 ELBOW 45°	CATEGORY 13 ELBOW 90°	CATEGORY 19 SOCKET WELD TEE
15	P01015	P0131515	P0191515
20	P01020	P0132020	P0192020
25	P01025	P0132525	P0192525
32	P01032	P0133232	P0193232
40	P01040	P0134040	P0194040
50	P01050	P0135050	P0195050
65	-	P0136565	P0196565
80	P01080	P0138080	P0198080
100	P010100	P013100100	P019100100
150	P010150	P013150150	P019150150
200	P010200	P013200200	-

5

FAUCET ELBOW & TEE



PIPE SIZE	THREAD SIZE	CATEGORY 15 FAUCET ELBOW 90° x FBSP	CATEGORY 21 FAUCET TEE x FBSP
15	1/2"	P0151515	P0211515
20	1/2"	P0152015	P0212015
20	3/4"	P0152020	P0212020
25	1/2"	P0152515	P0212515
25	3/4"	P0152520	P0212520
25	1"	P0152525	P0212525
32	3/4"	-	P0213220
40	1/2"	-	P0214015
40	1"	-	P0214025
40	1.1/2"	P0154040	-
50	3/4"	-	P0215020
50	1"	-	P0215025

UPVC PIPE FITTINGS

FLANGE & BACKING RING



PIPE SIZE	CATEGORY 16 FULL FACE FLANGE	CATEGORY 16R TABLE 'E' BACKING RING
20	P01620	-
25	P01625	-
32	P01632	-
40	P01640	-
50	P01650	P01650R
65	P01665	P01665R
80	P01680	P01680R
100	P016100	P016100R
150	P016150	P016150R

SOLVENT & PRIMING FLUID



VOLUME	HIGH PRESSURE CEMENT GREEN	PRIMING FLUID RED
125ml	PTPG0125	-
250ml	PTPG0250	PPFR0250
500ml	PTPG0500	PPFR0500

PE PIPE FITTINGS - METRIC PIPE

TECHNICAL INFORMATION

Uses: Compression style attachment for use with high and low density polyethylene pipe. Commonly used for workshop air and agricultural water. Metric pipe fittings suit metric (blue) poly pipe. Rural pipe fittings suit imperial (red) poly pipe. Please refer to our 'Pipe & Tube' catalogue (Section 12.1) for pipe to suit

Material: Polypropylene

Working Pressure: Max working pressure does not include hot water applications
16.0bar (232psi) for 16-63mm
12.5bar (181psi) for 75-110mm

5

PE PIPE x MBSP ELBOW 90°



PIPE SIZE	THREAD SIZE	METRIC
20	1/2"	PCM05-2012
20	3/4"	PCM05-2020
25	1/2"	PCM05-2512
25	3/4"	PCM05-2520
25	1"	PCM05-2525
32	3/4"	PCM05-3220
32	1"	PCM05-3225
40	1"	PCM05-4025
40	1.1/4"	PCM05-4032
40	1.1/2"	PCM05-4040
50	1.1/4"	PCM05-5032
50	1.1/2"	PCM05-5040
50	2"	PCM05-5050
63	2"	PCM05-6350
75	2"	PCM05-7550
75	2.1/2"	PCM05-7563
90	3"	PCM05-9075
110	4"	PCM05-110100

PE PIPE x FBSP



PIPE SIZE	THREAD SIZE	METRIC
16	1/2"	PCM10-1612
16	3/4"	PCM10-1620
20	1/2"	PCM10-2012
20	3/4"	PCM10-2020
20	1"	PCM10-2025
25	1/2"	PCM10-2512
25	3/4"	PCM10-2520
25	1"	PCM10-2525
32	3/4"	PCM10-3220
32	1"	PCM10-3225
32	1.1/4"	PCM10-3232
40	1"	PCM10-4025
40	1.1/4"	PCM10-4032
40	1.1/2"	PCM10-4040
50	1.1/2"	PCM10-5040
50	2"	PCM10-5050
63	1.1/2"	PCM10-6340
63	2"	PCM10-6350
75	2"	PCM10-7550
75	2.1/2"	PCM10-7563
90	3"	PCM10-9075
110	4"	PCM10-110100

PE PIPE FITTINGS - METRIC PIPE

PE PIPE x MBSP



PIPE SIZE	THREAD SIZE	METRIC
16	1/2"	PCM03-1612
16	3/4"	PCM03-1620
20	1/2"	PCM03-2012
20	3/4"	PCM03-2020
20	1"	PCM03-2025
25	1/2"	PCM03-2512
25	3/4"	PCM03-2520
25	1"	PCM03-2525
32	1/2"	PCM03-3212
32	3/4"	PCM03-3220
32	1"	PCM03-3225
32	1.1/4"	PCM03-3232
32	1.1/2"	PCM03-3240
40	3/4"	PCM03-4020
40	1"	PCM03-4025
40	1.1/4"	PCM03-4032
40	1.1/2"	PCM03-4040
40	2"	PCM03-4050
50	1.1/4"	PCM03-5032
50	1.1/2"	PCM03-5040
50	2"	PCM03-5050
63	1.1/2"	PCM03-6340
63	2"	PCM03-6350
75	2"	PCM03-7550
75	2.1/2"	PCM03-7563
75	3"	PCM03-7575
90	3"	PCM03-9075
110	4"	PCM03-110100

PE PIPE x PE PIPE JOINER



PIPE SIZE	PIPE SIZE	METRIC
16	16	PCM04-1616
20	16	PCM04-2016
20	20	PCM04-2020
25	16	PCM04-2516
25	20	PCM04-2520
25	25	PCM04-2525
32	20	PCM04-3220
32	25	PCM04-3225
32	32	PCM04-3232
40	20	PCM04-4020
40	25	PCM04-4025
40	32	PCM04-4032
40	40	PCM04-4040
50	20	PCM04-5020
50	25	PCM04-5025
50	32	PCM04-5032
50	40	PCM04-5040
50	50	PCM04-5050
63	25	PCM04-6325
63	32	PCM04-6332
63	40	PCM04-6340
63	50	PCM04-6350
63	63	PCM04-6363
75	40	PCM04-7540
75	50	PCM04-7550
75	63	PCM04-7563
75	75	PCM04-7575
90	63	PCM04-9063
90	75	PCM04-9075
90	90	PCM04-9090
110	90	PCM04-11090
110	110	PCM04-110110

PE PIPE FITTINGS - METRIC PIPE

PE PIPE x PE PIPE ELBOW 90°



PIPE SIZE	PIPE SIZE	METRIC
16	16	PCM11-1616
20	20	PCM11-2020
25	20	PCM11-2520
25	25	PCM11-2525
32	32	PCM11-3232
40	40	PCM11-4040
50	50	PCM11-5050
63	63	PCM11-6363
75	75	PCM11-7575
90	90	PCM11-9090
110	110	PCM11-110110

PE PIPE x PE PIPE ELBOW 45°



PIPE SIZE	PIPE SIZE	METRIC
20	20	PCM114-2020
25	25	PCM114-2525
32	32	PCM114-3232
40	40	PCM114-4040
50	50	PCM114-5050
63	63	PCM114-6363

PE PIPE x MBSP BRANCH TEE



PIPE SIZE	THREAD SIZE	METRIC
20	1/2"	PCM12-2012
20	3/4"	PCM12-2020
25	1/2"	PCM12-2512
25	3/4"	PCM12-2520
25	1"	PCM12-2525
32	3/4"	PCM12-3220
32	1"	PCM12-3225
40	1"	PCM12-4025
40	1.1/4"	PCM12-4032
50	1.1/4"	PCM12-5032
50	1.1/2"	PCM12-5040
63	2"	PCM12-6350
75	2"	PCM12-7550
75	2.1/2"	PCM12-7563
90	3"	PCM12-9075
110	4"	PCM12-110100

PE PIPE x FLANGE ADAPTOR



PIPE SIZE	FLANGE SIZE	METRIC
50	2"	PCM84-5050
63	2"	PCM84-6350
75	3"	PCM84-7575
90	3"	PCM84-9075
110	4"	PCM84-110100

PE PIPE FITTINGS - METRIC PIPE

PE PIPE x FBSP BRANCH TEE



PIPE SIZE	THREAD SIZE	METRIC
16	1/2"	PCM12F-1612
20	1/2"	PCM12F-2012
20	3/4"	PCM12F-2020
25	1/2"	PCM12F-2512
25	3/4"	PCM12F-2520
25	1"	PCM12F-2525
32	3/4"	PCM12F-3220
32	1"	PCM12F-3225
32	1.1/4"	PCM12F-3232
40	1"	PCM12F-4025
40	1.1/4"	PCM12F-4032
40	1.1/2"	PCM12F-4040
50	1.1/2"	PCM12F-5040
50	2"	PCM12F-5050
63	1.1/2"	PCM12F-6340
63	2"	PCM12F-6350
75	2"	PCM12F-7550
75	2.1/2"	PCM12F-7563
90	3"	PCM12F-9075
110	4"	PCM12F-110100

PE PIPE x PE PIPE JOINER TEE



PIPE SIZE	PIPE SIZE	METRIC
16	16	PCM14-1616
20	20	PCM14-2020
25	20	PCM14-2520
25	25	PCM14-2525
25	32	PCM14-2532
32	20	PCM14-3220
32	25	PCM14-3225
32	32	PCM14-3232
40	25	PCM14-4025
40	32	PCM14-4032
40	40	PCM14-4040
50	25	PCM14-5025
50	32	PCM14-5032
50	40	PCM14-5040
50	50	PCM14-5050
63	32	PCM14-6332
63	40	PCM14-6340
63	50	PCM14-6350
63	63	PCM14-6363
75	40	PCM14-7540
75	50	PCM14-7550
75	63	PCM14-7563
75	75	PCM14-7575
90	63	PCM14-9063
90	75	PCM14-9075
90	90	PCM14-9090
110	90	PCM14-11090
110	110	PCM14-110110

PE PIPE FITTINGS - METRIC PIPE

PE PIPE x FBSP ELBOW 90°



PIPE SIZE	THREAD SIZE	METRIC
16	1/2"	PCM15-1612
20	1/2"	PCM15-2012
20	3/4"	PCM15-2020
25	1/2"	PCM15-2512
25	3/4"	PCM15-2520
25	1"	PCM15-2525
32	1/2"	PCM15-3212
32	3/4"	PCM15-3220
32	1"	PCM15-3225
32	1.1/4"	PCM15-3232
40	1"	PCM15-4025
40	1.1/4"	PCM15-4032
40	1.1/2"	PCM15-4040
50	1.1/4"	PCM15-5032
50	1.1/2"	PCM15-5040
50	2"	PCM15-5050
63	1.1/2"	PCM15-6340
63	2"	PCM15-6350
75	2"	PCM15-7550
75	2.1/2"	PCM15-7563
90	3"	PCM15-9075
110	4"	PCM15-110100

END CAP



PIPE SIZE	METRIC
16	PCM33-0016
20	PCM33-0020
25	PCM33-0025
32	PCM33-0032
40	PCM33-0040
50	PCM33-0050
63	PCM33-0063
75	PCM33-0075
90	PCM33-0090
110	PCM33-0110

PE PIPE x FBSP ELBOW W/ PLATE



PIPE SIZE	THREAD SIZE	METRIC
25	3/4"	PCM15-2520-BP

PE PIPE FITTINGS - RURAL PIPE

CONVERSION KITS



PIPE SIZE	METRIC CONVERSION KIT
16	PCM02-0016
20	PCM02-0020
25	PCM02-0025
32	PCM02-0032
40	PCM02-0040
50	PCM02-0050
75	PCM02-0075



PIPE SIZE	RURAL CONVERSION KIT
3/4"	PCR02-0020
1"	PCR02-0025
1.1/4"	PCR02-0032
1.1/2"	PCR02-0040
2"	PCR02-0050

***Norma & Philmac brands available

RURAL PIPE x MBSP



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR03-2012
3/4"	3/4"	PCR03-2020
3/4"	1"	PCR03-2025
1"	1/2"	PCR03-2512
1"	3/4"	PCR03-2520
1"	1"	PCR03-2525
1.1/4"	3/4"	PCR03-3220
1.1/4"	1"	PCR03-3225
1.1/4"	1.1/4"	PCR03-3232
1.1/2"	1"	PCR03-4025
1.1/2"	1.1/4"	PCR03-4032
1.1/2"	1.1/2"	PCR03-4040
2"	1.1/2"	PCR03-5040
2"	2"	PCR03-5050

RURAL PIPE x RURAL PIPE JOINER



PIPE SIZE	PIPE SIZE	RURAL
3/4"	3/4"	PCR04-2020
1"	3/4"	PCR04-2520
1"	1"	PCR04-2525
1.1/4"	1"	PCR04-3225
1.1/4"	1.1/4"	PCR04-3232
1.1/2"	1.1/4"	PCR04-4032
1.1/2"	1.1/2"	PCR04-4040
2"	1.1/2"	PCR04-5040
2"	2"	PCR04-5050

PE PIPE FITTINGS - RURAL PIPE

RURAL PIPE x MBSP ELBOW 90°



PIPE SIZE	THREAD SIZE	RURAL
1"	1/2"	PCR05-2512
1"	3/4"	PCR05-2520
1"	1"	PCR05-2525
1.1/4"	1"	PCR05-3225

RURAL PIPE x MBSP BRANCH TEE



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR12-2012
3/4"	3/4"	PCR12-2020
1"	1/2"	PCR12-2512
1"	3/4"	PCR12-2520

RURAL PIPE x FBSP



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR10-2012
3/4"	3/4"	PCR10-2020
1"	3/4"	PCR10-2520
1"	1"	PCR10-2525
1.1/4"	1"	PCR10-3225
1.1/4"	1.1/4"	PCR10-3232
1.1/2"	1.1/4"	PCR10-4032
1.1/2"	1.1/2"	PCR10-4040
2"	1.1/2"	PCR10-5040
2"	2"	PCR10-5050

RURAL PIPE x FBSP BRANCH TEE



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR12F-2012
3/4"	3/4"	PCR12F-2020
1"	1/2"	PCR12F-2512
1"	3/4"	PCR12F-2520
1"	1"	PCR12F-2525
1.1/4"	3/4"	PCR12F-3220
1.1/4"	1"	PCR12F-3225
1.1/4"	1.1/4"	PCR12F-3232
1.1/2"	1.1/4"	PCR12F-4032
1.1/2"	1.1/2"	PCR12F-4040
2"	1.1/2"	PCR12F-5040
2"	2"	PCR12F-5050

RURAL PIPE x PE PIPE ELBOW 90°



PIPE SIZE	PIPE SIZE	RURAL
3/4"	3/4"	PCR11-2020
1"	1"	PCR11-2525
1.1/4"	1.1/4"	PCR11-3232
1.1/2"	1.1/2"	PCR11-4040
2"	2"	PCR11-5050

PE PIPE FITTINGS - RURAL PIPE

RURAL PIPE x RURAL PIPE JOINER TEE



PIPE SIZE	PIPE SIZE	RURAL
3/4"	3/4"	PCR14-2020
1"	3/4"	PCR14-2520
1"	1"	PCR14-2525
1.1/4"	1"	PCR14-3225
1.1/4"	1.1/4"	PCR14-3232
1.1/2"	1"	PCR14-4025
1.1/2"	1.1/4"	PCR14-4032
1.1/2"	1.1/2"	PCR14-4040
2"	1"	PCR14-5025
2"	1.1/4"	PCR14-5032
2"	1.1/2"	PCR14-5040
2"	2"	PCR14-5050

RURAL PIPE x FBSP ELBOW W/ PLATE



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR15-2012-BP

RURAL END CAP



PIPE SIZE	RURAL
3/4"	PCR33-0020
1"	PCR33-0025
1.1/4"	PCR33-0032
1.1/2"	PCR33-0040
2"	PCR33-0050

RURAL PIPE x FBSP ELBOW 90°



PIPE SIZE	THREAD SIZE	RURAL
3/4"	1/2"	PCR15-2012
3/4"	3/4"	PCR15-2020
1"	1/2"	PCR15-2512
1"	3/4"	PCR15-2520
1"	1"	PCR15-2525
1.1/4"	1"	PCR15-3225
1.1/4"	1.1/4"	PCR15-3232
1.1/2"	1.1/4"	PCR15-4032
1.1/2"	1.1/2"	PCR15-4040
2"	1.1/4"	PCR15-5032
2"	1.1/2"	PCR15-5040
2"	2"	PCR15-5050

TAPPING SADDLES

TO SUIT PE METRIC PIPE



PIPE SIZE	THREAD SIZE	METRIC
25mm	1/2"	TS-PEPM-025-012
	3/4"	TS-PEPM-025-020
32mm	1/2"	TS-PEPM-032-012
	3/4"	TS-PEPM-032-020
	1"	TS-PEPM-032-025
40mm	1/2"	TS-PEPM-040-012
	3/4"	TS-PEPM-040-020
	1"	TS-PEPM-040-025
50mm	1/2"	TS-PEPM-050-012
	3/4"	TS-PEPM-050-020
	1"	TS-PEPM-050-025
63mm	1/2"	TS-PEPM-063-012
	3/4"	TS-PEPM-063-020
	1"	TS-PEPM-063-025
	1.1/4"	TS-PEPM-063-032
	1.1/2"	TS-PEPM-063-038
75mm	1/2"	TS-PEPM-075-012
	3/4"	TS-PEPM-075-020
	1"	TS-PEPM-075-025
	1.1/4"	TS-PEPM-075-032
	1.1/2"	TS-PEPM-075-038
	2"	TS-PEPM-075-050
90mm	1/2"	TS-PEPM-090-012
	3/4"	TS-PEPM-090-020
	1"	TS-PEPM-090-025
	1.1/4"	TS-PEPM-090-032
	1.1/2"	TS-PEPM-090-038
110mm	2"	TS-PEPM-090-050
	1/2"	TS-PEPM-110-012
	3/4"	TS-PEPM-110-020
	1"	TS-PEPM-110-025
	1.1/4"	TS-PEPM-110-032
	1.1/2"	TS-PEPM-110-038
	2"	TS-PEPM-110-050

PIPE SIZE	THREAD SIZE	METRIC
125mm	3/4"	TS-PEPM-125-020
	1"	TS-PEPM-125-025
	1.1/4"	TS-PEPM-125-032
	1.1/2"	TS-PEPM-125-038
	2"	TS-PEPM-125-050
160mm	3/4"	TS-PEPM-160-020
	1"	TS-PEPM-160-025
	1.1/4"	TS-PEPM-160-032
	1.1/2"	TS-PEPM-160-038
	2"	TS-PEPM-160-050
180mm	3/4"	TS-PEPM-180-020
	1"	TS-PEPM-180-025
	1.1/4"	TS-PEPM-180-032
	1.1/2"	TS-PEPM-180-038
	2"	TS-PEPM-180-050
225mm	3/4"	TS-PEPM-225-020
	1"	TS-PEPM-225-025
	1.1/4"	TS-PEPM-225-032
	1.1/2"	TS-PEPM-225-038
	2"	TS-PEPM-225-050
315mm	3/4"	TS-PEPM-315-020
	1"	TS-PEPM-315-025
	1.1/4"	TS-PEPM-315-032
	1.1/2"	TS-PEPM-315-038
	2"	TS-PEPM-315-050

TO SUIT PE RURAL PIPE



PIPE SIZE	THREAD SIZE	RURAL
1.1/4"	3/4"	TS-PEPR-032-020
	1"	TS-PEPR-032-025
1.1/2"	3/4"	TS-PEPR-040-020
	1"	TS-PEPR-040-025
2"	3/4"	TS-PEPR-050-020
	1"	TS-PEPR-050-025

TAPPING SADDLES

TO SUIT MAINS WATER PIPE



TO SUIT UPVC PIPE



5

PIPE SIZE	THREAD SIZE	MAINS WATER
100mm	3/4"	TS-MW-100-020
	1"	TS-MW-100-025
	1.1/4"	TS-MW-100-032
	1.1/2"	TS-MW-100-038
	2"	TS-MW-100-050
150mm	3/4"	TS-MW-150-020
	1"	TS-MW-150-025
	1.1/4"	TS-MW-150-032
	1.1/2"	TS-MW-150-038
	2"	TS-MW-150-050
200mm	3/4"	TS-MW-200-020
	1"	TS-MW-200-025
	1.1/4"	TS-MW-200-032
	1.1/2"	TS-MW-200-038
	2"	TS-MW-200-050
225mm	3/4"	TS-MW-225-020
	1"	TS-MW-225-025
	1.1/4"	TS-MW-225-032
	1.1/2"	TS-MW-225-038
	2"	TS-MW-225-050
250mm	3/4"	TS-MW-250-020
	1"	TS-MW-250-025
	1.1/4"	TS-MW-250-032
	1.1/2"	TS-MW-250-038
	2"	TS-MW-250-050
300mm	3/4"	TS-MW-300-020
	1"	TS-MW-300-025
	1.1/4"	TS-MW-300-032
	1.1/2"	TS-MW-300-038
	2"	TS-MW-300-050

PIPE SIZE	THREAD SIZE	UPVC
40	3/4"	TS-UPVC-040-020
	1"	TS-UPVC-040-025
50	3/4"	TS-UPVC-050-020
	1"	TS-UPVC-050-025
80	3/4"	TS-UPVC-080-020
	1"	TS-UPVC-080-025
	1.1/4"	TS-UPVC-080-032
	1.1/2"	TS-UPVC-080-038
100	2"	TS-UPVC-080-050
	3/4"	TS-UPVC-100-020
	1"	TS-UPVC-100-025
	1.1/4"	TS-UPVC-100-032
150	1.1/2"	TS-UPVC-100-038
	2"	TS-UPVC-100-050
	3/4"	TS-UPVC-150-020
	1"	TS-UPVC-150-025
155	1.1/4"	TS-UPVC-150-032
	1.1/2"	TS-UPVC-150-038
	2"	TS-UPVC-150-050
	3"	TS-UPVC-150-075
195	1"	TS-UPVC-155-025
	2"	TS-UPVC-155-050
200	1"	TS-UPVC-195-025
	2"	TS-UPVC-195-050
	3/4"	TS-UPVC-200-020
	1"	TS-UPVC-200-025
300	1.1/4"	TS-UPVC-200-032
	1.1/2"	TS-UPVC-200-038
	2"	TS-UPVC-200-050
	3/4"	TS-UPVC-300-020
300	1"	TS-UPVC-300-025
	1.1/4"	TS-UPVC-300-032
	1.1/2"	TS-UPVC-300-038
	2"	TS-UPVC-300-050