Unit 8/2 Carson Road
Malaga WA 6090
P: 08 9248 9994
F: 08 9248 9995
E: sales@couplers.com.au
www.couplers.com.au

SECTION 6: THREADED FITTINGS

6.1	THREADED FITTINGS	122-146
6.2	HOSETAIL THREADED FITTINGS	147-153
6.3	HIGH PRESSURE THREADED - 3000lb	154-161
6.4	STANDARD COMPRESSION FITTINGS	162-167
6.5	BRASS INTERNAL COMPRESSION	168
6.6	BRASS SAE 45° FLARE	169-171
6.7	BRASS INVERTED FLARE	172-173
6.8	BRASS AIRBRAKE	174-178
6.9	BRASS METRIC & MISCELLANEOUS	179-182

© COPYRIGHT COUPLERS 2017

THREADED FITTINGS

REDUCING BUSH
24

MALE / FEMALE ELBOW 90°
25

MALE / FEMALE ELBOW 45°
25-4

HALF SOCKET
26-H

SOCKET
26

BULKHEAD SKIN FITTING
26B-S

BULKHEAD TANK FITTING
26B-T

HEX NIPPLE
27

BARREL NIPPLE
28

TOE NIPPLE
28-T

REDUCING SOCKET
29

CAP
33

FEMALE / FEMALE ELBOW 90°
34

FEMALE / FEMALE ELBOW 45°
34-4

TEE
35

CROSS
37

MALE / MALE BEND 90°
48

PLUG
64

MALE / FEMALE ADAPTOR
72

REDUCING NIPPLE
73

LOCKNUT
74

FLANGED LOCKNUT
74F

Y-PIECE
75

FEMALE / FEMALE BARREL UNION
85

MALE / FEMALE BARREL UNION
87

THREADED FITTINGS

MATERIAL	PRESSURE	SUITABILITY
STAINLESS STEEL 316	Standard weight BSP threaded 150psi Steam WP 300psi Cold WP	Stainless Steel is most commonly used in marine, sanitation, pumping, chemical and food applications where the properties of steel and resistance to corrosion are required. Suitable for welding.
GAL MAL	Water 200psi WP Air, gas and steam 150psi WP	Manufactured from high quality blackheart Malleable Cast Iron, with a hot dip galvanized finish offering corrosion resistance. Manufactured to specification *EN10242*. Suitable for the supply of water, gas, steam and compressed air. Commonly used for fixed workshop airlines. Not recommended for welding.
BLACK STEEL	750psi WP	Manufactured from *BS1740* grade steel pipe. Conforms to *AS1074/1989*. Surface is generally degreased, blackened and coated with a light protective oil. Commonly used for steam. Suitable for welding.
GALV STEEL	750psi WP	Manufactured from *BS1740* grade steel pipe. Conforms to *AS1074/1989*. Fittings are de-scaled, washed and hot dip galvanized to offer corrosion resistance. Threading takes place after galvanizing, then are coated with a light protective oil.
BRASS	Approximately 300psi WP	Working pressures, dimensions and specifications vary between each range, including but not limited to – BSP threaded, NPT threaded, cast (plumbing) threaded, SAE flare, inverted flare, compression (internal and external) and airbrake fittings. For specific information on a particular group please enquire.
NYGLASS (HANSEN/NORMA)	Up to 2″ 230psi WP 2.1/2″ 175psi WP 3″ – 4″ 150psi WP	Manufactured from high quality Glass Fibre Reinforced Nylon. Potable water approved *AS/NZS4020*. Suitable for use with irrigation, plumbing, salt water, solvents, diesel, biodiesel and oils. Offers good chemical resistance. Not suitable for chlorinated water. Temperature rating to 60°C.
POLYPROPYLENE (PHILMAC)	Up to 2″ 235psi WP 2″ – 4″ 145psi WP (excluding risers)	Manufactured from high performance UV resistant Polypropylene. Offers superior chemical resistance. Potable water approved *AS/NZS4020*. (No reference found to fuel/ oil compatibility)
NYLON (TEFEN)	Ambient temp 150psi WP	Manufactured from Nylon 66. Good resistance to most chemicals used in agriculture. Not recommended for use with acid-based fertilizers, bromine, chlorine, fluorine, hydrochloric acid, sulphuric acid, nitric acid or phosphoric acid. Temperature rating –20°C to 100°C (subject to application)

THREADED FITTINGS

REDUCING BUSH (24)

SIZE MALE	SIZE FEM	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/4″	1/8″	SS24-0603	SSN24-0603	-	BS24-0603	GS24-0603	-
3/8″	1/8″	SS24-1003	SSN24-1003	-	BS24-1003	GS24-1003	-
3/8″	1/4″	SS24-1006	SSN24-1006	GM24-1006	BS24-1006	GS24-1006	-
1/2″	1/8″	SS24-1203	-	GM24-1203	-	GS24-1203	-
1/2″	1/4″	SS24-1206	SSN24-1206	GM24-1206	BS24-1206	GS24-1206	-
1/2″	3/8″	SS24-1210	SSN24-1210	GM24-1210	BS24-1210	GS24-1210	-
3/4″	1/4″	SS24-2006	SSN24-2006	GM24-2006	BS24-2006	GS24-2006	-
3/4″	3/8″	SS24-2010	SSN24-2010	GM24-2010	BS24-2010	GS24-2010	-
3/4″	1/2″	SS24-2012	SSN24-2012	GM24-2012	BS24-2012	GS24-2012	AL24-2012
1″	1/4″	SS24-2506	SSN24-2506	GM24-2506	BS24-2506	GS24-2506	-
1″	3/8″	SS24-2510	SSN24-2510	GM24-2510	BS24-2510	GS24-2510	-
1″	1/2″	SS24-2512	SSN24-2512	GM24-2512	BS24-2512	GS24-2512	AL24-2512
1″	3/4″	SS24-2520	SSN24-2520	GM24-2520	BS24-2520	GS24-2520	AL24-2520
1.1/4″	1/2″	-	SSN24-3212	GM24-3212	BS24-3212	GS24-3212	-
1.1/4″	3/4″	SS24-3220	SSN24-3220	GM24-3220	BS24-3220	GS24-3220	AL24-3220
1.1/4″	1″	SS24-3225	SSN24-3225	GM24-3225	BS24-3225	GS24-3225	AL24-3225
1.1/2″	1/2″	-	-	GM24-3812	BS24-3812	GS24-3812	-
1.1/2″	3/4″	SS24-3820	SSN24-3820	GM24-3820	BS24-3820	GS24-3820	-
1.1/2″	1″	SS24-3825	SSN24-3825	GM24-3825	BS24-3825	GS24-3825	AL24-3825
1.1/2″	1.1/4″	SS24-3832	SSN24-3832	GM24-3832	BS24-3832	GS24-3832	AL24-3832
2″	1/2″	-	-	GM24-5012	BS24-5012	GS24-5012	-
2″	3/4″	SS24-5020	-	GM24-5020	BS24-5020	GS24-5020	-
2″	1″	SS24-5025	SSN24-5025	GM24-5025	BS24-5025	GS24-5025	AL24-5025
2″	1.1/4″	SS24-5032	SSN24-5032	GM24-5032	BS24-5032	GS24-5032	AL24-5032
2″	1.1/2″	SS24-5038	SSN24-5038	GM24-5038	BS24-5038	GS24-5038	AL24-5038
2.1/2″	1″	-	-	GM24-6325	-	-	AL24-6325
2.1/2″	1.1/4″	-	SSN24-6332	GM24-6332	-	-	-
2.1/2″	1.1/2″	SS24-6338	SSN24-6338	GM24-6338	BS24-6338	GS24-6338	AL24-6338
2.1/2″	2″	SS24-6350	SSN24-6350	GM24-6350	BS24-6350	GS24-6350	AL24-6350
3″	1″	-	-	-	BS24-7525	GS24-7525	-
3″	1.1/2″	SS24-7538	SSN24-7538	GM24-7538	BS24-7538	GS24-7538	AL24-7538
3″	2″	SS24-7550	SSN24-7550	GM24-7550	BS24-7550	GS24-7550	AL24-7550
3″	2.1/2″	SS24-7563	SSN24-7563	GM24-7563	BS24-7563	GS24-7563	AL24-7563
4″	1.1/2″	-	-	GM24-10038	-	-	-
4″	2″	SS24-10050	SSN24-10050	GM24-10050	BS24-10050	GS24-10050	AL24-10050
4″	2.1/2″	SS24-10063	-	GM24-10063	BS24-10063	GS24-10063	AL24-10063
4″	3″	SS24-10075	SSN24-10075	GM24-10075	BS24-10075	GS24-10075	AL24-10075
6″	4″	SS24-150100	-	GM24-150100	-	-	-

THREADED FITTINGS

REDUCING BUSH (24)

SIZE MALE	SIZE FEM	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/4″	1/8″	BR24-0603	-	BRN24 0603	-	-	NY24-0603
3/8″	1/8″	BR24-1003	-	BRN24-1003	-	-	NY24-1003
3/8″	1/4″	BR24-1006	-	BRN24-1006	-	-	NY24-1006
1/2″	1/8″	BR24-1203	-	BRN24-1203	-	-	NY24-1203
1/2″	1/4″	BR24-1206	-	BRN24-1206	-	-	NY24-1206
1/2″	3/8″	BR24-1210	-	BRN24-1210	-	-	NY24-1210
3/4″	1/4″	BR24-2006	-	BRN24-2006	-	-	NY24-2006
3/4″	3/8″	BR24-2010	-	BRN24-2010	-	-	NY24-2010
3/4″	1/2″	BR24-2012	BRD24-2012	BRN24-2012	NG24-2012	PP24-2012	NY24-2012
1″	1/4″	BR24-2506	-	-	-	-	-
1″	3/8″	BR24-2510	-	-	-	-	-
1″	1/2″	BR24-2512	BRD24-2512	-	NG24-2512	PP24-2512	-
1″	3/4″	BR24-2520	BRD24-2520	-	NG24-2520	PP24-2520	-
1.1/4″	1/2″	-	BRD24-3212	-	NG24-3212	PP24-3212	-
1.1/4″	3/4″	-	BRD24-3220	-	NG24-3220	PP24-3220	-
1.1/4″	1″	-	BRD24-3225	-	NG24-3225	PP24-3225	-
1.1/2″	1/2″	-	BRD24-3812	-	NG24-3812	PP24-3812	-
1.1/2″	3/4″	-	BRD24-3820	-	NG24-3820	PP24-3820	-
1.1/2″	1″	-	BRD24-3825	-	NG24-3825	PP24-3825	-
1.1/2″	1.1/4″	-	BRD24-3832	-	NG24-3832	PP24-3832	-
2″	1/2″	-	BRD24-5012	-	NG24-5012	PP24-5012	-
2″	3/4″	-	BRD24-5020	-	NG24-5020	PP24-5020	-
2″	1″	-	BRD24-5025	-	NG24-5025	PP24-5025	-
2″	1.1/4″	-	BRD24-5032	-	NG24-5032	PP24-5032	-
2″	1.1/2″	-	BRD24-5038	-	NG24-5038	PP24-5038	-
2.1/2″	1″	-	-	-	-	-	-
2.1/2″	1.1/4″	-	-	-	NG24-6332	-	-
2.1/2″	1.1/2″	-	-	-	NG24-6338	-	-
2.1/2″	2″	-	BRD24-6350	-	NG24-6350	-	-
3″	1″	-	-	-	-	-	-
3″	1.1/2″	-	-	-	NG24-7538	-	-
3″	2″	-	BRD24-7550	-	NG24-7550	PP24-7550	-
3″	2.1/2″	-	BRD24-7563	-	NG24-7563	PP24-7563	-
4″	1.1/2″	-	-	-	-	-	-
4″	2″	-	-	-	NG24-10050	PP24-10050	-
4″	2.1/2″	-	-	-	NG24-10063	-	-
4″	3″	-	-	-	NG24-10075	PP24-10075	-
6″	4″	-	-	-	-	-	-

THREADED FITTINGS

REDUCING NIPPLE (73)

SIZE	SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/4″	1/8″	SS73-0603	-	-	BS73-0603	GS73-0603	-
3/8″	1/8″	SS73-1003	-	-	BS73-1003	GS73-1003	-
3/8″	1/4″	SS73-1006	-	GM73-1006	BS73-1006	GS73-1006	-
1/2″	1/8″	SS73-1203	-	-	-	GS73-1203	-
1/2″	1/4″	SS73-1206	-	GM73-1206	BS73-1206	GS73-1206	-
1/2″	3/8″	SS73-1210	-	GM73-1210	BS73-1210	GS73-1210	-
3/4″	1/4″	SS73-2006	-	-	-	GS73-2006	-
3/4″	3/8″	SS73-2010	-	GM73-2010	BS73-2010	GS73-2010	-
3/4″	1/2″	SS73-2012	-	GM73-2012	BS73-2012	GS73-2012	AL73-2012
1″	3/8″	SS73-2510	-	-	-	-	-
1″	1/2″	SS73-2512	-	GM73-2512	BS73-2512	GS73-2512	AL73-2512
1″	3/4″	SS73-2520	-	GM73-2520	BS73-2520	GS73-2520	AL73-2520
1.1/4″	1/2″	-	-	GM73-3212	-	GS73-3212	-
1.1/4″	3/4″	SS73-3220	-	GM73-3220	BS73-3220	GS73-3220	AL73-3220
1.1/4″	1″	SS73-3225	-	GM73-3225	BS73-3225	GS73-3225	AL73-3225
1.1/2″	1/2″	-	-	GM73-3812	-	GS73-3812	-
1.1/2″	3/4″	SS73-3820	-	GM73-3820	BS73-3820	GS73-3820	-
1.1/2″	1″	SS73-3825	-	GM73-3825	BS73-3825	GS73-3825	AL73-3825
1.1/2″	1.1/4″	SS73-3832	-	GM73-3832	BS73-3832	GS73-3832	AL73-3832
2″	1/2″	-	-	-	-	-	-
2″	3/4″	SS73-5020	-	GM73-5020	BS73-5020	GS73-5020	-
2″	1″	SS73-5025	-	GM73-5025	BS73-5025	GS73-5025	AL73-5025
2″	1.1/4″	SS73-5032	-	GM73-5032	BS73-5032	GS73-5032	AL73-5032
2″	1.1/2″	SS73-5038	-	GM73-5038	BS73-5038	GS73-5038	AL73-5038
2.1/2″	1.1/4″	-	-	-	-	-	AL73-6332
2.1/2″	1.1/2″	-	-	GM73-6338	BS73-6338	GS73-6338	AL73-6338
2.1/2″	2″	SS73-6350	-	GM73-6350	BS73-6350	GS73-6350	AL73-6350
3″	1.1/2″	-	-	-	-	-	AL73-7538
3″	2″	SS73-7550	-	GM73-7550	BS73-7550	GS73-7550	AL73-7550
3″	2.1/2″	SS73-7563	-	GM73-7563	BS73-7563	GS73-7563	AL73-7563
4″	2″	SS73-10050	-	GM73-10050	BS73-10050	GS73-10050	AL73-10050
4″	2.1/2″	SS73-10063	-	GM73-10063	-	GS73-10063	AL73-10063
4″	3″	SS73-10075	-	GM73-10075	BS73-10075	GS73-10075	AL73-10075
6″	4″	SS73-150100	-	-	-	-	-

THREADED FITTINGS

REDUCING NIPPLE (73)

SIZE	SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/4"	1/8"	BR73-0603	-	BRN73-0603	-	-	NY73-0603
3/8"	1/8"	BR73-1003	-	BRN73-1003	-	-	NY73-1003
3/8"	1/4"	BR73-1006	-	BRN73-1006	-	-	NY73-1006
1/2"	1/8"	BR73-1203	-	-	-	-	NY73-1203
1/2"	1/4"	BR73-1206	-	BRN73-1206	-	-	NY73-1206
1/2"	3/8"	BR73-1210	-	BRN73-1210	-	-	NY73-1210
3/4"	1/4"	BR73-2006	-	-	-	-	-
3/4"	3/8"	BR73-2010	-	-	-	-	-
3/4"	1/2"	BR73-2012	BRD73-2012	-	NG73-2012	PP73-2012	-
1"	3/8"	-		-	-	-	-
1"	1/2"	BR73-2512	BRD73-2512	-	NG73-2512	PP73-2512	-
1"	3/4"	BR73-2520	BRD73-2520	-	NG73-2520	PP73-2520	-
1.1/4"	1/2"	-	-	-	-	PP73-3212	-
1.1/4"	3/4"	-	BRD73-3220	-	NG73-3220	PP73-3220	-
1.1/4"	1"	-	BRD73-3225	-	NG73-3225	PP73-3225	-
1.1/2"	1/2"	-	-	-	-	PP73-3812	-
1.1/2"	3/4"	-	-	-	NG73-3820	PP73-3820	-
1.1/2"	1"	-	BRD73-3825	-	NG73-3825	PP73-3825	-
1.1/2"	1.1/4"	-	BRD73-3832	-	NG73-3832	PP73-3832	-
2"	1/2"	-	-	-	-	PP73-5012	-
2"	3/4"	-	-	-	NG73-5020	PP73-5020	-
2"	1"	-	-	-	NG73-5025	PP73-5025	-
2"	1.1/4"	-	BRD73-5032	-	NG73-5032	PP73-5032	-
2"	1.1/2"	-	BRD73-5038	-	NG73-5038	PP73-5038	-
2.1/2"	1.1/4"	-	-	-	NG73-6332	-	-
2.1/2"	1.1/2"	-	-	-	NG73-6338	-	-
2.1/2"	2"	-	-	-	NG73-6350	-	-
3"	1.1/2"	-	-	-	NG73-7538	-	-
3"	2"	-	-	-	NG73-7550	PP73-7550	-
3"	2.1/2"	-	-	-	NG73-7563	PP73-7563	-
4"	2"	-	-	-	NG73-10050	-	-
4"	2.1/2"	-	-	-	NG73-10063	-	-
4"	3"	-	-	-	NG73-10075	PP73-10075	-
6"	4"	-	-	-	-	-	-

THREADED FITTINGS

REDUCING SOCKET (29)

SIZE	SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/4″	1/8″	-	SSN29-0603	-	BS29-0603	GS29-0603	-
3/8″	1/8″	-	SSN29-1003	-	-	-	-
3/8″	1/4″	SS29-1006	SSN29-1006	GM29-1006	BS29-1006	GS29-1006	-
1/2″	1/8″	-	-	-	-	-	-
1/2″	1/4″	SS29-1206	SSN29-1206	GM29-1206	BS29-1206	GS29-1206	-
1/2″	3/8″	SS29-1210	SSN29-1210	GM29-1210	BS29-1210	GS29-1210	-
3/4″	1/4″	-	SSN29-2006	-	-	GS29-2006	-
3/4″	3/8″	-	SSN29-2010	GM29-2010	BS29-2010	GS29-2010	-
3/4″	1/2″	SS29-2012	SSN29-2012	GM29-2012	BS29-2012	GS29-2012	AL29-2012
1″	3/8″	SS29-2510	SSN29-2510	-	BS29-2510	GS29-2510	-
1″	1/2″	SS29-2512	SSN29-2512	GM29-2512	BS29-2512	GS29-2512	AL29-2512
1″	3/4″	SS29-2520	SSN29-2520	GM29-2520	BS29-2520	GS29-2520	AL29-2520
1.1/4″	1/2″	SS29-3212	SSN29-3212	GM29-3212	-	-	-
1.1/4″	3/4″	SS29-3220	SSN29-3220	GM29-3220	BS29-3220	GS29-3220	AL29-3220
1.1/4″	1″	SS29-3225	SSN29-3225	GM29-3225	BS29-3225	GS29-3225	AL29-3225
1.1/2″	1/2″	-	-	GM29-3812	-	-	-
1.1/2″	3/4″	SS29-3820	SSN29-3820	GM29-3820	-	GS29-3820	-
1.1/2″	1″	SS29-3825	SSN29-3825	GM29-3825	BS29-3825	GS29-3825	AL29-3825
1.1/2″	1.1/4″	SS29-3832	SSN29-3832	GM29-3832	BS29-3832	GS29-3832	AL29-3832
2″	1/2″	-	-	GM29-5012	-	-	-
2″	3/4″	-	-	GM29-5020	BS29-5020	GS29-5020	-
2″	1″	SS29-5025	SSN29-5025	GM29-5025	BS29-5025	GS29-5025	AL29-5025
2″	1.1/4″	SS29-5032	SSN29-5032	GM29-5032	BS29-5032	GS29-5032	AL29-5032
2″	1.1/2″	SS29-5038	SSN29-5038	GM29-5038	BS29-5038	GS29-5038	AL29-5038
2.1/2″	1.1/4″	-	-	GM29-6332	-	-	AL29-6332
2.1/2″	1.1/2″	-	SSN29-6338	GM29-6338	BS29-6338	GS29-6338	AL29-6338
2.1/2″	2″	SS29-6350	SSN29-6350	GM29-6350	BS29-6350	GS29-6350	AL29-6350
3″	1.1/2″	-	SSN29-7538	-	-	-	-
3″	2″	SS29-7550	SSN29-7550	GM29-7550	BS29-7550	GS29-7550	AL29-7550
3″	2.1/2″	SS29-7563	SSN29-7563	GM29-7563	BS29-7563	GS29-7563	AL29-7563
4″	2″	-	-	GM29-10050	-	GS29-10050	-
4″	2.1/2″	-	-	GM29-10063	BS29-10063	GS29-10063	AL29-10063
4″	3″	SS29-10075	SSN29-10075	GM29-10075	BS29-10075	GS29-10075	-

THREADED FITTINGS

REDUCING SOCKET (29)

SIZE	SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/4″	1/8″	BR29-0603	-	BRN29-0603	-	-	NY29-0603
3/8″	1/8″	BR29-1003	-	BRN29-1003	-	-	NY29-1003
3/8″	1/4″	BR29-1006	-	BRN29-1006	-	-	NY29-1006
1/2″	1/8″	BR29-1203	-	-	-	-	-
1/2″	1/4″	BR29-1206	-	-	-	-	NY29-1206
1/2″	3/8″	BR29-1210	-	BRN29-1210	-	-	NY29-1210
3/4″	1/4″	BR29-2006	-	-	-	-	-
3/4″	3/8″	BR29-2010	-	-	-	-	-
3/4″	1/2″	BR29-2012	BRD29-2012	-	NG29-2012	PP29-2012	-
1″	3/8″	-	-	-	-	-	-
1″	1/2″	-	-	-	NG29-2512	PP29-2512	-
1″	3/4″	BR29-2520	BRD29-2520	-	NG29-2520	PP29-2520	-
1.1/4″	1/2″	-	-	-	-	-	-
1.1/4″	3/4″	-	-	-	NG29-3220	PP29-3220	-
1.1/4″	1″	-	-	-	NG29-3225	PP29-3225	-
1.1/2″	1/2″	-	-	-	-	-	-
1.1/2″	3/4″	-	-	-	NG29-3820	PP29-3820	-
1.1/2″	1″	-	-	-	NG29-3825	PP29-3825	-
1.1/2″	1.1/4″	-	-	-	NG29-3832	PP29-3832	-
2″	1/2″	-	-	-	-	PP29-5012	-
2″	3/4″	-	-	-	NG29-5020	PP29-5020	-
2″	1″	-	-	-	NG29-5025	PP29-5025	-
2″	1.1/4″	-	-	-	NG29-5032	PP29-5032	-
2″	1.1/2″	-	-	-	NG29-5038	PP29-5038	-
2.1/2″	1.1/4″	-	-	-	-	-	-
2.1/2″	1.1/2″	-	-	-	-	-	-
2.1/2″	2″	-	-	-	NG29-6350	-	-
3″	1.1/2″	-	-	-	-	-	-
3″	2″	-	-	-	NG29-7550	-	-
3″	2.1/2″	-	-	-	NG29-7563	-	-
4″	2″	-	-	-	-	-	-
4″	2.1/2″	-	-	-	-	-	-
4″	3″	-	-	-	NG29-10075	-	-

THREADED FITTINGS

HEX NIPPLE (27)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS27-0003	SSN27-0003	-	BS27-0003	GS27-0003	-
1/4″	SS27-0006	SSN27-0006	GM27-0006	BS27-0006	GS27-0006	-
3/8″	SS27-0010	SSN27-0010	GM27-0010	BS27-0010	GS27-0010	-
1/2″	SS27-0012	SSN27-0012	GM27-0012	BS27-0012	GS27-0012	AL27-0012
3/4″	SS27-0020	SSN27-0020	GM27-0020	BS27-0020	GS27-0020	AL27-0020
1″	SS27-0025	SSN27-0025	GM27-0025	BS27-0025	GS27-0025	AL27-0025
1.1/4″	SS27-0032	SSN27-0032	GM27-0032	BS27-0032	GS27-0032	AL27-0032
1.1/2″	SS27-0038	SSN27-0038	GM27-0038	BS27-0038	GS27-0038	AL27-0038
2″	SS27-0050	SSN27-0050	GM27-0050	BS27-0050	GS27-0050	AL27-0050
2.1/2″	SS27-0063	SSN27-0063	GM27-0063	BS27-0063	GS27-0063	AL27-0063
3″	SS27-0075	SSN27-0075	GM27-0075	BS27-0075	GS27-0075	AL27-0075
4″	SS27-0100	SSN27-0100	GM27-0100	BS27-0100	GS27-0100	AL27-0100
5″	-	-	-	-	GS27-0125	-
6″	SS27-0150	-	GM27-0150	BS27-0150	-	AL27-0150

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR27-0003	-	BRN27-0003	-	-	NY27-0003
1/4″	BR27-0006	-	BRN27-0006	-	-	NY27-0006
3/8″	BR27-0010	BRD27-0010	BRN27-0010	-	-	NY27-0010
1/2″	BR27-0012	BRD27-0012	BRN27-0012	NG27-0012	PP27-0012	NY27-0012
3/4″	BR27-0020	BRD27-0020	BRN27-0020	NG27-0020	PP27-0020	-
1″	BR27-0025	BRD27-0025	-	NG27-0025	PP27-0025	-
1.1/4″	-	BRD27-0032	-	NG27-0032	PP27-0032	-
1.1/2″	-	BRD27-0038	-	NG27-0038	PP27-0038	-
2″	-	BRD27-0050	-	NG27-0050	PP27-0050	-
2.1/2″	-	BRD27-0063	-	NG27-0063	PP27-0063	-
3″	-	-	-	NG27-0075	PP27-0075	-
4″	-	-	-	NG27-0100	PP27-0100	-

THREADED FITTINGS

SOCKET (26)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS26-0003	SSN26-0003	-	BS26-0003	GS26-0003	-
1/4″	SS26-0006	SSN26-0006	GM26-0006	BS26-0006	GS26-0006	-
3/8″	SS26-0010	SSN26-0010	GM26-0010	BS26-0010	GS26-0010	-
1/2″	SS26-0012	SSN26-0012	GM26-0012	BS26-0012	GS26-0012	AL26-0012
3/4″	SS26-0020	SSN26-0020	GM26-0020	BS26-0020	GS26-0020	AL26-0020
1″	SS26-0025	SSN26-0025	GM26-0025	BS26-0025	GS26-0025	AL26-0025
1.1/4″	SS26-0032	SSN26-0032	GM26-0032	BS26-0032	GS26-0032	AL26-0032
1.1/2″	SS26-0038	SSN26-0038	GM26-0038	BS26-0038	GS26-0038	AL26-0038
2″	SS26-0050	SSN26-0050	GM26-0050	BS26-0050	GS26-0050	AL26-0050
2.1/2″	SS26-0063	SSN26-0063	GM26-0063	BS26-0063	GS26-0063	AL26-0063
3″	SS26-0075	SSN26-0075	GM26-0075	BS26-0075	GS26-0075	AL26-0075
4″	SS26-0100	SSN26-0100	GM26-0100	BS26-0100	GS26-0100	AL26-0100
5″	-	-	-	BS26-0125	GS26-0125	-
6″	SS26-0150	-	GM26-0150	BS26-0150	GS26-0150	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR26-0003	-	BRN26-0003	-	-	NY26-0003
1/4″	BR26-0006	-	BRN26-0006	-	-	NY26-0006
3/8″	BR26-0010	-	BRN26-0010	-	-	NY26-0010
1/2″	BR26-0012	BRD26-0012	BRN26-0012	NG26-0012	PP26-0012	NY26-0012
3/4″	BR26-0020	BRD26-0020	BRN26-0020	NG26-0020	PP26-0020	-
1″	BR26-0025	BRD26-0025	-	NG26-0025	PP26-0025	-
1.1/4″	-	BRD26-0032	-	NG26-0032	PP26-0032	-
1.1/2″	-	BRD26-0038	-	NG26-0038	PP26-0038	-
2″	-	BRD26-0050	-	NG26-0050	PP26-0050	-
2.1/2″	-	-	-	NG26-0063	-	-
3″	-	-	-	NG26-0075	-	-
4″	-	-	-	NG26-0100	-	-

THREADED FITTINGS

HALF SOCKET (26-H)

SIZE	SS 316 BSP	BLACK STEEL BSP
3/8″	-	BS26-H010
1/2″	SS26-H012	BS26-H012
3/4″	SS26-H020	BS26-H020
1″	SS26-H025	BS26-H025
1.1/4″	-	BS26-H032
1.1/2″	SS26-H038	BS26-H038
2″	SS26-H050	BS26-H050
2.1/2″	-	BS26-H063
3″	-	BS26-H075
4″	-	BS26-H100

BARREL NIPPLE (28)

SIZE	SS 316 BSP	BLACK STEEL BSP	GALV STEEL BSP
1/4″	SS28-0006	BS28-0006	GS28-0006
3/8″	SS28-0010	BS28-0010	GS28-0010
1/2″	SS28-0012	BS28-0012	GS28-0012
3/4″	SS28-0020	BS28-0020	GS28-0020
1″	SS28-0025	BS28-0025	GS28-0025
1.1/4″	SS28-0032	BS28-0032	GS28-0032
1.1/2″	SS28-0038	BS28-0038	GS28-0038
2″	SS28-0050	BS28-0050	GS28-0050
2.1/2″	SS28-0063	BS28-0063	GS28-0063
3″	SS28-0075	BS28-0075	GS28-0075
4″	SS28-0100	BS28-0100	GS28-0100
5″	-	BS28-0125	GS28-0125
6″	-	BS28-0150	-

TOE NIPPLE (28-T)

SIZE	SS 316 BSP
1/4″	SS28-T006
3/8″	SS28-T010
1/2″	SS28-T012
3/4″	SS28-T020
1″	SS28-T025
1.1/4″	SS28-T032
1.1/2″	SS28-T038
2″	SS28-T050
2.1/2″	SS28-T063
3″	SS28-T075
4″	SS28-T100

****Barrel nipples can be cut in half to make two TOE nipples if required*

BRASS EXTENSION NIPPLE (28)

SIZE	LEN	BRASS BSP	BRASS NPT
1/8″	38mm	BR28-0338	BRN28-0338
1/8″	50mm	BR28-0350	BRN28-0350
1/8″	75mm	-	BRN28-0375
1/4″	38mm	BR28-0638	BRN28-0638
1/4″	50mm	BR28-0650	BRN28-0650
1/4″	65mm	BR28-0665	-
1/4″	75mm	BR28-0675	BRN28-0675

THREADED FITTINGS

MALE / FEMALE ADAPTOR (72)

SIZE FEM	SIZE MALE	SS 316 BSP	BRASS BSP	BRASS CAST BSP	BRASS NPT	POLY PROP BSP	NYLON BSP
1/8"	1/8"	-	BR72-0303*	-	BRN72-0303	-	NY72-0303
1/4"	1/8"	SS72-0603	BR72-0603	-	BRN72-0603	-	NY72-0603
1/4"	1/4"	SS72-0606	BR72-0606*	-	BRN72-0606	-	NY72-0606
3/8"	1/8"	SS72-1003	BR72-1003	-	-	-	NY72-1003
3/8"	1/4"	SS72-1006	BR72-1006	-	BRN72-1006	-	NY72-1006
3/8"	3/8"	SS72-1010	BR72-1010	-	BRN72-1010	-	NY72-1010
1/2"	1/8"	-	-	-	-	-	NY72-1203
1/2"	1/4"	SS72-1206	BR72-1206	-	-	-	NY72-1206
1/2"	3/8"	SS72-1210	BR72-1210	-	BRN72-1210	-	NY72-1210
1/2"	1/2"	SS72-1212	BR72-1212	BRD72-1212*	BRN72-1212	-	NY72-1212
3/4"	1/4"	SS72-2006	-	-	-	-	-
3/4"	3/8"	SS72-2010	-	-	-	-	-
3/4"	1/2"	SS72-2012	BR72-2012	BRD72-2012	-	PP72-2012	-
3/4"	3/4"	SS72-2020	BR72-2020	BRD72-2020	-	-	-
1"	1/2"	SS72-2512	-	BRD72-2512	-	PP72-2512	-
1"	3/4"	SS72-2520	-	BRD72-2520	-	PP72-2520	-
1"	1"	SS72-2525	-	-	-	-	-
1.1/4"	3/4"	SS72-3220	-	BRD72-3220	-	-	-
1.1/4"	1"	SS72-3225	-	BRD72-3225	-	-	-
1.1/4"	1.1/4"	SS72-3232	-	-	-	-	-
1.1/2"	3/4"	SS72-3820	-	-	-	PP72-3820	-
1.1/2"	1"	SS72-3825	-	BRD72-3825	-	PP72-3825	-
1.1/2"	1.1/4"	SS72-3832	-	BRD72-3832	-	-	-
1.1/2"	1.1/2"	SS72-3838	-	-	-	-	-
2"	3/4"	-	-	-	-	PP72-5020	-
2"	1"	SS72-5025	-	-	-	PP72-5025	-
2"	1.1/4"	SS72-5032	-	BRD72-5032	-	-	-
2"	1.1/2"	SS72-5038	-	BRD72-5038	-	PP72-5038	-
2"	2"	SS72-5050	-	-	-	-	-

****Brass male / Female extension pieces also available in sizes marked*

THREADED FITTINGS

FEMALE / FEMALE ELBOW 90° (34)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS34-0003	SSN34-0003	-	BS34-0003	GS34-0003	-
1/4″	SS34-0006	SSN34-0006	GM34-0006	BS34-0006	GS34-0006	-
3/8″	SS34-0010	SSN34-0010	GM34-0010	BS34-0010	GS34-0010	-
1/2″	SS34-0012	SSN34-0012	GM34-0012	BS34-0012	GS34-0012	-
3/4″	SS34-0020	SSN34-0020	GM34-0020	BS34-0020	GS34-0020	-
1″	SS34-0025	SSN34-0025	GM34-0025	BS34-0025	GS34-0025	-
1.1/4″	SS34-0032	SSN34-0032	GM34-0032	BS34-0032	GS34-0032	-
1.1/2″	SS34-0038	SSN34-0038	GM34-0038	BS34-0038	GS34-0038	-
2″	SS34-0050	SSN34-0050	GM34-0050	BS34-0050	GS34-0050	-
2.1/2″	SS34-0063	SSN34-0063	GM34-0063	BS34-0063	GS34-0063	-
3″	SS34-0075	SSN34-0075	GM34-0075	BS34-0075	GS34-0075	-
4″	SS34-0100	SSN34-0100	GM34-0100	BS34-0100	GS34-0100	-
6″	-	-	GM34-0150	BS34-0150	-	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR34-0003	BRD34-0003	BRN34-0003	-	-	-
1/4″	BR34-0006	BRD34-0006	BRN34-0006	-	-	-
3/8″	BR34-0010	BRD34-0010	BRN34-0010	-	-	-
1/2″	BR34-0012	BRD34-0012	BRN34-0012	NG34-0012	PP34-0012	-
3/4″	BR34-0020	BRD34-0020	BRN34-0020	NG34-0020	PP34-0020	-
1″	-	BRD34-0025	-	NG34-0025	PP34-0025	-
1.1/4″	-	BRD34-0032	-	NG34-0032	PP34-0032	-
1.1/2″	-	BRD34-0038	-	NG34-0038	PP34-0038	-
2″	-	BRD34-0050	-	NG34-0050	PP34-0050	-
2.1/2″	-	-	-	NG34-0063	-	-
3″	-	-	-	NG34-0075	-	-
4″	-	-	-	NG34-0100	-	-

THREADED FITTINGS

FEMALE / FEMALE ELBOW 45° (34-4)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	BRASS BSP
1/8″	SS34-4003	SSN34-4003	-	-	GS34-4003	BR34-4003
1/4″	SS34-4006	SSN34-4006	GM34-4006	-	GS34-4006	BR34-4006
3/8″	SS34-4010	SSN34-4010	GM34-4010	-	GS34-4010	BR34-4010
1/2″	SS34-4012	SSN34-4012	GM34-4012	BS34-4012	GS34-4012	-
3/4″	SS34-4020	SSN34-4020	GM34-4020	BS34-4020	GS34-4020	-
1″	SS34-4025	SSN34-4025	GM34-4025	BS34-4025	GS34-4025	-
1.1/4″	SS34-4032	SSN34-4032	GM34-4032	BS34-4032	GS34-4032	-
1.1/2″	SS34-4038	SSN34-4038	GM34-4038	BS34-4038	GS34-4038	-
2″	SS34-4050	SSN34-4050	GM34-4050	BS34-4050	GS34-4050	-
2.1/2″	SS34-4063	SSN34-4063	GM34-4063	BS34-4063	GS34-4063	-
3″	SS34-4075	SSN34-4075	GM34-4075	BS34-4075	GS34-4075	-
4″	SS34-4100	SSN34-4100	GM34-4100	BS34-4100	GS34-4100	-

F/F & M/F BENDS 45° & 90°

SIZE	GAL MAL FEMALE / FEMALE 90°	GAL MAL MALE / FEMALE 90°	GAL MAL MALE / FEMALE 45°
3/8″	GM34B-0010	GM25B-0010	-
1/2″	GM34B-0012	GM25B-0012	GM25B-4012
3/4″	GM34B-0020	GM25B-0020	GM25B-4020
1″	GM34B-0025	GM25B-0025	GM25B-4025
1.1/4″	GM34B-0032	GM25B-0032	GM25B-4032
1.1/2″	GM34B-0038	GM25B-0038	GM25B-4038
2″	GM34B-0050	GM25B-0050	GM25B-4050
2.1/2″	GM34B-0063	GM25B-0063	GM25B-4063
3″	GM34B-0075	GM25B-0075	GM25B-4075
4″	GM34B-0100	GM25B-0100	GM25B-4100

THREADED FITTINGS

MALE / FEMALE ELBOW 90° (25)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS25-0003	SSN25-0003	-	-	-	-
1/4″	SS25-0006	SSN25-0006	GM25-0006	BS25-0006	GS25-0006	-
3/8″	SS25-0010	SSN25-0010	GM25-0010	BS25-0010	GS25-0010	-
1/2″	SS25-0012	SSN25-0012	GM25-0012	BS25-0012	GS25-0012	-
3/4″	SS25-0020	SSN25-0020	GM25-0020	BS25-0020	GS25-0020	-
1″	SS25-0025	SSN25-0025	GM25-0025	BS25-0025	GS25-0025	-
1.1/4″	SS25-0032	SSN25-0032	GM25-0032	BS25-0032	GS25-0032	-
1.1/2″	SS25-0038	SSN25-0038	GM25-0038	BS25-0038	GS25-0038	-
2″	SS25-0050	SSN25-0050	GM25-0050	BS25-0050	GS25-0050	-
2.1/2″	SS25-0063	SSN25-0063	GM25-0063	BS25-0063	GS25-0063	-
3″	SS25-0075	SSN25-0075	GM25-0075	BS25-0075	GS25-0075	-
4″	SS25-0100	SSN25-0100	GM25-0100	BS25-0100	GS25-0100	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR25-0003	BRD25-0003	BRN25-0003	-	-	-
1/4″	BR25-0006	BRD25-0006	BRN25-0006	-	-	-
3/8″	BR25-0010	BRD25-0010	BRN25-0010	-	-	-
1/2″	BR25-0012	BRD25-0012	BRN25-0012	NG25-0012	PP25-0012	-
3/4″	-	BRD25-0020	BRN25-0020	NG25-0020	PP25-0020	-
1″	-	BRD25-0025	-	NG25-0025	PP25-0025	-
1.1/4″	-	BRD25-0032	-	NG25-0032	PP25-0032	-
1.1/2″	-	BRD25-0038	-	NG25-0038	PP25-0038	-
2″	-	BRD25-0050	-	NG25-0050	PP25-0050	-

THREADED FITTINGS

MALE / FEMALE ELBOW 45° (25-4)

SIZE	SS 316 BSP	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	BRASS BSP	BRASS NPT
1/8″	SS25-4003	-	-	-	BR25-4003	BRN25-4003
1/4″	SS25-4006	-	-	GS25-4006	BR25-4006	BRN25-4006
3/8″	SS25-4010	-	-	GS25-4010	BR25-4010	BRN25-4010
1/2″	SS25-4012	GM25-4012	BS25-4012	GS25-4012	BR25-4012	BRN25-4012
3/4″	SS25-4020	GM25-4020	BS25-4020	GS25-4020	-	BRN25-4020
1″	SS25-4025	GM25-4025	BS25-4025	GS25-4025	-	-
1.1/4″	SS25-4032	GM25-4032	BS25-4032	GS25-4032	-	-
1.1/2″	SS25-4038	GM25-4038	BS25-4038	GS25-4038	-	-
2″	SS25-4050	GM25-4050	BS25-4050	GS25-4050	-	-
2.1/2″	SS25-4063	-	BS25-4063	GS25-4063	-	-
3″	SS25-4075	-	BS25-4075	GS25-4075	-	-
4″	-	-	-	GS25-4100	-	-

6

MALE / MALE BEND 90° (48B)

SIZE	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP
1/4″	-	-	GS48B-0006
3/8″	-	-	GS48B-0010
1/2″	GM48B-0012	BS48B-0012	GS48B-0012
3/4″	GM48B-0020	BS48B-0020	GS48B-0020
1″	GM48B-0025	BS48B-0025	GS48B-0025
1.1/4″	GM48B-0032	BS48B-0032	GS48B-0032
1.1/2″	GM48B-0038	BS48B-0038	GS48B-0038
2″	GM48B-0050	BS48B-0050	GS48B-0050
2.1/2″	-	BS48B-0063	GS48B-0063
3″	-	BS48B-0075	GS48B-0075
4″	-	BS48B-0100	GS48B-0100

MALE / MALE ELBOW 90° (48)

SIZE	SIZE	BRASS BSP	NYLON BSP
1/8″	1/8″	BR48-0303	NY48-0303
1/4″	1/8″	BR48-0603	NY48-0603
1/4″	1/4″	BR48-0606	NY48-0606
3/8″	1/4″	BR48-1006	NY48-1006
3/8″	3/8″	BR48-1010	NY48-1010
1/2″	3/8″	-	NY48-1210
1/2″	1/2″	BR48-1212	NY48-1212

THREADED FITTINGS

FEMALE TEE (35)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS35-0003	SSN35-0003	-	BS35-0003	GS35-0003	-
1/4″	SS35-0006	SSN35-0006	GM35-0006	BS35-0006	GS35-0006	-
3/8″	SS35-0010	SSN35-0010	GM35-0010	BS35-0010	GS35-0010	-
1/2″	SS35-0012	SSN35-0012	GM35-0012	BS35-0012	GS35-0012	-
3/4″	SS35-0020	SSN35-0020	GM35-0020	BS35-0020	GS35-0020	-
1″	SS35-0025	SSN35-0025	GM35-0025	BS35-0025	GS35-0025	-
1.1/4″	SS35-0032	SSN35-0032	GM35-0032	BS35-0032	GS35-0032	-
1.1/2″	SS35-0038	SSN35-0038	GM35-0038	BS35-0038	GS35-0038	-
2″	SS35-0050	SSN35-0050	GM35-0050	BS35-0050	GS35-0050	-
2.1/2″	SS35-0063	SSN35-0063	GM35-0063	BS35-0063	GS35-0063	-
3″	SS35-0075	SSN35-0075	GM35-0075	BS35-0075	GS35-0075	-
4″	SS35-0100	SSN35-0100	GM35-0100	BS35-0100	GS35-0100	-
6″	-	-	GM35-0150	-	-	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR35-0003	BRD35-0003	BRN35-0003	-	-	-
1/4″	BR35-0006	BRD35-0006	BRN35-0006	-	-	-
3/8″	BR35-0010	BRD35-0010	BRN35-0010	-	-	-
1/2″	BR35-0012	BRD35-0012	BRN35-0012	NG35-0012	PP35-0012	-
3/4″	BR35-0020	BRD35-0020	BRN35-0020	NG35-0020	PP35-0020	-
1″	-	BRD35-0025	-	NG35-0025	PP35-0025	-
1.1/4″	-	BRD35-0032	-	NG35-0032	PP35-0032	-
1.1/2″	-	BRD35-0038	-	NG35-0038	PP35-0038	-
2″	-	BRD35-0050	-	NG35-0050	PP35-0050	-
2.1/2″	-	-	-	NG35-0063	-	-
3″	-	-	-	NG35-0075	-	-
4″	-	-	-	NG35-0100	-	-

THREADED FITTINGS

BRANCH TEE (35-B)

SIZE	BRASS BSP	BRASS NPT
1/8″	BR35-B003	BRN35-B003
1/4″	BR35-B006	BRN35-B006
3/8″	BR35-B010	BRN35-B010
1/2″	BR35-B012	BRN35-B012

RUN TEE (35-R)

SIZE	BRASS BSP	BRASS NPT
1/8″	BR35-R003	BRN35-R003
1/4″	BR35-R006	BRN35-R006
3/8″	BR35-R010	BRN35-R010
1/2″	BR35-R012	BRN35-R012

MALE TEE (50)

SIZE	BRASS BSP	NYLON BSP
1/8″	BR50-0003	NY50-0003
1/4″	BR50-0006	NY50-0006
3/8″	BR50-0010	NY50-0010
1/2″	BR50-0012	NY50-0012

Y-PIECE (75-F)

SIZE	SS 316 BSP	BRASS BSP
1/8″	-	BR75-F003
1/4″	SS75-F006	BR75-F006
3/8″	SS75-F010	BR75-F010
1/2″	SS75-F012	BR75-F012
3/4″	SS75-F020	-
1″	SS75-F025	-
1.1/4″	SS75-F032	-
1.1/2″	SS75-F038	-
2″	SS75-F050	-

CROSS (37)

SIZE	SS 316 BSP	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	BRASS BSP	BRASS NPT
1/8″	SS37-0003	-	-	-	BR37-0003	BRN37-0003
1/4″	SS37-0006	-	BS37-0006	GS37-0006	BR37-0006	BRN37-0006
3/8″	SS37-0010	GM37-0010	BS37-0010	GS37-0010	BR37-0010	BRN37-0010
1/2″	SS37-0012	GM37-0012	BS37-0012	GS37-0012	BR37-0012	BRN37-0012
3/4″	SS37-0020	GM37-0020	BS37-0020	GS37-0020	BR37-0020	-
1″	SS37-0025	GM37-0025	BS37-0025	GS37-0025	-	-
1.1/4″	SS37-0032	GM37-0032	BS37-0032	GS37-0032	-	-
1.1/2″	SS37-0038	GM37-0038	BS37-0038	GS37-0038	-	-
2″	SS37-0050	GM37-0050	BS37-0050	GS37-0050	-	-
2.1/2″	SS37-0063	GM37-0063	-	GS37-0063	-	-
3″	SS37-0075	GM37-0075	-	GS37-0075	-	-
4″	SS37-0100	GM37-0100	-	GS37-0100	-	-

THREADED FITTINGS

HEX PLUG (64)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS64-0003	SSN64-0003	-	BS64-0003	GS64-0003	-
1/4″	SS64-0006	SSN64-0006	GM64-0006	BS64-0006	GS64-0006	-
3/8″	SS64-0010	SSN64-0010	GM64-0010	BS64-0010	GS64-0010	-
1/2″	SS64-0012	SSN64-0012	GM64-0012	BS64-0012	GS64-0012	-
3/4″	SS64-0020	SSN64-0020	GM64-0020	BS64-0020	GS64-0020	-
1″	SS64-0025	SSN64-0025	GM64-0025	BS64-0025	GS64-0025	-
1.1/4″	SS64-0032	SSN64-0032	GM64-0032	BS64-0032	GS64-0032	-
1.1/2″	SS64-0038	SSN64-0038	GM64-0038	BS64-0038	GS64-0038	-
2″	SS64-0050	SSN64-0050	GM64-0050	BS64-0050	GS64-0050	-
2.1/2″	SS64-0063	SSN64-0063	GM64-0063	BS64-0063	GS64-0063	-
3″	SS64-0075	SSN64-0075	GM64-0075	BS64-0075	GS64-0075	-
4″	SS64-0100	SSN64-0100	GM64-0100	BS64-0100	GS64-0100	-
6″	-	-	GM64-0150	-	-	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR64-0003	-	BRN64-0003	-	-	NY64-0003
1/4″	BR64-0006	-	BRN64-0006	-	-	NY64-0006
3/8″	BR64-0010	-	BRN64-0010	-	-	NY64-0010
1/2″	BR64-0012	BRD64-0012	BRN64-0012	NG64-0012	PP64-0012	NY64-0012
3/4″	BR64-0020	BRD64-0020	BRN64-0020	NG64-0020	PP64-0020	-
1″	BR64-0025	BRD64-0025	-	NG64-0025	PP64-0025	-
1.1/4″	-	BRD64-0032	-	NG64-0032	PP64-0032	-
1.1/2″	-	BRD64-0038	-	NG64-0038	PP64-0038	-
2″	-	BRD64-0050	-	NG64-0050	PP64-0050	-
2.1/2″	-	-	-	NG64-0063	-	-
3″	-	-	-	NG64-0075	-	-
4″	-	-	-	NG64-0100	-	-

THREADED FITTINGS

CAP (33)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS33-0003	SSN33-0003	-	-	-	-
1/4″	SS33-0006	SSN33-0006	GM33-0006	BS33-0006	GS33-0006	-
3/8″	SS33-0010	SSN33-0010	GM33-0010	BS33-0010	GS33-0010	-
1/2″	SS33-0012	SSN33-0012	GM33-0012	BS33-0012	GS33-0012	-
3/4″	SS33-0020	SSN33-0020	GM33-0020	BS33-0020	GS33-0020	-
1″	SS33-0025	SSN33-0025	GM33-0025	BS33-0025	GS33-0025	-
1.1/4″	SS33-0032	SSN33-0032	GM33-0032	BS33-0032	GS33-0032	-
1.1/2″	SS33-0038	SSN33-0038	GM33-0038	BS33-0038	GS33-0038	-
2″	SS33-0050	SSN33-0050	GM33-0050	BS33-0050	GS33-0050	-
2.1/2″	SS33-0063	SSN33-0063	GM33-0063	BS33-0063	GS33-0063	-
3″	SS33-0075	SSN33-0075	GM33-0075	BS33-0075	GS33-0075	-
4″	SS33-0100	SSN33-0100	GM33-0100	BS33-0100	GS33-0100	-
6″	-	-	GM33-0150	-	-	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	BR33-0003	-	BRN33-0003	-	-	NY33-0003
1/4″	BR33-0006	-	BRN33-0006	-	-	NY33-0006
3/8″	BR33-0010	-	BRN33-0010	-	-	NY33-0010
1/2″	-	BRD33-0012	-	NG33-0012	PP33-0012	NY33-0012
3/4″	-	BRD33-0020	-	NG33-0020	PP33-0020	NY33-0020
1″	-	BRD33-0025	-	NG33-0025	PP33-0025	-
1.1/4″	-	BRD33-0032	-	NG33-0032	PP33-0032	-
1.1/2″	-	BRD33-0038	-	NG33-0038	PP33-0038	-
2″	-	BRD33-0050	-	NG33-0050	PP33-0050	-
2.1/2″	-	BRD33-0063	-	NG33-0063	-	-
3″	-	-	-	NG33-0075	-	-
4″	-	-	-	NG33-0100	-	-

****Gal Mal, Black Steel & Galv Steel caps are round, not hex head*

THREADED FITTINGS

FEMALE / FEMALE BARREL UNION (85)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	SS85-0003	SSN85-0003	-	-	-	-
1/4″	SS85-0006	SSN85-0006	GM85-0006	BS85-0006	GS85-0006	-
3/8″	SS85-0010	SSN85-0010	GM85-0010	BS85-0010	GS85-0010	-
1/2″	SS85-0012	SSN85-0012	GM85-0012	BS85-0012	GS85-0012	-
3/4″	SS85-0020	SSN85-0020	GM85-0020	BS85-0020	GS85-0020	-
1″	SS85-0025	SSN85-0025	GM85-0025	BS85-0025	GS85-0025	-
1.1/4″	SS85-0032	SSN85-0032	GM85-0032	BS85-0032	GS85-0032	-
1.1/2″	SS85-0038	SSN85-0038	GM85-0038	BS85-0038	GS85-0038	-
2″	SS85-0050	SSN85-0050	GM85-0050	BS85-0050	GS85-0050	-
2.1/2″	SS85-0063	SSN85-0063	GM85-0063	BS85-0063	GS85-0063	-
3″	SS85-0075	SSN85-0075	GM85-0075	BS85-0075	GS85-0075	-
4″	SS85-0100	SSN85-0100	GM85-0100	BS85-0100	GS85-0100	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	-	BRD85-0003	-	-	-	-
1/4″	-	BRD85-0006	-	-	-	-
3/8″	-	BRD85-0010	-	-	-	-
1/2″	-	BRD85-0012	-	NG85-0012	-	-
3/4″	-	BRD85-0020	-	NG85-0020	-	-
1″	-	BRD85-0025	-	NG85-0025	-	-
1.1/4″	-	BRD85-0032	-	NG85-0032	-	-
1.1/2″	-	BRD85-0038	-	NG85-0038	-	-
2″	-	BRD85-0050	-	NG85-0050	-	-

THREADED FITTINGS

MALE / FEMALE BARREL UNION (87)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	GALV STEEL BSP	ALUMINIUM BSP
1/8″	-	-	-	-	-	-
1/4″	SS87-0006	-	-	-	GS87-0006	-
3/8″	SS87-0010	-	-	-	GS87-0010	-
1/2″	SS87-0012	-	-	BS87-0012	GS87-0012	-
3/4″	SS87-0020	-	-	BS87-0020	GS87-0020	-
1″	SS87-0025	-	-	BS87-0025	GS87-0025	-
1.1/4″	SS87-0032	-	-	BS87-0032	GS87-0032	-
1.1/2″	SS87-0038	-	-	BS87-0038	GS87-0038	-
2″	SS87-0050	-	-	BS87-0050	GS87-0050	-
2.1/2″	-	-	-	-	GS87-0063	-
3″	-	-	-	-	GS87-0075	-
4″	-	-	-	-	GS87-0100	-

SIZE	BRASS BSP	BRASS CAST BSP	BRASS NPT	NYGLASS BSP	POLY PROP BSP	NYLON BSP
1/8″	-	BRD87-0003	-	-	-	-
1/4″	-	BRD87-0006	-	-	-	-
3/8″	-	BRD87-0010	-	-	-	-
1/2″	-	BRD87-0012	-	-	-	-
3/4″	-	BRD87-0020	-	-	-	-
1″	-	BRD87-0025	-	-	-	-

THREADED FITTINGS

BULKHEAD FITTING (26B-T)

SIZE	SIZE	SS 316 BSP
3/4"	1/2"	SS26B-T2012
1"	3/4"	SS26B-T2520
1.1/4"	1"	SS26B-T3225
1.1/2"	1.1/4"	SS26B-T3832
2"	1.1/2"	SS26B-T5038

BULKHEAD FITTING (26B-T)

SIZE	SIZE	NICKEL PLATED BRASS BSP
1/8"	1/8"	BRX26B-0303
1/4"	1/4"	BRX26B-0606
3/8"	3/8"	BRX26B-1010
1/2"	1/2"	BRX26B-1212

6

TANK FITTINGS (26B-T)

SIZE	NYGLASS BLACK	BACKNUT TO SUIT BLACK	WASHER TO SUIT BLACK
1/2"	NG26B-T012	NG26B-BL12	NG26B-WL12
3/4"	NG26B-T020	NG26B-BL20	NG26B-WL20
1"	NG26B-T025	NG26B-BL25	NG26B-WL25
1.1/4"	NG26B-T032	NG26B-BL32	NG26B-WL32
1.1/2"	NG26B-T038	NG26B-BL38	NG26B-WL38
2"	NG26B-T050	NG26B-BL50	NG26B-WL50
3"	NG26B-T075	NG26B-BL75	NG26B-WL75
4"	NG26B-T100	-	NG26B-WL100

SIZE	BACKNUT TO SUIT BLACK	WASHER TO SUIT BLACK	BACKNUT TO SUIT WHITE	WASHER TO SUIT WHITE
1/2"	NG26B-BS12	NG26B-WS12	-	NG26B-WS12-W
3/4"	NG26B-BS20	NG26B-WS20	-	NG26B-WS20-W
1"	NG26B-BS25	NG26B-WS25	-	NG26B-WS25-W
1.1/4"	NG26B-BS32	NG26B-WS32	-	NG26B-WS32-W
1.1/2"	NG26B-BS38	NG26B-WS38	-	NG26B-WS38-W
2"	NG26B-BS50	NG26B-WS50	-	NG26B-WS50-W

THREADED FITTINGS

SKIN FITTINGS (26B-S)

SIZE	SS 316 BSP	NYGLASS BLACK	NYGLASS WHITE
1/2"	SS26B-S012	NG26B-S012	NG26B-S012-W
3/4"	SS26B-S020	NG26B-S020	NG26B-S020-W
1"	SS26B-S025	NG26B-S025	NG26B-S025-W
1.1/4"	SS26B-S032	NG26B-S032	NG26B-S032-W
1.1/2"	SS26B-S038	NG26B-S038	NG26B-S038-W
2"	SS26B-S050	NG26B-S050	NG26B-S050-W
2.1/2"	SS26B-S063	-	-
3"	SS26B-S075	-	-
4"	SS26B-S100	-	-

LOCKNUT (74)

SIZE	SS 316 BSP	SS 316 NPT	GAL MAL BSP	BLACK STEEL BSP	BRASS BSP	BRASS CAST BSP
1/8"	SS74-0003	-	-	-	BR74-0003	-
1/4"	SS74-0006	-	-	BS74-0006	BR74-0006	-
3/8"	SS74-0010	-	GM74-0010	BS74-0010	BR74-0010	-
1/2"	SS74-0012	-	GM74-0012	BS74-0012	BR74-0012	-
3/4"	SS74-0020	-	GM74-0020	BS74-0020	BR74-0020	-
1"	SS74-0025	-	GM74-0025	BS74-0025	BR74-0025	-
1.1/4"	SS74-0032	-	GM74-0032	BS74-0032	-	BRD74-0032
1.1/2"	SS74-0038	-	GM74-0038	BS74-0038	-	BRD74-0038
2"	SS74-0050	-	GM74-0050	BS74-0050	-	BRD74-0050
2.1/2"	SS74-0063	-	GM74-0063	BS74-0063	-	
3"	SS74-0075	-	GM74-0075	BS74-0075	-	
4"	SS74-0100	-	GM74-0100	-	-	

****Flanged locknuts also available in Stainless Steel 316 (SS74F)*

THREADED FITTINGS

PIPE PIECE (28) - GALVANISED, STAINLESS STEEL 316, POLYETHYLENE

PART NUMBER EXAMPLE FOR 3/4" PIPE x 300mm LONG:
GM28-020300 (GALVANISED)
SS28-020300 (SS 316)
PE28-020300 (POLYETHYLENE)

GALVANISED (GM28)	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	4"
100	•	•	•	•	•	•			
150	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•
250	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•
350	•	•	•	•	•	•			
400	•	•	•	•	•	•			
450	•	•	•	•	•	•	•	•	•
500	•	•	•	•	•	•			
600	•	•	•	•	•	•	•	•	•
750	•	•	•	•		•		•	•
900	•	•	•	•	•	•		•	•
1000	•	•	•		•	•		•	•

SS 316 (SS28)	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"
100	•	•	•	•	•	•
150	•	•	•	•	•	•
200	•	•	•	•	•	•
300	•	•	•	•	•	•
450				•	•	•
600	•	•	•	•	•	•

POLYETHYLENE (PE28)	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"
100	•	•	•	•	•	•
150	•	•	•	•	•	•
200	•	•	•	•	•	•
300	•	•	•	•	•	•
450	•	•	•	•	•	•
600	•	•	•	•	•	•
750					•	•
900	•	•	•		•	•
1200					•	•

HOSETAIL THREADED FITTINGS

HOSETAIL x MBSP 90° (P6)

SIZE HOSE	SIZE MAL	BRASS BSP	BRASS NPT	NYLON BSP
3/16″	1/8″	BRP6-0503	BRNP6-0503	NYP6-0503
3/16″	1/4″	BRP6-0506	BRNP6-0506	NYP6-0506
1/4″	1/8″	BRP6-0603	BRNP6-0603	NYP6-0603
1/4″	1/4″	BRP6-0606	BRNP6-0606	NYP6-0606
1/4″	3/8″	BRP6-0610	-	NYP6-0610
1/4″	1/2″	-	-	NYP6-0612
5/16″	1/8″	BRP6-0803	BRNP6-0803	NYP6-0803
5/16″	1/4″	BRP6-0806	BRNP6-0806	NYP6-0806
5/16″	3/8″	BRP6-0810	BRNP6-0810	NYP6-0810
5/16″	1/2″	-	-	NYP6-0812
3/8″	1/8″	BRP6-1003	BRNP6-1003	-
3/8″	1/4″	BRP6-1006	BRNP6-1006	NYP6-1006
3/8″	3/8″	BRP6-1010	BRNP6-1010	NYP6-1010
3/8″	1/2″	BRP6-1012	-	NYP6-1012
3/8″	3/4″	-	-	NYP6-1020
1/2″	1/4″	BRP6-1206	-	NYP6-1206
1/2″	3/8″	BRP6-1210	-	NYP6-1210
1/2″	1/2″	BRP6-1212	-	NYP6-1212
1/2″	3/4″	BRP6-1220	-	NYP6-1220
5/8″	1/4″	BRP6-1606	-	-
5/8″	3/8″	BRP6-1610	BRNP6-1610	-
5/8″	1/2″	BRP6-1612	-	NYP6-1612
3/4″	1/2″	BRP6-2012	-	NYP6-2012
3/4″	3/4″	BRP6-2020	-	NYP6-2020
1″	3/4″	BRP6-2520	-	-
1″	1″	BRP6-2525	-	-

HOSETAIL x MBSP 45° (P6-4)

SIZE HOSE	SIZE MAL	BRASS BSP
1/4″	1/8″	BRP6-40603
1/4″	1/4″	BRP6-40606
1/4″	3/8″	BRP6-40610
5/16″	1/8″	BRP6-40803
5/16″	1/4″	BRP6-40806
5/16″	3/8″	BRP6-40810
3/8″	1/8″	BRP6-41003
3/8″	1/4″	BRP6-41006
3/8″	3/8″	BRP6-41010
1/2″	1/8″	BRP6-41203
1/2″	1/4″	BRP6-41206
1/2″	3/8″	BRP6-41210
5/8″	3/8″	BRP6-41610

HOSETAIL Y-PIECE (P75)

HOSE SIZE	BRASS	NYLON
3/16″	BRP75-0005	-
1/4″	BRP75-0006	NYP75-0006
5/16″	BRP75-0008	NYP75-0008
3/8″	BRP75-0010	NYP75-0010
1/2″	BRP75-0012	-
5/8″	BRP75-0016	-
3/4″	BRP75-0020	-

HOSETAIL THREADED FITTINGS

MALE HOSETAIL (P3)

SIZE HOSE	SIZE MALE	SS 316 BSP	BRASS BSP	BRASS BSP SWIVEL	BRASS NPT	NYLON BSP
1/8″	1/8″	-	BRP3-0303	-	-	-
3/16″	1/8″	-	BRP3-0503	-	BRNP3-0503	NYP3-0503
3/16″	1/4″	-	BRP3-0506	-	-	NYP3-0506
1/4″	1/8″	SSP3-0603	BRP3-0603	-	BRNP3-0603	NYP3-0603
1/4″	1/4″	SSP3-0606	BRP3-0606	BRXSP3-0606	BRNP3-0606	NYP3-0606
1/4″	3/8″	-	BRP3-0610	-	BRNP3-0610	NYP3-0610
1/4″	1/2″	-	BRP3-0612	-	-	NYP3-0612
5/16″	1/8″	-	BRP3-0803	-	BRNP3-0803	NYP3-0803
5/16″	1/4″	-	BRP3-0806	-	BRNP3-0806	NYP3-0806
5/16″	3/8″	-	BRP3-0810	-	-	NYP3-0810
5/16″	1/2″	-	BRP3-0812	-	-	NYP3-0812
3/8″	1/8″	-	BRP3-1003	-	BRNP3-1003	-
3/8″	1/4″	SSP3-1006	BRP3-1006	BRXSP3-1006	BRNP3-1006	NYP3-1006
3/8″	3/8″	SSP3-1010	BRP3-1010	BRXSP3-1010	BRNP3-1010	NYP3-1010
3/8″	1/2″	SSP3-1012	BRP3-1012	-	BRNP3-1012	NYP3-1012
3/8″	3/4″	-	BRP3-1020	-	-	NYP3-1020
1/2″	1/8″	-	BRP3-1203	-	-	-
1/2″	1/4″	SSP3-1206	BRP3-1206	-	BRNP3-1206	NYP3-1206
1/2″	3/8″	SSP3-1210	BRP3-1210	-	BRNP3-1210	NYP3-1210
1/2″	1/2″	SSP3-1212	BRP3-1212	BRXSP3-1212	BRNP3-1212	NYP3-1212
1/2″	3/4″	SSP3-1220	BRP3-1220	-	-	NYP3-1220
5/8″	1/4″	-	BRP3-1606	-	-	-
5/8″	3/8″	-	BRP3-1610	-	BRNP3-1610	-
5/8″	1/2″	-	BRP3-1612	-	BRNP3-1612	NYP3-1612
5/8″	3/4″	-	BRP3-1620	-	-	NYP3-1620
3/4″	1/4″	-	BRP3-2006	-	-	-
3/4″	3/8″	-	BRP3-2010	-	-	-
3/4″	1/2″	SSP3-2012	BRP3-2012	-	BRNP3-2012	NYP3-2012
3/4″	3/4″	SSP3-2020	BRP3-2020	BRXSP3-2020	BRNP3-2020	NYP3-2020
3/4″	1″	SSP3-2025	BRP3-2025	-	-	-
1″	1/2″	-	BRP3-2512	-	-	-
1″	3/4″	SSP3-2520	BRP3-2520	-	-	-
1″	1″	SSP3-2525	BRP3-2525	BRXSP3-2525	-	-
1″	1.1/4″	-	BRP3-2532	-	-	-

HOSETAIL THREADED FITTINGS

MALE HOSETAIL (P3) CONT....

SIZE HOSE	SIZE MALE	SS 316 BSP	BRASS BSP	BRASS BSP SWIVEL	BRASS NPT	NYLON BSP
1.1/4"	1"	SSP3-3225	-	-	-	-
1.1/4"	1.1/4"	SSP3-3232	BRP3-3232	-	-	-
1.1/2"	1.1/2"	SSP3-3838	BRP3-3838	-	-	-
2"	1.1/2"	SSP3-5038	-	-	-	-
2"	2"	SSP3-5050	BRP3-5050	-	-	-
2.1/2"	2.1/2"	SSP3-6363	BRP3-6363	-	-	-
3"	3"	SSP3-7575	BRP3-7575	-	-	-
4"	4"	SSP3-0100	BRP3-0100	-	-	-

6

SIZE HOSE	SIZE MALE	PLATED MILD STEEL BSP	PLATED MILD STEEL NPT	NYGLASS BSP	POLY PROP BSP	ALUMINIUM BSP
1/2"	1/2"	D/MSP3-0012	D/MSP3N-0012	NGP3-1212	PPP3-1212	
1/2"	3/4"	-	-	NGP3-1220	-	
3/4"	3/4"	D/MSP3-0020	D/MSP3N-0020	NGP3-2020	PPP3-2020	ALP3-2020
1"	3/4"	-	-	NGP3-2520	-	ALP3-2520
1"	1"	D/MSP3-0025	D/MSP3N-0025	NGP3-2525	PPP3-2525	ALP3-2525
1"	1.1/4"	-	-	NGP3-2532	-	ALP3-2532
1.1/4"	1"	-	-	NGP3-3225	-	ALP3-3225
1.1/4"	1.1/4"	D/MSP3-0032	D/MSP3N-0032	NGP3-3232	PPP3-3232	ALP3-3232
1.1/2"	1.1/2"	D/MSP3-0038	D/MSP3N-0038	NGP3-3838	PPP3-3838	ALP3-3838
2"	2"	D/MSP3-0050	D/MSP3N-0050	NGP3-5050	PPP3-5050	ALP3-5050
2.1/2"	2.1/2"	D/MSP3-0063	D/MSP3N-0063	-	PPP3-6363	ALP3-6363
3"	3"	D/MSP3-0075	D/MSP3N-0075	NGP3-7575	PPP3-7575	ALP3-7575
4"	4"	D/MSP3-0100	D/MSP3N-0100	NGP3-0100	PPP3-0100	ALP3-0100
5"	5"	D/MSP3-0125	-	-	-	-
6"	6"	D/MSP3-0150	D/MSP3N-0150	-	-	ALP3-0150
8"	8"	D/MSP3-0200	-	-	-	-

HOSETAIL THREADED FITTINGS

HOSETAIL x FIXED FBSP (P10)

SIZE HOSE	SIZE FEM	BRASS BSP	BRASS NPT	NYGLASS BSP
3/16″	1/8″	BRP10-0503	BRNP10-0503	-
3/16″	1/4″	BRP10-0506	-	-
1/4″	1/8″	BRP10-0603	-	-
1/4″	1/4″	BRP10-0606	BRNP10-0606	-
1/4″	3/8″	BRP10-0610	-	-
1/4″	1/2″	BRP10-0612	-	-
5/16″	1/8″	BRP10-0803	-	-
5/16″	1/4″	BRP10-0806	-	-
5/16″	3/8″	BRP10-0810	-	-
5/16″	1/2″	BRP10-0812	-	-
3/8″	1/8″	BRP10-1003	-	-
3/8″	1/4″	BRP10-1006	BRNP10-1006	-
3/8″	3/8″	BRP10-1010	BRNP10-1010	-
3/8″	1/2″	BRP10-1012	-	-
1/2″	1/4″	BRP10-1206	-	-
1/2″	3/8″	BRP10-1210	-	-
1/2″	1/2″	BRP10-1212	BRNP10-1212	-
5/8″	3/8″	BRP10-1610	-	-
3/4″	1/2″	BRP10-2012	-	-
3/4″	3/4″	BRP10-2020	-	-
1″	1″	-	-	NGP10-2525
1.1/4″	1.1/4″	-	-	NGP10-3232
1.1/2″	1.1/4″	-	-	NGP10-3832

NUT & TAIL (TAPERED SEAT) (P5)

SIZE HOSE	SIZE FEM	BRASS BSP	NYLON BSP
3/16″	1/8″	BRP5-0503	NYP5-0503
3/16″	1/4″	BRP5-0506	NYP5-0506
3/16″	3/8″	-	NYP5-0510
1/4″	1/4″	BRP5-0606	NYP5-0606
1/4″	3/8″	BRP5-0610	NYP5-0610
1/4″	1/2″	BRP5-0612	NYP5-0612
5/16″	1/4″	BRP5-0806	NYP5-0806
5/16″	3/8″	BRP5-0810	NYP5-0810
5/16″	1/2″	BRP5-0812	NYP5-0812
5/16″	3/4″	-	NYP5-0820
3/8″	1/4″	BRP5-1006	-
3/8″	3/8″	BRP5-1010	NYP5-1010
3/8″	1/2″	BRP5-1012	NYP5-1012
3/8″	3/4″	-	NYP5-1020
1/2″	3/8″	BRP5-1210	-
1/2″	1/2″	BRP5-1212	NYP5-1212
1/2″	3/4″	-	NYP5-1220
5/8″	3/4″	-	NYP5-1620
3/4″	3/4″	BRP5-2020	NYP5-2020
1″	1″	BRP5-2525	-

HOSETAIL THREADED FITTINGS

FEMALE NUT & TAIL (FLAT WASHER SEAT)

SIZE HOSE	SIZE FEM	SS 316 BSP	NYGLASS BSP	BRASS BSP
1/4″	1/4″	SSWP5-0606	-	-
3/8″	3/8″	SSWP5-1010	-	-
1/2″	1/2″	SSWP5-1212	NGP5-1212	BRWP5-1212
1/2″	3/4″	-	NGP5-1220	BRWP5-1220
1/2″	1″	-	NGP5-1225	BRWP5-1225
3/4″	3/4″	SSWP5-2020	NGP5-2020	BRWP5-2020
3/4″	1″	-	NGP5-2025	BRWP5-2025
1″	1″	SSWP5-2525	NGP5-2525	BRWP5-2525
1″	1.1/4″	-	-	BRWP5-2532
1.1/4″	1.1/4″	SSWP5-3232	NGP5-3232	BRWP5-3232
1.1/2″	1.1/2″	SSWP5-3838	NGP5-3838	BRWP5-3838
2″	2″	SSWP5-5050	NGP5-5050	BRWP5-5050
3″	3″	-	NGP5-7575	-

FLAT SEAT WASHER

SIZE	WASHER
1/2″	BRWP5-W012
3/4″	BRWP5-W020
1″	BRWP5-W025
1.1/4″	BRWP5-W032
1.1/2″	BRWP5-W038
2″	BRWP5-W050

HOSETAIL THREADED FITTINGS

HOSE JOINER (P7)

SIZE	SIZE	SS 316	PLATED MILD STEEL	NYGLASS	BRASS	NYLON
3/16″	3/16″	-	-	-	BRP7-0005	NYP7-0005
1/4″	1/4″	SSP7-0606	-	-	BRP7-0006	NYP7-0006
5/16″	5/16″	-	-	-	BRP7-0008	NYP7-0008
3/8″	3/8″	SSP7-1010	-	-	BRP7-0010	NYP7-0010
1/2″	1/2″	SSP7-1212	D/MSP7-0012	-	BRP7-0012	NYP7-0012
5/8″	5/8″	-	-	-	BRP7-0016	NYP7-0016
3/4″	3/4″	SSP7-2020	D/MSP7-0020	-	BRP7-0020	NYP7-0020
1″	1″	SSP7-2525	D/MSP7-0025	-	BRP7-0025	-
1.1/4″	1.1/4″	SSP7-3232	D/MSP7-0032	NGP7-0032	-	-
1.1/2″	1.1/2″	SSP7-3838	D/MSP7-0038	NGP7-0038	-	-
2″	2″	SSP7-5050	D/MSP7-0050	NGP7-0050	-	-
2.1/2″	2.1/2″	-	D/MSP7-0063	-	-	-
3″	3″	-	D/MSP7-0075	-	-	-
4″	4″	-	D/MSP7-0100	-	-	-
5″	5″	-	D/MSP7-0125	-	-	-
6″	6″	-	D/MSP7-0150	-	-	-
8″	8″	-	D/MSP7-0200	-	-	-

REDUCING HOSE JOINER (P7)

SIZE	SIZE	BRASS	NYLON
5/16″	1/4″	BRP7R-0806	NYP7R-0806
3/8″	5/16″	BRP7R-1008	NYP7R-1008
1/2″	5/16″	BRP7R-1208	NYP7R-1208
1/2″	3/8″	BRP7R-1210	NYP7R-1210
5/8″	3/8″	BRP7R-1610	-
5/8″	1/2″	BRP7R-1612	NYP7R-1612
3/4″	5/8″	BRP7R-2016	-

HOSE JOINER ELBOW 90° (P11)

SIZE	BRASS	NYLON
3/16″	BRP11-0005	NYP11-0005
1/4″	BRP11-0006	NYP11-0006
5/16″	BRP11-0008	NYP11-0008
3/8″	BRP11-0010	NYP11-0010
1/2″	BRP11-0012	NYP11-0012
5/8″	BRP11-0016	NYP11-0016
3/4″	BRP11-0020	NYP11-0020
1″	BRP11-0025	-

HOSETAIL THREADED FITTINGS

MBSP BRANCH TEE (P12)

SIZE HOSE	SIZE MALE	BRASS BSP	NYLON BSP
3/16″	1/8″	BRP12-0503	NYP12-0503
3/16″	1/4″	-	NYP12-0506
1/4″	1/8″	BRP12-0603	NYP12-0603
1/4″	1/4″	BRP12-0606	NYP12-0606
1/4″	3/8″	-	NYP12-0610
1/4″	1/2″	-	NYP12-0612
5/16″	1/8″	BRP12-0803	NYP12-0803
5/16″	1/4″	BRP12-0806	NYP12-0806
5/16″	3/8″	-	NYP12-0810
5/16″	1/2″	-	NYP12-0812
3/8″	1/8″	BRP12-1003	-
3/8″	1/4″	BRP12-1006	NYP12-1006
3/8″	3/8″	BRP12-1010	NYP12-1010
3/8″	1/2″	BRP12-1012	NYP12-1012
3/8″	3/4″	-	NYP12-1020
1/2″	1/4″	BRP12-1206	NYP12-1206
1/2″	3/8″	BRP12-1210	NYP12-1210
1/2″	1/2″	BRP12-1212	NYP12-1212
1/2″	3/4″	-	NYP12-1220
5/8″	3/8″	BRP12-1610	-
5/8″	1/2″	-	NYP12-1612
5/8″	3/4″	-	NYP12-1620
3/4″	1/2″	BRP12-2012	-
3/4″	3/4″	BRP12-2020	NYP12-2020
1″	1″	BRP12-2525	-

FBSP BRANCH TEE (P12F)

SIZE HOSE	SIZE FEM	BRASS BSP
1/4″	1/8″	BRP12F-0603
5/16″	1/8″	BRP12F-0803
3/8″	1/8″	BRP12F-1003
3/8″	1/4″	BRP12F-1006
1/2″	1/8″	BRP12F-1203
1/2″	1/4″	BRP12F-1206
5/8″	1/4″	BRP12F-1606

HOSETAIL TEE (P14)

HOSE SIZE	BRASS	NYLON
3/16″	BRP14-0005	NYP14-0005
1/4″	BRP14-0006	NYP14-0006
5/16″	BRP14-0008	NYP14-0008
3/8″	BRP14-0010	NYP14-0010
1/2″	BRP14-0012	NYP14-0012
5/8″	BRP14-0016	NYP14-0016
3/4″	BRP14-0020	NYP14-0020
1″	BRP14-0025	-

REDUCING HOSETAIL TEE (P14R)

HOSE SIZE	HOSE SIZE	BRASS
3/4″	5/8″	BRP14R-2016

HIGH PRESSURE THREADED - 3000lb

3000lb REDUCING BUSH (BSP & NPT)

SIZE MA,E	SIZE FEM	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	1/8"	BS-3B24-0603	GS-3B24-0603	-	BS-3N24-0603	-	-
3/8"	1/8"	BS-3B24-1003	GS-3B24-1003	-	BS-3N24-1003	-	-
3/8"	1/4"	BS-3B24-1006	GS-3B24-1006	-	BS-3N24-1006	-	-
1/2"	1/8"	BS-3B24-1203	GS-3B24-1203	-	BS-3N24-1203	-	-
1/2"	1/4"	BS-3B24-1206	GS-3B24-1206	-	BS-3N24-1206	GS-3N24-1206	-
1/2"	3/8"	BS-3B24-1210	GS-3B24-1210	-	BS-3N24-1210	GS-3N24-1210	-
3/4"	1/4"	BS-3B24-2006	GS-3B24-2006	-	BS-3N24-2006	-	-
3/4"	3/8"	BS-3B24-2010	GS-3B24-2010	-	BS-3N24-2010	-	-
3/4"	1/2"	BS-3B24-2012	GS-3B24-2012	-	BS-3N24-2012	GS-3N24-2012	-
1"	1/4"	BS-3B24-2506	GS-3B24-2506	-	BS-3N24-2506	-	-
1"	3/8"	BS-3B24-2510	GS-3B24-2510	-	BS-3N24-2510	-	-
1"	1/2"	BS-3B24-2512	GS-3B24-2512	-	BS-3N24-2512	GS-3N24-2512	-
1"	3/4"	BS-3B24-2520	GS-3B24-2520	-	BS-3N24-2520	GS-3N24-2520	-
1.1/4"	1/2"	BS-3B24-3212	GS-3B24-3212	-	BS-3N24-3212	GS-3N24-3212	-
1.1/4"	3/4"	BS-3B24-3220	GS-3B24-3220	-	BS-3N24-3220	GS-3N24-3220	-
1.1/4"	1"	BS-3B24-3225	GS-3B24-3225	-	BS-3N24-3225	GS-3N24-3225	-
1.1/2"	1/2"	BS-3B24-3812	GS-3B24-3812	-	BS-3N24-3812	GS-3N24-3812	-
1.1/2"	3/4"	BS-3B24-3820	GS-3B24-3820	-	BS-3N24-3820	GS-3N24-3820	-
1.1/2"	1"	BS-3B24-3825	GS-3B24-3825	-	BS-3N24-3825	GS-3N24-3825	-
1.1/2"	1.1/4"	BS-3B24-3832	GS-3B24-3832	-	BS-3N24-3832	GS-3N24-3832	-
2"	1/2"	BS-3B24-5012	GS-3B24-5012	-	BS-3N24-5012	GS-3N24-5012	-
2"	3/4"	BS-3B24-5020	-	-	BS-3N24-5020	GS-3N24-5020	-
2"	1"	BS-3B24-5025	GS-3B24-5025	-	BS-3N24-5025	GS-3N24-5025	-
2"	1.1/4"	BS-3B24-5032	GS-3B24-5032	-	BS-3N24-5032	GS-3N24-5032	-
2"	1.1/2"	BS-3B24-5038	GS-3B24-5038	-	BS-3N24-5038	GS-3N24-5038	-
2.1/2"	1.1/2"	BS-3B24-6338	GS-3B24-6338	-	BS-3N24-6338	-	-
2.1/2"	2"	BS-3B24-6350	GS-3B24-6350	-	BS-3N24-6350	GS-3N24-6350	-
3"	1"	-	-	-	BS-3N24-7525	GS-3N24-7525	-
3"	1.1/2"	-	-	-	BS-3N24-7538	GS-3N24-7538	-
3"	2"	BS-3B24-7550	GS-3B24-7550	-	BS-3N24-7550	GS-3N24-7550	-
3"	2.1/2"	BS-3B24-7563	GS-3B24-7563	-	BS-3N24-7563	GS-3N24-7563	-
4"	2"	-	GS-3B24-10050	-	BS-3N24-10050	-	-
4"	2.1/2"	BS-3B24-10063	GS-3B24-10063	-	BS-3N24-10063	-	-
4"	3"	BS-3B24-10075	GS-3B24-10075	-	BS-3N24-10075	-	-

HIGH PRESSURE THREADED - 3000lb

3000lb MALE / FEMALE ELBOW 90° (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	BS-3B25-0006	GS-3B25-0006	-	BS-3N25-0006	-	-
3/8"	BS-3B25-0010	GS-3B25-0010	-	BS-3N25-0010	-	-
1/2"	BS-3B25-0012	GS-3B25-0012	-	BS-3N25-0012	-	-
3/4"	BS-3B25-0020	GS-3B25-0020	-	BS-3N25-0020	-	-
1"	BS-3B25-0025	GS-3B25-0025	-	BS-3N25-0025	-	-
1.1/4"	BS-3B25-0032	GS-3B25-0032	-	BS-3N25-0032	-	-
1.1/2"	BS-3B25-0038	GS-3B25-0038	-	BS-3N25-0038	-	-
2"	BS-3B25-0050	GS-3B25-0050	-	BS-3N25-0050	-	-

6

3000lb SOCKET (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	BS-3B26-0003	-	-	BS-3N26-0003	-	-
1/4"	BS-3B26-0006	-	SS-3B26-0006	BS-3N26-0006	-	SS-3N26-0006
3/8"	BS-3B26-0010	GS-3B26-0010	SS-3B26-0010	BS-3N26-0010	-	SS-3N26-0010
1/2"	BS-3B26-0012	GS-3B26-0012	SS-3B26-0012	BS-3N26-0012	GS-3N26-0012	SS-3N26-0012
3/4"	BS-3B26-0020	GS-3B26-0020	SS-3B26-0020	BS-3N26-0020	GS-3N26-0020	SS-3N26-0020
1"	BS-3B26-0025	GS-3B26-0025	SS-3B26-0025	BS-3N26-0025	GS-3N26-0025	SS-3N26-0025
1.1/4"	BS-3B26-0032	GS-3B26-0032	SS-3B26-0032	BS-3N26-0032	GS-3N26-0032	SS-3N26-0032
1.1/2"	BS-3B26-0038	GS-3B26-0038	SS-3B26-0038	BS-3N26-0038	GS-3N26-0038	SS-3N26-0038
2"	BS-3B26-0050	GS-3B26-0050	SS-3B26-0050	BS-3N26-0050	GS-3N26-0050	SS-3N26-0050
2.1/2"	BS-3B26-0063	GS-3B26-0063	-	BS-3N26-0063	GS-3N26-0063	-
3"	BS-3B26-0075	GS-3B26-0075	-	BS-3N26-0075	GS-3N26-0075	SS-3N26-0075
4"	BS-3B26-0100	GS-3B26-0100	-	BS-3N26-0100	GS-3N26-0100	-

HIGH PRESSURE THREADED - 3000lb

3000lb HALF SOCKET (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	BS-3B26-H006	-	-	BS-3N26-H006	-	-
3/8"	BS-3B26-H010	-	-	BS-3N26-H010	-	-
1/2"	BS-3B26-H012	-	-	BS-3N26-H012	-	-
3/4"	BS-3B26-H020	-	-	BS-3N26-H020	-	-
1"	BS-3B26-H025	-	-	BS-3N26-H025	-	-
1.1/4"	BS-3B26-H032	-	-	BS-3N26-H032	-	-
1.1/2"	BS-3B26-H038	-	-	BS-3N26-H038	-	-
2"	BS-3B26-H050	-	-	BS-3N26-H050	-	-
2.1/2"	BS-3B26-H063	-	-	BS-3N26-H063	-	-
3"	BS-3B26-H075	-	-	BS-3N26-H075	-	-
4"	BS-3B26-H100	-	-	BS-3N26-H100	-	-

6

3000lb NIPPLE (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	BS-3B27-0003	GS-3B27-0003	-	BS-3N27-0003	-	-
1/4"	BS-3B27-0006	GS-3B27-0006	SS-3B27-0006	BS-3N27-0006	-	SS-3N27-0006
3/8"	BS-3B27-0010	GS-3B27-0010	SS-3B27-0010	BS-3N27-0010	-	SS-3N27-0010
1/2"	BS-3B27-0012	GS-3B27-0012	SS-3B27-0012	BS-3N27-0012	GS-3N27-0012	SS-3N27-0012
3/4"	BS-3B27-0020	GS-3B27-0020	SS-3B27-0020	BS-3N27-0020	GS-3N27-0020	SS-3N27-0020
1"	BS-3B27-0025	GS-3B27-0025	SS-3B27-0025	BS-3N27-0025	GS-3N27-0025	SS-3N27-0025
1.1/4"	BS-3B27-0032	GS-3B27-0032	SS-3B27-0032	BS-3N27-0032	GS-3N27-0032	SS-3N27-0032
1.1/2"	BS-3B27-0038	GS-3B27-0038	SS-3B27-0038	BS-3N27-0038	GS-3N27-0038	SS-3N27-0038
2"	BS-3B27-0050	GS-3B27-0050	SS-3B27-0050	BS-3N27-0050	GS-3N27-0050	SS-3N27-0050
2.1/2"	BS-3B27-0063	GS-3B27-0063	-	BS-3N27-0063	GS-3N27-0063	-
3"	BS-3B27-0075	GS-3B27-0075	-	BS-3N27-0075	GS-3N27-0075	-
4"	BS-3B27-0100	GS-3B27-0100	-	BS-3N27-0100	GS-3N27-0100	-

HIGH PRESSURE THREADED - 3000lb

3000lb BSP / NPT CROSSOVER NIPPLE

SIZE	BLACK STEEL BSP x NPT	GALV STEEL BSP x NPT	SS 316 BSP x NPT
1/4"	BS-3BN27-0006	-	SS-3BN27-0006
3/8"	BS-3BN27-0010	-	SS-3BN27-0010
1/2"	BS-3BN27-0012	-	SS-3BN27-0012
3/4"	BS-3BN27-0020	-	SS-3BN27-0020
1"	BS-3BN27-0025	-	SS-3BN27-0025
1.1/4"	BS-3BN27-0032	-	SS-3BN27-0032
1.1/2"	BS-3BN27-0038	-	SS-3BN27-0038
2"	BS-3BN27-0050	-	SS-3BN27-0050
2.1/2"	BS-3BN27-0063	-	-
3"	BS-3BN27-0075	-	-

3000lb REDUCING SOCKET (BSP & NPT)

SIZE	SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	1/8"	-	-	-	BS-3N29-0603	-	-
3/8"	1/8"	-	-	-	BS-3N29-1003	-	-
3/8"	1/4"	BS-3B29-1006	GS-3B29-1006	-	BS-3N29-1006	-	-
1/2"	1/4"	BS-3B29-1206	GS-3B29-1206	-	BS-3N29-1206	-	-
1/2"	3/8"	BS-3B29-1210	GS-3B29-1210	-	BS-3N29-1210	-	-
3/4"	1/4"	BS-3B29-2006	GS-3B29-2006	-	BS-3N29-2006	-	-
3/4"	3/8"	BS-3B29-2010	GS-3B29-2010	-	BS-3N29-2010	-	-
3/4"	1/2"	BS-3B29-2012	GS-3B29-2012	-	BS-3N29-2012	GS-3N29-2012	-
1"	1/4"	-	-	-	BS-3N29-2506	-	-
1"	1/2"	BS-3B29-2512	GS-3B29-2512	-	BS-3N29-2512	GS-3N29-2512	-
1"	3/4"	BS-3B29-2520	GS-3B29-2520	-	BS-3N29-2520	GS-3N29-2520	-
1.1/4"	3/4"	BS-3B29-3220	GS-3B29-3220	-	BS-3N29-3220	-	-
1.1/4"	1"	BS-3B29-3225	GS-3B29-3225	-	BS-3N29-3225	GS-3N29-3225	-
1.1/2"	1"	BS-3B29-3825	GS-3B29-3825	-	BS-3N29-3825	GS-3N29-3825	-
1.1/2"	1.1/4"	BS-3B29-3832	GS-3B29-3832	-	BS-3N29-3832	GS-3N29-3832	-
2"	3/4"	BS-3B29-5020	GS-3B29-5020	-	BS-3N29-5020	-	-
2"	1"	BS-3B29-5025	GS-3B29-5025	-	BS-3N29-5025	GS-3N29-5025	-
2"	1.1/4"	BS-3B29-5032	GS-3B29-5032	-	BS-3N29-5032	-	-
2"	1.1/2"	BS-3B29-5038	GS-3B29-5038	-	BS-3N29-5038	GS-3N29-5038	-
3"	2"	BS-3B29-7550	GS-3B29-7550	-	BS-3N29-7550	-	-

HIGH PRESSURE THREADED - 3000lb

3000lb CAP (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	-	-	-	BS-3N33-0003	-	-
1/4"	BS-3B33-0006	GS-3B33-0006	-	BS-3N33-0006	-	-
3/8"	BS-3B33-0010	GS-3B33-0010	-	BS-3N33-0010	-	-
1/2"	BS-3B33-0012	GS-3B33-0012	-	BS-3N33-0012	GS-3N33-0012	-
3/4"	BS-3B33-0020	GS-3B33-0020	-	BS-3N33-0020	GS-3N33-0020	-
1"	BS-3B33-0025	GS-3B33-0025	-	BS-3N33-0025	GS-3N33-0025	-
1.1/4"	BS-3B33-0032	GS-3B33-0032	-	BS-3N33-0032	GS-3N33-0032	-
1.1/2"	BS-3B33-0038	GS-3B33-0038	-	BS-3N33-0038	GS-3N33-0038	-
2"	BS-3B33-0050	GS-3B33-0050	-	BS-3N33-0050	GS-3N33-0050	-
2.1/2"	BS-3B33-0063	GS-3B33-0063	-	-	GS-3N33-0063	-
3"	BS-3B33-0075	GS-3B33-0075	-	-	-	-
4"	BS-3B33-0100	GS-3B33-0100	-	-	-	-

3000lb FEMALE / FEMALE ELBOW 90° (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	-	-	-	BS-3N34-0003	-	-
1/4"	BS-3B34-0006	GS-3B34-0006	SS-3B34-0006	BS-3N34-0006	-	SS-3N34-0006
3/8"	BS-3B34-0010	GS-3B34-0010	SS-3B34-0010	BS-3N34-0010	-	SS-3N34-0010
1/2"	BS-3B34-0012	GS-3B34-0012	SS-3B34-0012	BS-3N34-0012	GS-3N34-0012	SS-3N34-0012
3/4"	BS-3B34-0020	GS-3B34-0020	SS-3B34-0020	BS-3N34-0020	GS-3N34-0020	SS-3N34-0020
1"	BS-3B34-0025	GS-3B34-0025	SS-3B34-0025	BS-3N34-0025	GS-3N34-0025	SS-3N34-0025
1.1/4"	BS-3B34-0032	GS-3B34-0032	SS-3B34-0032	BS-3N34-0032	GS-3N34-0032	SS-3N34-0032
1.1/2"	BS-3B34-0038	GS-3B34-0038	SS-3B34-0038	BS-3N34-0038	GS-3N34-0038	SS-3N34-0038
2"	BS-3B34-0050	GS-3B34-0050	SS-3B34-0050	BS-3N34-0050	GS-3N34-0050	SS-3N34-0050
2.1/2"	BS-3B34-0063	GS-3B34-0063	-	BS-3N34-0063	GS-3N34-0063	-
3"	BS-3B34-0075	GS-3B34-0075	-	BS-3N34-0075	-	-
4"	BS-3B34-0100	GS-3B34-0100	-	BS-3N34-0100	-	-

HIGH PRESSURE THREADED - 3000lb

3000lb FEMALE / FEMALE ELBOW 45° (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
3/8"	-	-	-	BS-3N34-4010	-	-
1/2"	BS-3B34-4012	GS-3B34-4012	-	BS-3N34-4012	GS-3N34-4012	-
3/4"	BS-3B34-4020	GS-3B34-4020	-	BS-3N34-4020	GS-3N34-4020	-
1"	BS-3B34-4025	GS-3B34-4025	-	BS-3N34-4025	GS-3N34-4025	-
1.1/4"	BS-3B34-4032	GS-3B34-4032	-	BS-3N34-4032	GS-3N34-4032	-
1.1/2"	BS-3B34-4038	GS-3B34-4038	-	BS-3N34-4038	GS-3N34-4038	-
2"	BS-3B34-4050	GS-3B34-4050	-	BS-3N34-4050	GS-3N34-4050	-
2.1/2"	-	GS-3B34-4063	-	BS-3N34-4063	-	-
3"	-	GS-3B34-4075	-	-	-	-
4"	-	GS-3B34-4100	-	-	-	-

6

3000lb TEE (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	-	-	-	BS-3N35-0003	-	-
1/4"	BS-3B35-0006	GS-3B35-0006	-	BS-3N35-0006	-	SS-3N35-0006
3/8"	BS-3B35-0010	GS-3B35-0010	-	BS-3N35-0010	-	SS-3N35-0010
1/2"	BS-3B35-0012	GS-3B35-0012	SS-3B35-0012	BS-3N35-0012	GS-3N35-0012	SS-3N35-0012
3/4"	BS-3B35-0020	GS-3B35-0020	SS-3B35-0020	BS-3N35-0020	GS-3N35-0020	SS-3N35-0020
1"	BS-3B35-0025	GS-3B35-0025	SS-3B35-0025	BS-3N35-0025	GS-3N35-0025	SS-3N35-0025
1.1/4"	BS-3B35-0032	GS-3B35-0032	SS-3B35-0032	BS-3N35-0032	GS-3N35-0032	SS-3N35-0032
1.1/2"	BS-3B35-0038	GS-3B35-0038	SS-3B35-0038	BS-3N35-0038	GS-3N35-0038	SS-3N35-0038
2"	BS-3B35-0050	GS-3B35-0050	SS-3B35-0050	BS-3N35-0050	GS-3N35-0050	SS-3N35-0050
2.1/2"	BS-3B35-0063	GS-3B35-0063	-	BS-3N35-0063	GS-3N35-0063	-
3"	BS-3B35-0075	GS-3B35-0075	-	BS-3N35-0075	GS-3N35-0075	-
4"	BS-3B35-0100	GS-3B35-0100	-	BS-3N35-0100	GS-3N35-0100	-

HIGH PRESSURE THREADED - 3000lb

3000lb PLUG (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/8"	BS-3B64-0003	GS-3B64-0003	-	BS-3N64-0003	-	SS-3N64-0003
1/4"	BS-3B64-0006	GS-3B64-0006	-	BS-3N64-0006	-	SS-3N64-0006
3/8"	BS-3B64-0010	GS-3B64-0010	-	BS-3N64-0010	-	SS-3N64-0010
1/2"	BS-3B64-0012	GS-3B64-0012	SS-3B64-0012	BS-3N64-0012	GS-3N64-0012	SS-3N64-0012
3/4"	BS-3B64-0020	GS-3B64-0020	SS-3B64-0020	BS-3N64-0020	GS-3N64-0020	SS-3N64-0020
1"	BS-3B64-0025	GS-3B64-0025	SS-3B64-0025	BS-3N64-0025	GS-3N64-0025	SS-3N64-0025
1.1/4"	BS-3B64-0032	GS-3B64-0032	SS-3B64-0032	BS-3N64-0032	GS-3N64-0032	SS-3N64-0032
1.1/2"	BS-3B64-0038	GS-3B64-0038	SS-3B64-0038	BS-3N64-0038	GS-3N64-0038	SS-3N64-0038
2"	BS-3B64-0050	GS-3B64-0050	SS-3B64-0050	BS-3N64-0050	GS-3N64-0050	SS-3N64-0050
2.1/2"	BS-3B64-0063	GS-3B64-0063	-	BS-3N64-0063	GS-3N64-0063	-
3"	BS-3B64-0075	GS-3B64-0075	-	BS-3N64-0075	GS-3N64-0075	-
4"	BS-3B64-0100	GS-3B64-0100	-	BS-3N64-0100	GS-3N64-0100	-

3000lb BARREL UNION (BSP & NPT)

SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	BS-3B85-0006	GS-3B85-0006	-	BS-3N85-0006	-	-
3/8"	BS-3B85-0010	GS-3B85-0010	-	BS-3N85-0010	-	-
1/2"	BS-3B85-0012	GS-3B85-0012	-	BS-3N85-0012	GS-3N85-0012	-
3/4"	BS-3B85-0020	GS-3B85-0020	-	BS-3N85-0020	GS-3N85-0020	-
1"	BS-3B85-0025	GS-3B85-0025	-	BS-3N85-0025	GS-3N85-0025	-
1.1/4"	BS-3B85-0032	GS-3B85-0032	-	BS-3N85-0032	GS-3N85-0032	-
1.1/2"	BS-3B85-0038	GS-3B85-0038	-	BS-3N85-0038	GS-3N85-0038	-
2"	BS-3B85-0050	GS-3B85-0050	-	BS-3N85-0050	GS-3N85-0050	-
2.1/2"	BS-3B85-0063	GS-3B85-0063	-	BS-3N85-0063	GS-3N85-0063	-
3"	BS-3B85-0075	GS-3B85-0075	-	BS-3N85-0075	GS-3N85-0075	-
3"	BS-3B35-0075	GS-3B35-0075	-	-	-	-
4"	BS-3B35-0100	GS-3B35-0100	-	-	-	-

HIGH PRESSURE THREADED - 3000lb

3000lb REDUCING NIPPLE (BSP & NPT)

SIZE	SIZE	BLACK STEEL BSP	GALV STEEL BSP	SS 316 BSP	BLACK STEEL NPT	GALV STEEL NPT	SS 316 NPT
1/4"	1/8"	BS-3B73-0603	-	-	BS-3N73-0603	GS-3N73-0603	-
3/8"	1/8"	BS-3B73-1003	GS-3B73-1003	-	BS-3N73-1003	GS-3N73-1003	-
3/8"	1/4"	BS-3B73-1006	GS-3B73-1006	-	BS-3N73-1006	GS-3N73-1006	-
1/2"	1/4"	BS-3B73-1206	GS-3B73-1206	-	BS-3N73-1206	GS-3N73-1206	-
1/2"	3/8"	BS-3B73-1210	GS-3B73-1210	-	BS-3N73-1210	GS-3N73-1210	-
3/4"	1/4"	-	-	-	BS-3N73-2006	GS-3N73-2006	-
3/4"	3/8"	BS-3B73-2010	GS-3B73-2010	-	BS-3N73-2010	GS-3N73-2010	-
3/4"	1/2"	BS-3B73-2012	GS-3B73-2012	-	BS-3N73-2012	GS-3N73-2012	-
1"	1/4"	-	-	-	BS-3N73-2506	GS-3N73-2506	-
1"	3/8"	-	-	-	BS-3N73-2510	-	-
1"	1/2"	BS-3B73-2512	GS-3B73-2512	-	BS-3N73-2512	GS-3N73-2512	-
1"	3/4"	BS-3B73-2520	GS-3B73-2520	-	BS-3N73-2520	GS-3N73-2520	-
1.1/4"	3/4"	BS-3B73-3220	GS-3B73-3220	-	BS-3N73-3220	GS-3N73-3220	-
1.1/4"	1"	BS-3B73-3225	GS-3B73-3225	-	BS-3N73-3225	GS-3N73-3225	-
1.1/2"	1/2"	-	-	-	BS-3N73-3812	GS-3N73-3812	-
1.1/2"	3/4"	-	GS-3B73-3820	-	BS-3N73-3820	GS-3N73-3820	-
1.1/2"	1"	BS-3B73-3825	GS-3B73-3825	-	BS-3N73-3825	GS-3N73-3825	-
1.1/2"	1.1/4"	BS-3B73-3832	GS-3B73-3832	-	BS-3N73-3832	GS-3N73-3832	-
2"	1/2"	-	-	-	BS-3N73-5012	GS-3N73-5012	-
2"	3/4"	-	-	-	BS-3N73-5020	GS-3N73-5020	-
2"	1"	BS-3B73-5025	GS-3B73-5025	-	BS-3N73-5025	GS-3N73-5025	-
2"	1.1/4"	BS-3B73-5032	GS-3B73-5032	-	BS-3N73-5032	GS-3N73-5032	-
2"	1.1/2"	BS-3B73-5038	GS-3B73-5038	-	BS-3N73-5038	GS-3N73-5038	-
3"	2"	BS-3B73-7550	GS-3B73-7550	-	BS-3N73-7550	GS-3N73-7550	-
4"	3"	BS-3B73-10075	GS-3B73-10075	-	BS-3N73-10075	GS-3N73-10075	-

6000psi & 10000psi Stainless Steel fittings available on request

STANDARD COMPRESSION FITTINGS

SPECIFICATIONS

Description: Standard brass compression fittings provide an easy and reliable method of connecting to Copper, Nylon, Polyethylene and Polyurethane tubes. Once the nut is tightened the olive remains crushed on the tube, allowing disconnection without losing the nut. Spigots can be added to prevent tube ovalisation.



COMPRESSION OLIVE (100)

SIZE	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8"	BRC100-0003	SSC100-0003
3/16"	BRC100-0005	SSC100-0005
1/4"	BRC100-0006	SSC100-0006
5/16"	BRC100-0008	SSC100-0008
3/8"	BRC100-0010	SSC100-0010
1/2"	BRC100-0012	SSC100-0012
5/8"	BRC100-0016	SSC100-0016
3/4"	BRC100-0020	SSC100-0020

SIZE	BRASS METRIC	STAINLESS METRIC
4mm	BRCM100-0004	SSCM100-0004
5mm	BRCM100-0005	-
6mm	BRCM100-0006	SSCM100-0006
10mm	BRCM100-0010	SSCM100-0010
12mm	BRCM100-0012	SSCM100-0012

SPIGOT (99)

SIZE	BRASS IMPERIAL	STAINLESS IMPERIAL
3/16"	BRC99-0005	-
1/4"	BRC99-0006	-
5/16"	BRC99-0008	-
3/8"	BRC99-0010	-
1/2"	BRC99-0012	-
5/8"	BRC99-0016	-
3/4"	BRC99-0020	-

SIZE	BRASS METRIC	STAINLESS METRIC
4mm	BRCM99-0004	-
6mm	BRCM99-0006	-
10mm	BRCM99-0010	-
12mm	BRCM99-0012	-
16mm	BRCM99-0016	-

COMPRESSION NUT (02)

SIZE	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8"	BRC02-0003	SSC02-0003
3/16"	BRC02-0005	SSC02-0005
1/4"	BRC02-0006	SSC02-0006
5/16"	BRC02-0008	SSC02-0008
3/8"	BRC02-0010	SSC02-0010
1/2"	BRC02-0012	SSC02-0012
5/8"	BRC02-0016	SSC02-0016
3/4"	BRC02-0020	SSC02-0020

SIZE	BRASS METRIC	STAINLESS METRIC
4mm	BRCM02-0004	SSCM02-0004
5mm	BRCM02-0005	-
6mm	BRCM02-0006	SSCM02-0006
10mm	BRCM02-0010	SSCM02-0010
12mm	BRCM02-0012	SSCM02-0012

STANDARD COMPRESSION FITTINGS

COMPRESSION x MBSP (03)

SIZE TUBE	SIZE MBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC03-0303	SSC03-0303
3/16″	1/8″	BRC03-0503	-
3/16″	1/4″	BRC03-0506	SSC03-0506
1/4″	1/8″	BRC03-0603	SSC03-0603
1/4″	1/4″	BRC03-0606	SSC03-0606
1/4″	3/8″	BRC03-0610	SSC03-0610
1/4″	1/2″	BRC03-0612	SSC03-0612
5/16″	1/8″	BRC03-0803	SSC03-0803
5/16″	1/4″	BRC03-0806	SSC03-0806
5/16″	3/8″	BRC03-0810	SSC03-0810
5/16″	1/2″	BRC03-0812	SSC03-0812
3/8″	1/8″	BRC03-1003	SSC03-1003
3/8″	1/4″	BRC03-1006	SSC03-1006
3/8″	3/8″	BRC03-1010	SSC03-1010
3/8″	1/2″	BRC03-1012	SSC03-1012
1/2″	1/4″	BRC03-1206	SSC03-1206
1/2″	3/8″	BRC03-1210	SSC03-1210
1/2″	1/2″	BRC03-1212	SSC03-1212
1/2″	3/4″	BRC03-1220	SSC03-1220
5/8″	3/8″	BRC03-1610	-
5/8″	1/2″	BRC03-1612	SSC03-1612
3/4″	1/2″	BRC03-2012	SSC03-2012
3/4″	3/4″	BRC03-2020	SSC03-2020

SIZE TUBE	SIZE MBSP	BRASS METRIC	STAINLESS METRIC
4mm	1/8″	BRCM03-0403	SSCM03-0403
4mm	1/4″	BRCM03-0406	SSCM03-0406
5mm	1/8″	BRCM03-0503	-
6mm	1/8″	BRCM03-0603	SSCM03-0603
6mm	1/4″	BRCM03-0606	SSCM03-0606
6mm	3/8″	-	SSCM03-0610
6mm	1/2″	-	SSCM03-0612
10mm	1/8″	BRCM03-1003	SSCM03-1003
10mm	1/4″	BRCM03-1006	SSCM03-1006
10mm	3/8″	BRCM03-1010	SSCM03-1010
10mm	1/2″	BRCM03-1012	SSCM03-1012
12mm	1/4″	BRCM03-1206	SSCM03-1206
12mm	3/8″	BRCM03-1210	SSCM03-1210
12mm	1/2″	BRCM03-1212	SSCM03-1212

BULKHEAD TUBE UNION (31)

SIZE TUBE	SIZE TUBE	BRASS IMPERIAL	STAINLESS IMPERIAL
3/16″	3/16″	BRC31-0505	-
1/4″	1/4″	BRC31-0606	SSC31-0606
5/16″	5/16″	BRC31-0808	SSC31-0808
3/8″	3/8″	BRC31-1010	SSC31-1010
1/2″	1/2″	BRC31-1212	SSC31-1212

STANDARD COMPRESSION FITTINGS

COMPRESSION x MBSP ELBOW 90° (05)

SIZE TUBE	SIZE MBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC05-0303	-
3/16″	1/8″	BRC05-0503	-
3/16″	1/4″	BRC05-0506	-
1/4″	1/8″	BRC05-0603	SSC05-0603
1/4″	1/4″	BRC05-0606	SSC05-0606
1/4″	3/8″	BRC05-0610	SSC05-0610
1/4″	1/2″	BRC05-0612	SSC05-0612
5/16″	1/8″	BRC05-0803	SSC05-0803
5/16″	1/4″	BRC05-0806	SSC05-0806
5/16″	3/8″	BRC05-0810	-
5/16″	1/2″	BRC05-0812	-
3/8″	1/8″	BRC05-1003	SSC05-1003
3/8″	1/4″	BRC05-1006	SSC05-1006
3/8″	3/8″	BRC05-1010	SSC05-1010
3/8″	1/2″	BRC05-1012	SSC05-1012
1/2″	1/4″	BRC05-1206	SSC05-1206
1/2″	3/8″	BRC05-1210	SSC05-1210
1/2″	1/2″	BRC05-1212	SSC05-1212
1/2″	3/4″	-	SSC05-1220
5/8″	3/8″	BRC05-1610	-
5/8″	1/2″	BRC05-1612	SSC05-1612
3/4″	1/2″	BRC05-2012	SSC05-2012
3/4″	3/4″	BRC05-2020	SSC05-2020

SIZE TUBE	SIZE MBSP	BRASS METRIC	STAINLESS METRIC
4mm	1/8″	BRCM05-0403	SSCM05-0403
4mm	1/4″	BRCM05-0406	SSCM05-0406
6mm	1/8″	BRCM05-0603	SSCM05-0603
6mm	1/4″	BRCM05-0606	SSCM05-0606
6mm	3/8″	-	SSCM05-0610
10mm	1/4″	BRCM05-1006	SSCM05-1006
10mm	3/8″	BRCM05-1010	SSCM05-1010
12mm	1/4″	BRCM05-1206	SSCM05-1206
12mm	3/8″	BRCM05-1210	SSCM05-1210
12mm	1/2″	BRCM05-1212	SSCM05-1212

COMPRESSION x MBSP ELBOW 45° (05-4)

SIZE TUBE	SIZE MBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
3/16″	1/8″	BRC05-40503	-
1/4″	1/8″	BRC05-40603	-
1/4″	1/4″	BRC05-40606	-
5/16″	1/8″	BRC05-40803	-
5/16″	1/4″	BRC05-40806	-
3/8″	1/4″	BRC05-41006	-
1/2″	3/8″	BRC05-41210	-
1/2″	1/2″	BRC05-41212	-

STANDARD COMPRESSION FITTINGS

COMPRESSION JOINER (04)

SIZE TUBE	SIZE TUBE	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC04-0303	SSC04-0303
3/16″	3/16″	BRC04-0505	SSC04-0505
1/4″	1/8″	BRC04-0603	SSC04-0603
1/4″	1/4″	BRC04-0606	SSC04-0606
5/16″	1/4″	BRC04-0806	SSC04-0806
5/16″	5/16″	BRC04-0808	SSC04-0808
3/8″	1/4″	BRC04-1006	SSC04-1006
3/8″	5/16″	BRC04-1008	SSC04-1008
3/8″	3/8″	BRC04-1010	SSC04-1010
1/2″	1/4″	-	SSC04-1206
1/2″	3/8″	BRC04-1210	SSC04-1210
1/2″	1/2″	BRC04-1212	SSC04-1212
5/8″	5/8″	BRC04-1616	SSC04-1616
3/4″	1/2″	-	SSC04-2012
3/4″	3/4″	BRC04-2020	SSC04-2020



SIZE TUBE	SIZE TUBE	BRASS METRIC	STAINLESS METRIC
4mm	4mm	BRCM04-0404	SSCM04-0404
5mm	5mm	BRCM04-0505	-
6mm	6mm	BRCM04-0606	SSCM04-0606
10mm	10mm	BRCM04-1010	SSCM04-1010
12mm	12mm	BRCM04-1212	SSCM04-1212

6

COMPRESSION x FBSP (10)

SIZE TUBE	SIZE FBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC10-0303	-
3/16″	1/8″	BRC10-0503	-
3/16″	1/4″	BRC10-0506	-
1/4″	1/8″	BRC10-0603	SSC10-0603
1/4″	1/4″	BRC10-0606	SSC10-0606
1/4″	3/8″	BRC10-0610	-
1/4″	1/2″	BRC10-0612	-
5/16″	1/8″	BRC10-0803	-
5/16″	1/4″	BRC10-0806	-
5/16″	3/8″	BRC10-0810	-
3/8″	1/8″	BRC10-1003	SSC10-1003
3/8″	1/4″	BRC10-1006	SSC10-1006
3/8″	3/8″	BRC10-1010	SSC10-1010
3/8″	1/2″	BRC10-1012	-
1/2″	1/4″	BRC10-1206	SSC10-1206
1/2″	3/8″	BRC10-1210	SSC10-1210
1/2″	1/2″	BRC10-1212	SSC10-1212
5/8″	1/2″	BRC10-1612	-

SIZE TUBE	SIZE FBSP	BRASS METRIC	STAINLESS METRIC
4mm	1/8″	BRCM10-0403	-
4mm	1/4″	BRCM10-0406	-
6mm	1/4″	BRCM10-0606	-
10mm	3/8″	BRCM10-1010	-
12mm	1/4″	BRCM10-1206	-
12mm	3/8″	BRCM10-1210	-

STANDARD COMPRESSION FITTINGS

COMPRESSION JOINER ELBOW 90° (11)

SIZE TUBE	SIZE TUBE	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC11-0303	SSC11-0303
3/16″	3/16″	BRC11-0505	SSC11-0505
1/4″	1/4″	BRC11-0606	SSC11-0606
5/16″	5/16″	BRC11-0808	SSC11-0808
3/8″	3/8″	BRC11-1010	SSC11-1010
1/2″	1/2″	BRC11-1212	SSC11-1212

SIZE TUBE	SIZE TUBE	BRASS METRIC	STAINLESS METRIC
4mm	4mm	BRCM11-0404	SSCM11-0404
5mm	5mm	BRCM11-0505	-
6mm	6mm	BRCM11-0606	SSCM11-0606
10mm	10mm	BRCM11-1010	SSCM11-1010
12mm	12mm	BRCM11-1212	SSCM11-1212

6

COMPRESSION TEE (14)

SIZE TUBE	SIZE TUBE	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC14-0303	SSC14-0303
3/16″	3/16″	BRC14-0505	SSC14-0505
1/4″	1/4″	BRC14-0606	SSC14-0606
5/16″	5/16″	BRC14-0808	SSC14-0808
3/8″	3/8″	BRC14-1010	SSC14-1010
1/2″	1/2″	BRC14-1212	SSC14-1212
5/8″	5/8″	BRC14-1616	SSC14-1616

SIZE TUBE	SIZE TUBE	BRASS METRIC	STAINLESS METRIC
4mm	4mm	BRCM14-0404	SSCM14-0404
5mm	5mm	BRCM14-0505	-
6mm	6mm	BRCM14-0606	SSCM14-0606
10mm	10mm	BRCM14-1010	SSCM14-1010
12mm	12mm	BRCM14-1212	SSCM14-1212

COMPRESSION FEMALE ELBOW 90° (15)

SIZE TUBE	SIZE FBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
3/16″	1/8″	BRC15-0503	-
1/4″	1/8″	BRC15-0603	SSC15-0603
1/4″	1/4″	BRC15-0606	SSC15-0606
5/16″	1/4″	BRC15-0806	-
3/8″	1/4″	BRC15-1006	SSC15-1006
3/8″	3/8″	BRC15-1010	SSC15-1010
1/2″	1/4″	BRC15-1206	-
1/2″	3/8″	BRC15-1210	-
1/2″	1/2″	BRC15-1212	-

STANDARD COMPRESSION FITTINGS

COMPRESSION BRANCH TEE (12)

SIZE TUBE	SIZE MBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
1/8″	1/8″	BRC12-0303	-
3/16″	1/8″	BRC12-0503	-
1/4″	1/8″	BRC12-0603	-
1/4″	1/4″	BRC12-0606	SSC12-0606
5/16″	1/8″	BRC12-0803	-
5/16″	1/4″	BRC12-0806	-
5/16″	3/8″	BRC12-0810	-
3/8″	1/8″	BRC12-1003	-
3/8″	1/4″	BRC12-1006	SSC12-1006
3/8″	3/8″	BRC12-1010	SSC12-1010
1/2″	1/4″	BRC12-1206	SSC12-1206
1/2″	3/8″	BRC12-1210	SSC12-1210
1/2″	1/2″	BRC12-1212	SSC12-1212

SIZE TUBE	SIZE MBSP	BRASS METRIC	STAINLESS METRIC
4mm	1/8″	BRCM12-0403	-
4mm	1/4″	BRCM12-0406	-
6mm	1/8″	BRCM12-0603	-
6mm	1/4″	BRCM12-0606	-
10mm	1/4″	BRCM12-1006	-
10mm	3/8″	BRCM12-1010	-
12mm	1/4″	BRCM12-1206	-
12mm	3/8″	BRCM12-1210	-
12mm	1/2″	BRCM12-1212	-

COMPRESSION RUN TEE (13)

SIZE TUBE	SIZE MBSP	BRASS IMPERIAL	STAINLESS IMPERIAL
3/16″	1/8″	BRC13-0503	-
1/4″	1/8″	BRC13-0603	-
1/4″	1/4″	BRC13-0606	-
5/16″	1/8″	BRC13-0803	-
5/16″	1/4″	BRC13-0806	-
3/8″	1/4″	BRC13-1006	-
3/8″	3/8″	BRC13-1010	SSC13-1010
1/2″	3/8″	BRC13-1210	-
1/2″	1/2″	BRC13-1212	SSC13-1212

BRASS INTERNAL COMPRESSION

SPECIFICATIONS

Description: Internal compression fittings operate on the same principle as standard compression but differs in that it has a male nut and female body as opposed to a male body and a female nut. The advantage of the male nut is that the design gives longer tube support which is important in applications where vibration is a factor.

SIZE TUBE	THREAD	OD (MM)	TPI
1/8″	9/32″ x 26 UNS	7.14	26
3/16″	3/8″ x 24 UNF	9.52	24
1/4″	7/16″ x 24 UNS	11.11	24
5/16″	1/2″ x 24 UNS	12.70	24
3/8″	9/16″ x 24 UNEF	14.29	24
1/2″	3/4″ x 24 UNS	19.05	24

6

TUBE NUT, UNIONS & PLUGS

SIZE TUBE	TUBE NUT	JOINER	ELBOW	TEE	PLUG
1/8″	BRIC02-0003	BRIC04-0303	-	-	-
3/16″	BRIC02-0005	BRIC04-0505	BRIC11-0505	BRIC14-0005	BRIC65-0005
1/4″	BRIC02-0006	BRIC04-0606	BRIC11-0606	BRIC14-0006	-
5/16″	BRIC02-0008	BRIC04-0808	BRIC11-0808	BRIC14-0008	BRIC65-0008
3/8″	BRIC02-0010	BRIC04-1010	BRIC11-1010	-	BRIC65-0010
1/2″	BRIC02-0012	BRIC04-1212	-	-	BRIC65-0012

INTERNAL COMPRESSION x BSP ADAPTORS

SIZE TUBE	SIZE BSP	STRAIGHT INTERNAL COMP x MBSP	STRAIGHT INTERNAL COMP x FBSP	ELBOW 90° INTERNAL COMP x MBSP
1/8″	1/8″	-	-	BRIC05-0303
3/16″	1/8″	BRIC03-0503	-	BRIC05-0503
3/16″	1/4″	-	-	BRIC05-0506
1/4″	1/8″	BRIC03-0603	BRIC10-0603	BRIC05-0603
1/4″	1/4″	BRIC03-0606	BRIC10-0606	BRIC05-0606
5/16″	1/8″	BRIC03-0803	-	BRIC05-0803
5/16″	1/4″	BRIC03-0806	BRIC10-0806	BRIC05-0806
3/8″	1/8″	BRIC03-1003	-	-
3/8″	1/4″	BRIC03-1006	BRIC10-1006	BRIC05-1006
3/8″	3/8″	BRIC03-1010	-	BRIC05-1010
1/2″	1/4″	BRIC03-1206	-	-
1/2″	3/8″	BRIC03-1210	-	BRIC05-1210
1/2″	1/2″	BRIC03-1212	BRIC10-1212	-

BRASS SAE 45° FLARE

SPECIFICATIONS

Description: SAE refers to Society Auto Engineers. These fittings are commonly used in gas testing applications (suitable for LPG) as well as for use with general copper tube by way of flaring. They have a 45° sealing face and use the UN thread system.



SIZE TUBE	THREAD	OD (MM)	TPI
1/8"	5/16" x 24 UNF	7.94	24
3/16"	3/8" x 24 UNF	9.52	24
1/4"	7/16" x 20 UNF	11.11	20
5/16"	1/2" x 20 UNF	12.70	20
3/8"	5/8" x 18 UNF	15.88	18
1/2"	3/4" x 16 UNF	19.05	16
5/8"	7/8" x 14 UNF	22.23	14
3/4"	1.1/16" x 14 UNF	26.98	14

6

FLARE NUT (6)

SIZE TUBE	FLARE NUT	FLARE NUT SHORT
1/8"	BRF06-0003	-
3/16"	BRF06-0005	-
1/4"	BRF06-0006	BRF06S-0006
5/16"	BRF06-0008	BRF06S-0008
3/8"	BRF06-0010	BRF06S-0010
1/2"	BRF06-0012	BRF06S-0012
5/8"	BRF06-0016	-
3/4"	BRF06-0020	-

REDUCING FLARE NUT (6R)

SIZE TUBE	SIZE FEMALE	REDUCING FLARE NUT
1/4"	3/16"	BRF06R-0605
5/16"	1/4"	BRF06R-0806
3/8"	1/4"	BRF06R-1006
3/8"	5/16"	BRF06R-1008
1/2"	3/8"	BRF06R-1210

FLARE UNION (17, 18, 19)

SIZE TUBE	STRAIGHT FLARE x FLARE	ELBOW 90° FLARE x FLARE	TEE FLARE x FLARE x FLARE
1/8"	BRF17-0003	-	BRF19-0003
3/16"	BRF17-0005	BRF18-0005	BRF19-0005
1/4"	BRF17-0006	BRF18-0006	BRF19-0006
5/16"	BRF17-0008	BRF18-0008	BRF19-0008
3/8"	BRF17-0010	BRF18-0010	BRF19-0010
1/2"	BRF17-0012	BRF18-0012	BRF19-0012
5/8"	BRF17-0016	BRF18-0016	BRF19-0016
3/4"	BRF17-0020	BRF18-0020	BRF19-0020

BRASS SAE 45° FLARE

FLARE MALE UNION (7, 8)

SIZE TUBE	SIZE BSP	STRAIGHT FLARE x MBSP	ELBOW 90° FLARE x MBSP	ELBOW 45° FLARE x MBSP
1/8″	1/8″	BRF07-0303	BRF08-0303	-
3/16″	1/8″	BRF07-0503	BRF08-0503	-
3/16″	1/4″	BRF07-0506	-	-
1/4″	1/8″	BRF07-0603	BRF08-0603	-
1/4″	1/4″	BRF07-0606	BRF08-0606	BRF08-40606
1/4″	3/8″	BRF07-0610	BRF08-0610	-
1/4″	1/2″	BRF07-0612	BRF08-0612	-
5/16″	1/8″	BRF07-0803	BRF08-0803	-
5/16″	1/4″	BRF07-0806	BRF08-0806	-
5/16″	3/8″	BRF07-0810	BRF08-0810	-
5/16″	1/2″	BRF07-0812	BRF08-0812	-
3/8″	1/8″	BRF07-1003	BRF08-1003	-
3/8″	1/4″	BRF07-1006	BRF08-1006	BRF08-41006
3/8″	3/8″	BRF07-1010	BRF08-1010	BRF08-41010
3/8″	1/2″	BRF07-1012	BRF08-1012	-
3/8″	3/4″	BRF07-1020	-	-
1/2″	1/4″	BRF07-1206	BRF08-1206	-
1/2″	3/8″	BRF07-1210	BRF08-1210	-
1/2″	1/2″	BRF07-1212	BRF08-1212	BRF08-41212
1/2″	3/4″	BRF07-1220	-	-
5/8″	3/8″	-	BRF08-1610	-
5/8″	1/2″	BRF07-1612	BRF08-1612	-
3/4″	1/2″	BRF07-2012	BRF08-2012	-
3/4″	3/4″	BRF07-2020	BRF08-2020	-

FLARE CAP & PLUG (56, 65)

SIZE	FLARE CAP	FLARE PLUG
3/16″	-	BRF65-0005
1/4″	BRF56-0006	BRF65-0006
5/16″	BRF56-0008	BRF65-0008
3/8″	BRF56-0010	BRF65-0010
1/2″	BRF56-0012	BRF65-0012

FLARE SWIVEL (70)

SIZE	SWIVEL FLARE x FLARE
1/4″	BRF70-0006
5/16″	BRF70-0008
3/8″	BRF70-0010
1/2″	BRF70-0012

BRASS SAE 45° FLARE

FLARE FEMALE UNION (16, 36)

SIZE TUBE	SIZE BSP	STRAIGHT FLARE x FBSP	ELBOW 90° FLARE x FBSP
3/16″	1/8″	BRF16-0503	BRF36-0503
3/16″	1/4″	BRF16-0506	-
1/4″	1/8″	BRF16-0603	BRF36-0603
1/4″	1/4″	BRF16-0606	BRF36-0606
1/4″	3/8″	BRF16-0610	BRF36-0610
5/16″	1/8″	BRF16-0803	BRF36-0803
5/16″	1/4″	BRF16-0806	BRF36-0806
5/16″	3/8″	BRF16-0810	-
3/8″	1/8″	BRF16-1003	-
3/8″	1/4″	BRF16-1006	BRF36-1006
3/8″	3/8″	BRF16-1010	BRF36-1010
3/8″	1/2″	BRF16-1012	BRF36-1012
1/2″	1/4″	BRF16-1206	-
1/2″	3/8″	BRF16-1210	BRF36-1210
1/2″	1/2″	BRF16-1212	BRF36-1212
1/2″	3/4″	BRF16-1220	-
5/8″	1/2″	BRF16-1612	-
3/4″	1/2″	BRF16-2012	-
3/4″	3/4″	BRF16-2020	-

FLARE BRANCH TEE (20)

SIZE TUBE	SIZE BSP	BRANCH TEE FLARE x MBSP
3/16″	1/8″	BRF20-0503
1/4″	1/8″	BRF20-0603
1/4″	1/4″	BRF20-0606
5/16″	1/8″	BRF20-0803
5/16″	1/4″	BRF20-0806
5/16″	3/8″	BRF20-0810
3/8″	1/8″	BRF20-1003
3/8″	1/4″	BRF20-1006
3/8″	3/8″	BRF20-1010
1/2″	1/4″	BRF20-1206
1/2″	3/8″	BRF20-1210
1/2″	1/2″	BRF20-1212

BRASS INVERTED FLARE

SPECIFICATIONS

Description: Inverted flare fittings have a 45° seat (similar to SAE Flare Fittings) however the body is female and the nut is male. These flare fittings are mainly used in the automotive industry on brake and fuel lines. The thread is UNF or UNS depending on the size. A flaring tool is required to flare the tube after placing the nut over the tube.



TUBE SIZE	THREAD	OD (MM)	TPI
1/8″	5/16″ x 28 UNS	7.94	28
3/16″	3/8″ x 24 UNF	9.52	24
1/4″	7/16″ x 24 UNS	11.11	24
5/16″	1/2″ x 20 UNF	12.70	20
3/8″	5/8″ x 18 UNF	15.88	18
1/2″	3/4″ x 18 UNS	19.05	18
5/8″	7/8″ x 18 UNS	22.23	18
3/4″	1.1/16″ x 16 UNS	26.98	16

6

TUBE NUT (58)

SIZE TUBE	TUBE NUT	TUBE NUT LONG	TUBE NUT STEEL
1/8″	BRIF58-0003	-	-
3/16″	BRIF58-0005	BRIF58L-0005	BRIF58-0005-STL
1/4″	BRIF58-0006	BRIF58L-0006	BRIF58-0006-STL
5/16″	BRIF58-0008	-	BRIF58-0008-STL
3/8″	BRIF58-0010	-	BRIF58-0010-STL
1/2″	BRIF58-0012	-	-

INVERTED FLARE x MNPT ADAPTOR (62, 59)

SIZE TUBE	SIZE NPT	STRAIGHT FLARE x MNPT	ELBOW 90° FLARE x MNPT	ELBOW 45° FLARE x MNPT
1/8″	1/8″	BRIF62-0303	BRIF59-0303	-
3/16″	1/8″	BRIF62-0503	BRIF59-0503	BRIF59-40503
1/4″	1/8″	BRIF62-0603	BRIF59-0603	BRIF59-40603
1/4″	1/4″	BRIF62-0606	BRIF59-0606	-
5/16″	1/8″	BRIF62-0803	BRIF59-0803	BRIF59-40803
5/16″	1/4″	BRIF62-0806	BRIF59-0806	-
3/8″	1/8″	BRIF62-1003	BRIF59-1003	-
3/8″	1/4″	BRIF62-1006	BRIF59-1006	BRIF59-41006
3/8″	3/8″	BRIF62-1010	BRIF59-1010	-
1/2″	3/8″	BRIF62-1210	BRIF59-1210	-
1/2″	1/2″	BRIF62-1212	-	

BRASS INVERTED FLARE

INVERTED FLARE UNIONS & PLUGS (63, 61, 65)

SIZE TUBE	SOCKET FLARE x FLARE	TEE FLARE x FLARE x FLARE	FLARE PLUG
1/8"	BRIF63-0303	-	-
3/16"	BRIF63-0505	BRIF61-0505	BRIF65-0005
1/4"	BRIF63-0606	BRIF61-0606	BRIF65-0006
5/16"	BRIF63-0808	BRIF61-0808	-
3/8"	BRIF63-1010	BRIF61-1010	-
1/2"	BRIF63-1212	-	-

BRASS AIRBRAKE

IMPERIAL TUBE COMPRESSION COMPONENTS

SIZE TUBE	COMPRESSION SLEEVE	COMPRESSION NUT	COMPRESSION TUBE INSERT
1/4″	BACN01-0006	BACN02-0006	BACN99-0006
3/8″	BACN01-0010	BACN02-0010	BACN99-0010
1/2″	BACN01-0012	BACN02-0012	BACN99-0012
5/8″	BACN01-0016	BACN02-0016	BACN99-0016
3/4″	BACN01-0020	BACN02-0020	BACN99-0020

6

IMPERIAL TUBE x MNPT

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT
1/4″	1/8″	BACN03-0603	BAQN03-0603
1/4″	1/4″	BACN03-0606	BAQN03-0606
1/4″	3/8″	BACN03-0610	BAQN03-0610
3/8″	1/8″	BACN03-1003	BAQN03-1003
3/8″	1/4″	BACN03-1006	BAQN03-1006
3/8″	3/8″	BACN03-1010	BAQN03-1010
3/8″	1/2″	BACN03-1012	BAQN03-1012
1/2″	1/4″	BACN03-1206	BAQN03-1206
1/2″	3/8″	BACN03-1210	BAQN03-1210
1/2″	1/2″	BACN03-1212	BAQN03-1212
1/2″	3/4″	BACN03-1220	-
5/8″	3/8″	BACN03-1610	BAQN03-1610
5/8″	1/2″	BACN03-1612	BAQN03-1612
5/8″	3/4″	BACN03-1620	-
3/4″	1/2″	BACN03-2012	-
3/4″	3/4″	BACN03-2020	-

METRIC TUBE x MNPT

SIZE TUBE	SIZE NPT	QUICK FIT
6mm	1/8″	BAQMN03-0603
6mm	1/4″	BAQMN03-0606
6mm	1/2″	BAQMN03-0612
8mm	1/8″	BAQMN03-0803
8mm	1/4″	BAQMN03-0806
8mm	3/8″	BAQMN03-0810
10mm	1/4″	BAQMN03-1006
10mm	3/8″	BAQMN03-1010
10mm	1/2″	BAQMN03-1012
12mm	1/4″	BAQMN03-1206
12mm	3/8″	BAQMN03-1210
12mm	1/2″	BAQMN03-1212
16mm	3/8″	BAQMN03-1610
16mm	1/2″	BAQMN03-1612

BRASS AIRBRAKE

IMPERIAL TUBE JOINER

SIZE TUBE	COMPRESSION	QUICK FIT
1/4″	BACN04-0006	BAQN04-0006
3/8″	BACN04-0010	BAQN04-0010
1/2″	BACN04-0012	BAQN04-0012
5/8″	BACN04-0016	BAQN04-0016
3/4″	BACN04-0020	-

METRIC TUBE JOINER

SIZE TUBE	QUICK FIT
6mm	BAQMN04-0006
8mm	BAQMN04-0008
10mm	BAQMN04-0010
12mm	BAQMN04-0012
14mm	BAQMN04-0014
15mm	BAQMN04-0015

6

METRIC TUBE x MNPT ELBOW 90°

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT ***SWIVEL
1/4″	1/8″	BACN05-0603	BAQN05S-0603
1/4″	1/4″	BACN05-0606	BAQN05S-0606
1/4″	3/8″	BACN05-0610	BAQN05S-0610
3/8″	1/8″	BACN05-1003	BAQN05S-1003
3/8″	1/4″	BACN05-1006	BAQN05S-1006
3/8″	3/8″	BACN05-1010	BAQN05S-1010
3/8″	1/2″	BACN05-1012	BAQN05S-1012
1/2″	1/4″	BACN05-1206	BAQN05S-1206
1/2″	3/8″	BACN05-1210	BAQN05S-1210
1/2″	1/2″	BACN05-1212	BAQN05S-1212
5/8″	3/8″	BACN05-1610	BAQN05S-1610
5/8″	1/2″	BACN05-1612	BAQN05S-1612
5/8″	3/4″	BACN05-1620	-
3/4″	1/2″	BACN05-2012	-

METRIC TUBE x MNPT ELBOW 90°

SIZE TUBE	SIZE NPT	QUICK FIT
6mm	1/8″	BAQMN05-0603
6mm	1/4″	BAQMN05-0606
8mm	1/4″	BAQMN05-0806
8mm	3/8″	BAQMN05-0810
10mm	1/4″	BAQMN05-1006
10mm	3/8″	BAQMN05-1010
10mm	1/2″	BAQMN05-1012
12mm	1/4″	BAQMN05-1206
12mm	3/8″	BAQMN05-1210
12mm	1/2″	BAQMN05-1212
16mm	1/2″	BAQMN05-1612

BRASS AIRBRAKE

IMPERIAL TUBE x MNPT ELBOW 45°

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT (*SWIVEL)
1/4"	1/8"	BACN05-40603	BAQN05-40603
1/4"	1/4"	-	BAQN05S-40606*
3/8"	1/4"	BACN05-41006	BAQN05-41006
3/8"	3/8"	BACN05-41010	BAQN05S-41010*
3/8"	1/2"	-	BAQN05-41012
1/2"	1/4"	BACN05-41206	BAQN05-41206
1/2"	3/8"	BACN05-41210	BAQN05S-41210*
1/2"	1/2"	BACN05-41212	BAQN05S-41212*
5/8"	3/8"	-	BAQN05-41610
5/8"	1/2"	-	BAQN05-41612

IMPERIAL TUBE x FNPT

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT
1/4"	1/8"	-	BAQN10-0603
1/4"	1/4"	BACN10-0606	BAQN10-0606
3/8"	1/4"	BACN10-1006	BAQN10-1006
3/8"	3/8"	BACN10-1010	BAQN10-1010
1/2"	1/4"	-	BAQN10-1206
1/2"	3/8"	-	BAQN10-1210
1/2"	1/2"	-	BAQN10-1212

IMPERIAL TUBE JOINER ELBOW 90°

SIZE TUBE	COMPRESSION	QUICK FIT
1/4"	-	BAQN11-0006
3/8"	-	BAQN11-0010
1/2"	-	BAQN11-0012

METRIC TUBE JOINER ELBOW 90°

SIZE TUBE	QUICK FIT
6mm	BAQMN11-0006
8mm	BAQMN11-0008
10mm	BAQMN11-0010
12mm	BAQMN11-0012
15mm	BAQMN11-0015
16mm	BAQMN11-0016

BRASS AIRBRAKE

IMPERIAL x MNPT BRANCH TEE

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT (*SWIVEL)
1/4"	1/8"	BACN12-0603	BAQN12S-0603*
1/4"	1/4"	-	BAQN12S-0606*
3/8"	1/8"	-	BAQN12S-1003*
3/8"	1/4"	BACN12-1006	BAQN12S-1006*
3/8"	3/8"	BACN12-1010	BAQN12S-1010*
1/2"	1/4"	BACN12-1206	BAQN12S-1206*
1/2"	3/8"	BACN12-1210	BAQN12-1210
1/2"	1/2"	-	BAQN12-1212

METRIC x MNPT BRANCH TEE

SIZE TUBE	SIZE NPT	QUICK FIT
6mm	1/8"	BAQMN12-0603
12mm	1/4"	BAQMN12-1206
12mm	1/2"	BAQMN12-1212

IMPERIAL TUBE x MNPT RUN TEE

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT *SWIVEL
1/4"	1/8"	BACN13-0603	BAQN13-0603
3/8"	1/4"	BACN13-1006	BAQN13S-1006*
3/8"	3/8"	BACN13-1010	BAQN13-1010
1/2"	1/4"	-	BAQN13S-1206*
1/2"	3/8"	-	BAQN13-1210

IMPERIAL TUBE TEE

SIZE TUBE	COMPRESSION	QUICK FIT
1/4"	BACN14-0006	BAQN14-0006
3/8"	BACN14-0010	BAQN14-0010
1/2"	BACN14-0012	BAQN14-0012
5/8"	BACN14-0016	-
3/4"	-	-

METRIC TUBE TEE

SIZE TUBE	QUICK FIT
6mm	BAQMN14-0006
8mm	BAQMN14-0008
10mm	BAQMN14-0010
12mm	BAQMN14-0012
15mm	BAQMN14-0015
16mm	BAQMN14-0016

BRASS AIRBRAKE

IMPERIAL TUBE BULKHEAD

SIZE TUBE	COMPRESSION	QUICK FIT
1/4"	BACN31-0006	BAQN31-0006
3/8"	BACN31-0010	BAQN31-0010
1/2"	BACN31-0012	BAQN31-0012

METRIC TUBE BULKHEAD

SIZE TUBE	QUICK FIT
6mm	BAQMN31-0006
8mm	BAQMN31-0008
10mm	BAQMN31-0010
12mm	BAQMN31-0012
16mm	BAQMN31-0016

6

IMPERIAL TUBE BULKHEAD x FNPT

SIZE TUBE	SIZE NPT	COMPRESSION	QUICK FIT
1/4"	1/4"	-	BAQN31F-0606
3/8"	3/8"	-	BAQN31F-1010
1/2"	1/2"	-	BAQN31F-1212

BRASS METRIC & MISCELLANEOUS

METRIC SOCKET

SIZE	SIZE	METRIC x METRIC (FEMALE x FEMALE)	METRIC x BSP (FEMALE x FEMALE)	METRIC x NPT (FEMALE x FEMALE)
12mm	12mm	BRM26-M1212	-	-
12mm	1/4"	-	BRM29-M1206	BRM29-M12N06
14mm	14mm	BRM26-M1414	-	-
14mm	1/4"	-	BRM29-M1406	BRM29-M14N06
16mm	16mm	BRM26-M1616	-	-
16mm	1/4"	-	BRM29-M1606	BRM29-M16N06
18mm	18mm	BRM26-M1818	-	-
18mm	3/8"	-	BRM29-M1810	BRM29-M18N10
20mm	20mm	BRM26-M2020	-	-
20mm	3/8"	-	BRM29-M2010	BRM29-M20N10
22mm	22mm	BRM26-M2222	-	-
22mm	3/8"	-	BRM29-M2210	BRM29-M22N10

METRIC HOSETAIL

SIZE HOSE	SIZE MALE	HOSETAIL x METRIC MALE
1/4"	12mm	BRMP3-06M12
5/16"	12mm	BRMP3-08M12
5/16"	14mm	BRMP3-08M14
3/8"	12mm	BRMP3-10M12
3/8"	14mm	BRMP3-10M14
3/8"	16mm	BRMP3-10M16
3/8"	22mm	BRMP3-10M22
1/2"	16mm	BRMP3-12M16
1/2"	22mm	BRMP3-12M22

METRIC PLUG

SIZE	METRIC PLUG
12mm	BRM64-M12
14mm	BRM64-M14
16mm	BRM64-M16
18mm	BRM64-M18
20mm	BRM64-M20
22mm	BRM64-M22
24mm	BRM64-M24

NIPPLE

SIZE	SIZE	METRIC x BSP (MALE x MALE)	METRIC x NPT (MALE x MALE)
12mm	1/8"	BRM73-M1203	BRM73-M12N03
12mm	1/4"	BRM73-M1206	BRM73-M12N06
14mm	1/4"	BRM73-M1406	BRM73-M14N06
16mm	1/4"	BRM73-M1606	BRM73-M16N06
18mm	1/4"	BRM73-M1806	BRM73-M18N06
20mm	1/4"	BRM73-M2006	BRM73-M20N06
20mm	3/8"	BRM73-M2010	-
22mm	3/8"	BRM73-M2210	BRM73-M22N10
24mm	3/8"	BRM73-M2410	-

BRASS METRIC & MISCELLANEOUS

ADAPTOR

SIZE	SIZE	BSP x METRIC (FEMALE x MALE)	NPT x METRIC (FEMALE x MALE)
1/8"	10mm	BRM72-B03M10	-
1/8"	12mm	BRM72-B03M12	BRM72-N03M12
1/8"	14mm	BRM72-B03M14	BRM72-N03M14
1/8"	16mm	BRM72-B03M16	BRM72-N03M16
1/4"	12mm	BRM72-B06M12	BRM72-N06M12
1/4"	14mm	BRM72-B06M14	BRM72-N06M14
1/4"	16mm	BRM72-B06M16	-
1/4"	18mm	BRM72-B06M18	BRM72-N06M18
1/4"	20mm	BRM72-B06M20	BRM72-N06M20
1/4"	22mm	BRM72-B06M22	BRM72-N06M22
3/8"	16mm	BRM72-B10M16	-
3/8"	22mm	BRM72-B10M22	BRM72-N10M22
3/8"	24mm	BRM72-B10M24	BRM72-N10M24

SIZE	SIZE	METRIC x BSP (FEMALE x MALE)	METRIC x NPT (FEMALE x MALE)
10mm	1/8"	BRM72-M1003	-
12mm	1/4"	-	BRM72-M12N06
16mm	3/8"	BRM72-M1610	BRM72-M16N10
18mm	3/8"	BRM72-M1810	-
18mm	1/2"	BRM72-M1812	-
20mm	3/8"	BRM72-M2010	BRM72-M20N10
20mm	1/2"	BRM72-M2012	-
22mm	3/8"	-	BRM72-M22N10
22mm	3/4"	-	BRM72-M22N20

DRAINCOCK (30)

SIZE	BRASS BSP	BRASS NPT
1/8"	BR30-0003	BRN30-0003
1/4"	BR30-0006	BRN30-0006
3/8"	BR30-0010	BRN30-0010
1/2"	BR30-0012	BRN30-0012

BREATHERS (76)

SIZE	SINTERED	HAT	CONE
1/8"	BR76S-0003	BR76H-0003	BR76C-0003
1/4"	BR76S-0006	BR76H-0006	BR76C-0006
3/8"	BR76S-0010	BR76H-0010	BR76C-0010
1/2"	BR76S-0012	BR76H-0012	BR76C-0012

BRASS METRIC & MISCELLANEOUS

BRASS OXYACETYLENE FITTINGS

PART NUMBER	CODE	DESCRIPTION
BRX-OXY-LP112	LP112	RIGHT HAND - OXY - 5mm HOSE x 5/8" NF
BRX-ACE-LP240	LP240	LEFT HAND - ACET - 5mm HOSE x 5/8" NFLH

PART NUMBER	CODE	DESCRIPTION
BRX-OXY-ACE-LP265	LP265	5mm HOSE JOINER

PART NUMBER	CODE	DESCRIPTION
BRX-OXY-WB34	WB34	RIGHT HAND - OXY 5/8" NF
BRX-ACE-WB35	WB35	LEFT HAND - ACET 5/8" NFLH

PART NUMBER	CODE	DESCRIPTION
BRX-OXY-AR27	AR27	RIGHT HAND - OXY 5/8" NF x 1/4" BSP
BRX-ACE-AR90	AR90	LEFT HAND - ACET 5/8" NFLH x 1/4" BSP

PART NUMBER	CODE	DESCRIPTION
BRX-ACE-P5-0310	LP250RH	RIGHT HAND - 5mm HOSE x 5/8" RH NUT & TAIL
BRX-OXY-P5-0310	LP250LH	LEFT HAND - 5mm HOSE x 5/8" LH NUT & TAIL

BRASS CAV FUEL FILTER ADAPTORS

PART NUMBER	CODE	DESCRIPTION
BRX-CAV-H06	CAV04	CAV x 1/4" HOSETAIL
BRX-CAV-H08	CAV05	CAV x 5/16" HOSETAIL
BRX-CAV-H10	CAV06	CAV x 3/8" HOSETAIL
BRX-CAV-M06	CAV02	CAV x 1/4" MBSP
BRX-CAV-90M06	CAV03	CAV x 1/4" MBSP 90°